

PM 19 5481-175

Page 1 of 2  
Brussels Sprouts and Cauliflower 16 days. 1 harvest in cabbage, collards and kale. Or use 1 3/5 pint per acre. Do not apply this rate within 21 days of harvest. (1.35 pint).

**RESTRICTED USE PESTICIDE**  
Due to Very High Acute Toxicity to Humans and Birds For Retail Sale To and Use Only by Certified Applicators or Persons Under Their Direct Supervision, and Only for Those Uses Covered by the Certified Applicator Certification. Do not use for any other use. Do not use for any other use. Do not use for any other use.

# METHYL PARATHION 5

Organophosphorus Insecticide Emulsifiable Liquid  
**ACTIVE INGREDIENTS**  
O-Dimethyl O-p-ethoxyphenyl Phosphorothioate 52.73%  
Inert Ingredients 47.27%  
Total 100.00%  
Methyl Parathion Content 5 lbs. Per Gallon

## KEEP OUT OF REACH OF CHILDREN DANGER-POISON PELIGRO

**RAPIDLY ABSORBED THROUGH THE SKIN & EYES. POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN, EYES OR THROUGH CONTAMINATED CLOTHING. ALWAYS CALL A PHYSICIAN IN CASES OF SUSPECTED POISONING.**

**PRECAUCION AL USUARIO:** Se utiliza en las etiquetas, no use este producto hasta que se obtenga ayuda de un especialista en toxicología.

**STATEMENTS OF PRACTICAL TREATMENT**  
Call a doctor (physician), Poison Control Center or hospital immediately. Explain that the victim has been exposed to Methyl Parathion and describe persons condition. If breathing has stopped, start artificial respiration immediately and maintain until physician takes victim.

**CAN KILL YOU IF SWALLOWED:** The product can kill you if swallowed. Do not use for any other use. Do not use for any other use. Do not use for any other use.

**CAN KILL YOU BY INHALATION:** The product can kill you if inhaled by nose or sprayed near or breathed.

**CAN KILL YOU IF BREATHED:** The product can kill you if inhaled by nose or sprayed near or breathed.

**IF SWALLOWED:** Do not induce vomiting. Give 1 or 2 glasses of water and breathing back of throat with finger. Repeat until vomit has a clear. Never induce vomiting or give anything by mouth to acid unconscious or comatose person. Remove victim to clean and fresh air.

**IF INHALED:** Remove victim to fresh air immediately. Apply artificial respiration if indicated. Get medical attention immediately.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention immediately.

**IF ON SKIN:** Remove contaminated clothing immediately and wash thoroughly with soap and water. Call a physician immediately. See the label for more information.

**IF ON CLOTHING:** Remove contaminated clothing immediately and wash thoroughly with soap and water. Call a physician immediately. See the label for more information.

PRECAUTIONARY STATEMENTS  
EPA REG. NO. 5481-175 EPA EST 5481-CA-1  
NET CONTENTS 5 GALLONS  
AMVAC CHEMICAL CORPORATION  
4160 EAST WASHINGTON BLVD.  
LOS ANGELES, CA 90023 U.S.A.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER:** Poisonous if swallowed, inhaled or absorbed through the skin. Contact may irritate eyes, nose, throat and respiratory tract. Repeated contact with the skin, contact may irritate eyes, nose, throat and respiratory tract. Repeated contact with the skin, contact may irritate eyes, nose, throat and respiratory tract.

**NOTE TO PHYSICIAN - POISONING SYMPTOMS**  
Methyl Parathion is a highly toxic cholinesterase inhibitor. Symptoms include weakness, headache, dizziness, incoordination, blurred vision, runny nose, salivation, sweating, diarrhea, vomiting, convulsions, and abdominal cramps. **TREATMENT:** Atropine is the specific antidote for cholinesterase inhibition. If there are signs of respiratory depression, artificial respiration should be instituted. If there are signs of convulsions, treatment should be given. If there are signs of respiratory depression, artificial respiration should be instituted. If there are signs of convulsions, treatment should be given.

**ENVIRONMENTAL HAZARDS**  
This pesticide is highly toxic to aquatic invertebrates and wildlife. Birds in treated areas may be killed. Do not apply directly to water, to areas where surface water is present, or to terrestrial areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS**  
Do not use near open flame or other heat sources. **RE-ENTRY AND WORKER SAFETY STATEMENT**  
Reentry into treated fields is prohibited for 48 hours after application. Do not use protective clothing and equipment required for early reentry on untreated areas on the treated area.

**RE-ENTRY AND WORKER SAFETY STATEMENT**  
Reentry into treated fields is prohibited for 48 hours after application. Do not use protective clothing and equipment required for early reentry on untreated areas on the treated area.

**RE-ENTRY AND WORKER SAFETY STATEMENT**  
Reentry into treated fields is prohibited for 48 hours after application. Do not use protective clothing and equipment required for early reentry on untreated areas on the treated area.

**RE-ENTRY AND WORKER SAFETY STATEMENT**  
Reentry into treated fields is prohibited for 48 hours after application. Do not use protective clothing and equipment required for early reentry on untreated areas on the treated area.

**RE-ENTRY AND WORKER SAFETY STATEMENT**  
Reentry into treated fields is prohibited for 48 hours after application. Do not use protective clothing and equipment required for early reentry on untreated areas on the treated area.

**RE-ENTRY AND WORKER SAFETY STATEMENT**  
Reentry into treated fields is prohibited for 48 hours after application. Do not use protective clothing and equipment required for early reentry on untreated areas on the treated area.

**RE-ENTRY AND WORKER SAFETY STATEMENT**  
Reentry into treated fields is prohibited for 48 hours after application. Do not use protective clothing and equipment required for early reentry on untreated areas on the treated area.

**WORK SAFETY RULES**  
The National Pesticide Telecommunication Network is available for recommendations, regarding protective equipment, emergency treatment and other information by dialing the number of Methyl Parathion. The toll free number is 1-800-858-7378.

**WORK SAFETY RULES**  
The National Pesticide Telecommunication Network is available for recommendations, regarding protective equipment, emergency treatment and other information by dialing the number of Methyl Parathion. The toll free number is 1-800-858-7378.

**WORK SAFETY RULES**  
The National Pesticide Telecommunication Network is available for recommendations, regarding protective equipment, emergency treatment and other information by dialing the number of Methyl Parathion. The toll free number is 1-800-858-7378.

**WORK SAFETY RULES**  
The National Pesticide Telecommunication Network is available for recommendations, regarding protective equipment, emergency treatment and other information by dialing the number of Methyl Parathion. The toll free number is 1-800-858-7378.

**WORK SAFETY RULES**  
The National Pesticide Telecommunication Network is available for recommendations, regarding protective equipment, emergency treatment and other information by dialing the number of Methyl Parathion. The toll free number is 1-800-858-7378.

**WORK SAFETY RULES**  
The National Pesticide Telecommunication Network is available for recommendations, regarding protective equipment, emergency treatment and other information by dialing the number of Methyl Parathion. The toll free number is 1-800-858-7378.

**WORK SAFETY RULES**  
The National Pesticide Telecommunication Network is available for recommendations, regarding protective equipment, emergency treatment and other information by dialing the number of Methyl Parathion. The toll free number is 1-800-858-7378.

**WORK SAFETY RULES**  
The National Pesticide Telecommunication Network is available for recommendations, regarding protective equipment, emergency treatment and other information by dialing the number of Methyl Parathion. The toll free number is 1-800-858-7378.

**WORK SAFETY RULES**  
The National Pesticide Telecommunication Network is available for recommendations, regarding protective equipment, emergency treatment and other information by dialing the number of Methyl Parathion. The toll free number is 1-800-858-7378.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**CORN:** (Fodder and Grain including field, sweet and popcorn): For Aphis, Armyworm (up to 3rd instar), Flea Beetles, Mites. Use 2/5 pint per acre. Repeat application if necessary. Workers entering treated fields the day of application must wear protective clothing. Do not apply within 12 days of harvest. (2/5 pint).

**CORN:** (Fodder and Grain including field, sweet and popcorn): For Aphis, Armyworm (up to 3rd instar), Flea Beetles, Mites. Use 2/5 pint per acre. Repeat application if necessary. Workers entering treated fields the day of application must wear protective clothing. Do not apply within 12 days of harvest. (2/5 pint).

**CORN:** (Fodder and Grain including field, sweet and popcorn): For Aphis, Armyworm (up to 3rd instar), Flea Beetles, Mites. Use 2/5 pint per acre. Repeat application if necessary. Workers entering treated fields the day of application must wear protective clothing. Do not apply within 12 days of harvest. (2/5 pint).

**CORN:** (Fodder and Grain including field, sweet and popcorn): For Aphis, Armyworm (up to 3rd instar), Flea Beetles, Mites. Use 2/5 pint per acre. Repeat application if necessary. Workers entering treated fields the day of application must wear protective clothing. Do not apply within 12 days of harvest. (2/5 pint).

**CORN:** (Fodder and Grain including field, sweet and popcorn): For Aphis, Armyworm (up to 3rd instar), Flea Beetles, Mites. Use 2/5 pint per acre. Repeat application if necessary. Workers entering treated fields the day of application must wear protective clothing. Do not apply within 12 days of harvest. (2/5 pint).

**CORN:** (Fodder and Grain including field, sweet and popcorn): For Aphis, Armyworm (up to 3rd instar), Flea Beetles, Mites. Use 2/5 pint per acre. Repeat application if necessary. Workers entering treated fields the day of application must wear protective clothing. Do not apply within 12 days of harvest. (2/5 pint).

**CORN:** (Fodder and Grain including field, sweet and popcorn): For Aphis, Armyworm (up to 3rd instar), Flea Beetles, Mites. Use 2/5 pint per acre. Repeat application if necessary. Workers entering treated fields the day of application must wear protective clothing. Do not apply within 12 days of harvest. (2/5 pint).

**CORN:** (Fodder and Grain including field, sweet and popcorn): For Aphis, Armyworm (up to 3rd instar), Flea Beetles, Mites. Use 2/5 pint per acre. Repeat application if necessary. Workers entering treated fields the day of application must wear protective clothing. Do not apply within 12 days of harvest. (2/5 pint).

**CORN:** (Fodder and Grain including field, sweet and popcorn): For Aphis, Armyworm (up to 3rd instar), Flea Beetles, Mites. Use 2/5 pint per acre. Repeat application if necessary. Workers entering treated fields the day of application must wear protective clothing. Do not apply within 12 days of harvest. (2/5 pint).

2 of 2

**ACCEPTED**  
**SEP 16 1993**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 5481-175

644

644

2 of 2