



SEVIN® BRAND CARBARYL INSECTICIDE

"DUST CONCENTRATE 46"

REC-11
FEB 2 1987
5481-190

AM INSECTICIDE FOR MANUFACTURING USE ONLY

ACTIVE INGREDIENT:	
Carbaryl:1-Napthyl N-methylcarbamate . . .	46.0%
INERT INGREDIENTS:	54.0%
Total	100.0%

SEVIN® is a registered Trademark of Union Carbide Corporation for Carbaryl Insecticides.

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician of Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply Artificial Respiration if indicated. Get medical attention.


SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 5481-190-AA

EPA Est. No. 5481-CA-1

Net Weight 50 Pounds

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES CA 90023



SEVIN® BRAND CARBARYL INSECTICIDE
DUST CONCENTRATE 46

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact eyes, skin and clothing. Wash thoroughly after handling and before eating or smoking. Change to clean clothing daily. Do not contaminate feed or foodstuffs. **NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the proposed treatment areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other Carbaryl labels.

ATTENTION FORMULATORS

This pesticide may only be used in the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registrations of their formulated products. A Technical Data Sheet is available which gives information pertaining to the use of this product. Copies may be obtained from the AMVAC CHEMICAL CORPORATION.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved wastes disposal facility. **CONTAINER DISPOSAL:** Do not reuse empty bag. Completely empty bag to equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use.

SEVIN® BRAND CARBARYL INSECTICIDE
DUST CONCENTRATE 46

DIRECTIONS FOR USE(Cont.)

USE PATTERNS FOR CARBARYL "END-USE PRODUCTS"

This product may be used for formulations ONLY into End-Use Products for use in the following "USE PATTERNS".

TERRESTRIAL FOOD USES ON

ALFALFA, ALMONDS, APPLE, APRICOT, ASPARAGUS, BANANAS, BEANS (DRY, SUCCULENT), BEANS FORAGE, BEETS, BIRDSFOOT TREFOIL FORAGE, BLACKBERRIES, BOYSENBERRIES, BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CARROTS, CAULIFLOWER, CELERY, CHERRIES, CHESNUTS, CHINESE CABBAGE, CITRUS FRUITS, CLOVER, CLOVER HAY, COLLARDS, CORN, COTTON, COTTONSEED, COWPEAS, CRANBERRIES, CUCUMBERS, DANDELIONS, DEWBERRIES, EGGPLANTS, ENDIVE, FILBERTS, FLAX, GRAPES, HORSERADISH, KALE, KOHLRABI, LENTILS, LETTUCE, LOGANBERRIES, MAPLE SAP, MELONS(INCLUDING CANTALOUPE AND WATERMELONS), MILLET, MUSTARD GREENS, NECTARINES, OKRA, OLIVES, PARSLEY, PASTURES, PEACHES, PEANUTS, PEARS, PEAS (INCLUDING COWPEAS), PECANS, PEPPERS, PISTACHIO NUTS, PLUM, POTATOES, PUMPKINS, RADISH, RASPBERRIES, RICE, RICE STRAW, RUTABAGAS, SALSIFY, SORGHUM, SOYBEANS, SPINACH, SQUASH (WINTER & SUMMER), STRAWBERRIES, SUGAR BEETS, SUNFLOWERS SEEDS, SWEET POTATOES, SWISS CHARD, TOMATOES, TURNIPS, WALNUTS, WHEAT.

TERRESTRIAL NON-FOOD USES

TREES (INCLUDING SHADE TREES, SHELTER BELTS, FORESTS, PLANTATIONS, PARKS AND RECREATIONAL AREAS) ORNAMENTAL EVERGREENS(INCL. ARBORVITAE, DOUGLAS FIR, HEMLOCK, JUNIPER, PINES SPECIES SUCH AS (AUSTRIAN-SCOTCH-SUGAR-WHITE-DIGGER-JAPANESE- BLACK-MONTERAY- BONDEIOSA) NORWAY- WHITE SPRUCE; ORNAMENTAL DECIDUOUS TREES (INCL. ASH, ASPEN, BEECH, BIRCH, BOXELDER, CHESTNUT, COTTONWOOD, DOGWOOD, ELM, FLOWERING ALUM, FLOWERING ORNAMENTAL FRUIT TREES, HAWTHORN, HOLLY, LILAC, LINDEN, LOCUST, MAPLE, MOUNTAIN ASH, OAK, PYRACANTHA, RHODODENDRON, SYCAMORE, WILLOW; ORNAMENTAL HERBACEOUS PLANTS (INCLUDING AZALEA, CAMELLIA, CHRYSANTHEMUMS, DAHLIAS, GLADIOLUS, HYACINTH, IRIS, LILIES, NARCISSUS, TULIPS;) ORNAMENTAL WOODY SHRUBS (INCL. AZALEAS, HIBISCUS, HOLLY, ROSES (INCL. NURSERY STOCK), ORNAMENTAL LAWNS, & TURFGRASS

AERIAL APPLICATION

FOREST TREES (INCLUDING SHADE TREES, SHELTER BELTS, FORESTS, PLANTATIONS, PARKS AND RECREATIONAL AREAS) AND COMMERCIALLY GROWN ORNAMENTALS (INCLUDING ROSES, FLOWERS, AND OTHER HERBACEOUS PLANTS). WOODY PLANTS AND SHRUBS.

LIVESTOCK USES

HORSES, POULTRY(CHICKENS, DUCKS, GAME BIRDS, PIGEONS, TURKEYS).

DOMESTIC OUTDOOR

LAWNS AND ORNAMENTAL PLANTS OUTDOOR TREATMENTS FOR MOSQUITO, IMPORTED FIRE ANT.

DOMESTIC INDOOR & OUTDOOR PREMISES

ANTS, COCKROACHES, BROWN DOG TICKS, EARWIGS, FLEAS, MILLIPEDES, SILVERFISH, SPIDERS.