

METALDEHYDE METHIOCARB GRANULES 2-1

(Contains 2% Metaldehyde and 1% Mesural[®])

FOR CONTROL OF SNAILS IN CITRUS &
AVACADO GROVES, LAWNS & TURF AREAS,
FLOWER GARDENS, GREENHOUSES AND
ORNAMENTAL NURSERIES

Active Ingredients:

Metaldehyde2.0%
3.5-Dimethyl-4-(methyl-thio) phenol methyl carbamate.....1.0%

Inert ingredients:97.0%

Total 100.0%

[®]Mesural is a registered trademark of the parent company of Farbenfabriken Bayer, GmbH, Leverkusen

ACCEPTED

AUG 28 1984

Under Insecticide
Federal Insecticide, Fungicide, and
Plant Growth Regulator Act
as amended for the pesticide
registered under
EPA Reg. No. 5481-195

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Administer milk or water freely and induce vomiting by giving one dose (½ oz. or 15 ml) of syrup of ipecac. If vomiting does not occur within 30 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Immediately get medical attention.

IF ON SKIN: Remove contaminated clothing and wash skin immediately with soap and warm water.

IF IN EYES: Wash eyes with flowing water for at least 15 minutes.

This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated areas.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 5481-195-AA

EPA Est. 5481-CA-1

AMVAC CHEMICAL CORPORATION
4100 E. WASHINGTON BLVD.
LOS ANGELES, CALIF. 90023

NET WEIGHT: 50 POUNDS

DOTY
CORP
LOS ANGELES
CALIF
90023

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)

DO NOT TAKE INTERNALLY
DO NOT GET IN EYES
DO NOT GET ON SKIN

CAUTION: May be harmful if swallowed, inhaled, or absorbed through skin. Do not breath dusts, get in eyes, on skin, or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re-use. If poisoning occurs, obtain prompt medical aid.

Note to Physicians: Emergency information (213) 264-3910. Methiocarb is a cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH DANGER STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

RE-ENTRY and WORKER SAFETY STATEMENT

Apply this product in such a manner as to expose workers or other persons. The area being treated must be vacated and not re-entered by persons at shoes.

STORAGE AND DISPOSAL

contaminate water, food, or feed by storage or disposal. **STORAGE:** Store in original container in a cool, dry, locked, place out of reach of man and domestic animals. Do not store in direct sunlight. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on land or at an approved wastes disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary manner by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

BEST AVAILABLE COPY

DIRECTIONS (Cont.)

Citrus and Avocados:

To control snails apply at the rate of 38 to 50 lbs. per acre. Broadcast between rows, to give even distribution, with ground equipment only. Application should be made when foliage and fruit is completely dry but soil is wet following an irrigation. Late afternoon or early evening applications are preferred. Do not apply within 14 days of harvest.

Do not make more than two applications per season.

Do not allow granules to contaminate edible portions of plant.

Lawn and Turf areas, Flower Gardens, Ornamental Ground Covers, Greenhouses, and Commercial Ornamental Nurseries: For best snail control results, thoroughly water area to be treated 12 to 24 hours prior to application. Sprinkle 1 pound of granules uniformly over 1,000 square feet of area. Do not place granules in piles. Scatter bait so it is hardly visible on the ground. When making applications, special attention should be given to treating areas around plant beds, under greenhouse benches, on dichondra and around building foundations. On small or narrow beds, apply material on bed perimeters. Evening application gives most effective control. The effective life of the granules can be increased if watering is avoided for as long as possible after application. Repeat applications as necessary to keep areas free of snails. Do not use on plants grown for food.

BEST AVAILABLE COPY

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

the manufacturer and/or
INSERT

Printers Date