



BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE

Do to Avian Toxicity and Fish and Aquatic Organism Toxicity. For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators certification.

METALDEHYDE METHIOCARB GRANULES 2-1

FOR CONTROL OF SNAILS AND SLUGS IN CITRUS AND AVOCADO GROVES, LAWNS AND TURF AREAS, FLOWER GARDENS, IN GREENHOUSES AND ORNAMENTAL NURSERIES, AROUND HOME FOUNDATIONS.

A SOIL SURFACE TREATMENT FOR CONTROL OF SNAILS, SLUGS AND SOWBUGS AS AN AID IN CONTROL OF MILLIPEDES AROUND THE HOME

ACTIVE INGREDIENTS

Methiocarb (4-methylthio-3,5 xylylmethylcarbamate) — — — 1.0%
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxocyclo-octane) — — — 2.0%

INERT INGREDIENTS. — — — — — 97.0%
Total 100.0%

*Contains Mercaptol, a Registered Trademark of the Parent Company of Farbenfabriken Bayer, GmbH, Leverkusen

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Administer milk or water freely and induce vomiting by giving one dose (1/2 oz or 15 ml) of syrup of ipecac. If vomiting does not occur within 30 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. **IF ON SKIN:** Remove contaminated clothing and wash skin immediately with soap and warm water. **IF IN EYES:** Wash eyes with plenty of water. Get medical attention if irritation persists. **NOTE TO PHYSICIAN:** Emergency information (213) 264 3910. Methiocarb is a cholinesterase inhibitor. Atropine is antidotal.

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN

KEEP PETS OUT OF TREATED AREA.

SEE SIDE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG NO 5481-195

EPA EST NO 5481-CA-1

NET WEIGHT 50 POUND

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES, CALIFORNIA 90023

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DO NOT TAKE INTERNALLY. DO NOT GET IN EYES. DO NOT GET ON SKIN. **CAUTION:** May be harmful if swallowed inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re-use. If poisoning occurs, obtain prompt medical aid.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and very highly toxic to birds. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE & FEDERAL REGULATIONS. DO NOT APPLY DIRECTLY ONTO PLANTS. Do not allow granules to contaminate edible portions of any food crop.

REENTRY AND WORKER SAFETY STATEMENT

Do not apply this product in such a manner as to expose workers or other persons. Do not enter treated area for 24 hours after application unless protective clothing is worn.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke.

USE PRECAUTIONS

Read entire label before using. Use only for purposes recommended on this label. Do not allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops.

CITRUS AND AVOCADO GROVES

To control SNAILS and SLUGS apply to ~~the soil~~ to 50 lbs. per acre. Broadcast between ~~and~~ distributor, with ground equipment ~~only~~. Apply be made when foliage and fruit is dry but ~~with~~ irrigation. Late afternoon or early evening is preferred. IMPORTANT..... DO NOT APPLY ~~OF~~ HARVEST. DO NOT MAKE MORE THAN ~~THREE~~ APPLICATIONS PER SEASON. DO NOT ALLOW GRAN ~~TAMINATE~~ EDIBLE PORTIONS OF PLANT

HOW & WHERE TO USE

For control of SNAILS, SLUGS and SOWBUGS areas, use at the rate of 35 to 50 lbs. per ~~acres~~ to 1 lb. granules to treat 880 up to 1,250 sq. ft. Use the higher rate (50 lbs.) for heavy ~~infestation~~ first plant damage appears or is anticipated needed for control. This application will ~~and~~ MILLIPEDES that are present.

FOR USE AS A SOIL TREATMENT AROUND FOUNDATION, IN DICHONDRA and TURF; FLOWER GARDENS; GROUND COVERS; GREENHOUSES; ORNAMENTAL PLANTS; CITRUS AND AVOCADO TREES; IN CORN ORNAMENTAL NURSERIES

For best SNAIL, SLUG, SOWBUG and MILLIPEDE control, thoroughly water areas to be treated 12 to 24 hours before application. Sprinkle 1 pound of granules ~~into~~ Sq. Ft. of area (44 lbs. per acre). Do not place granules on ground. Scatter bait so it is hardly visible on the ground. In applications special attention should be given to areas around plant beds; under greenhouse benches; around building foundations; along edges adjacent to flowering or ground cover plants; fences & walls in shady, protected locations; and in desirable green plants such as Spathiphyllum. DO NOT USE ON or AROUND PLANTS GROWING IN THESE AREAS.

WHEN TO APPLY

Evening application gives most effective control. The life of the granules can be increased if watering is done as long as possible after application. Do not apply rain is imminent. Repeat application as necessary. DO NOT USE ON or AROUND PLANTS GROWING IN THESE AREAS.

NOTICE: This product conforms to its chemical name and is reasonably fit for the purpose stated on the label in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under conditions, or under conditions not reasonably foreseeable by the manufacturer and/or seller and the buyer assumes any such use.



PESTICIDE
For retail sale to and use only by Certified Applicators
as covered by the Certified Applicators certification.

SEHYDE CARB ES 2-1

SLUGS IN CITRUS AND
AND TURF AREAS,
GREENHOUSES AND
AND HOME FOUNDATIONS.

OR CONTROL OF SNAILS,
WBUGS
EDES AROUND THE HOME

Hydroxycyclo-octane) — — — 1.0%
Carbamate) — — — 2.0%
————— 97.0%
Total 100.0%

of Farbenfabriken Bayer, GmbH, Leverkusen

OF CHILDREN
ON

AL TREATMENT

Center immediately. Administer milk
dose (1/2 oz or 15 ml) of syrup of
administer second dose. If syrup
finger down throat. Repeat until
clothing and wash skin immedi-
with plenty of water. Get medical
NSICIAN: Emergency information
for. Atropine is antidotal.
FOR OTHER PETS IF EATEN
ATED AREA.

CAUTIONARY STATEMENTS
EPA EST. NO. 5481-CA 1

OUND
CORPORATION
STON BLVD.
ORNIA 90023

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DO NOT TAKE INTERNALLY. DO NOT GET IN EYES. DO NOT GET ON SKIN.
CAUTION: May be harmful if swallowed inhaled or absorbed
through the skin. Do not breathe dust, get in eyes, on skin or
on clothing. Wash thoroughly with soap and warm water after
handling. Wash contaminated clothing with soap and warm
water before re-use. If poisoning occurs, obtain prompt
medical aid.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and very highly toxic to birds. Do
not apply directly to water or wetlands (swamps, bogs,
marshes, and potholes). Runoff from treated areas may be
hazardous to aquatic organisms in neighboring areas. Do
not contaminate water when disposing of equipment wash-
waters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner
inconsistent with its labeling. READ ENTIRE LABEL USE IN
ACCORDANCE WITH PRECAUTIONARY STATEMENTS
AND DIRECTIONS, AND WITH APPLICABLE STATE & FED-
ERAL REGULATIONS. DO NOT APPLY DIRECTLY ONTO
PLANTS Do not allow granules to contaminate edible por-
tions of any food crop.

REENTRY AND WORKER SAFETY STATEMENT

Do not apply this product in such a manner as to expose
workers or other persons. Do not enter treated area for 24
hours after application unless protective clothing is worn.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or
disposal. STORAGE: Store product in original labeled con-
tainer in a cool, dry, locked place out of reach of children.
Keep container tightly closed when not in use. Do not store
in direct sunlight. PESTICIDE DISPOSAL: Wastes resulting
from the use of this product may be disposed of on site or at
an approved waste disposal facility. CONTAINER DIS-
POSAL: Completely empty bag into application equipment.
Then dispose of empty bag in a sanitary landfill, or by
incineration, or, if allowed by State & local authorities, by
burning. If burned stay out of smoke

USE PRECAUTIONS

Read entire label before using. Use only for purposes recom-
mended on this label. Do not allow to drift to areas occupied
by unprotected humans or beneficial animals or onto adjoining
food, fiber or pasture crops.



CITRUS AND AVOCADO GROVES

To control SNAILS and SLUGS apply to the soil at the rate of 35
to 50 lbs. per acre. Broadcast between rows, to give even
distribution, with ground equipment only. Application should
be made when foliage and fruit is dry but soil is wet following an
irrigation. Late afternoon or early evening applications are
preferred. IMPORTANT..... DO NOT APPLY WITHIN 14 DAYS
OF HARVEST. DO NOT MAKE MORE THAN TWO APPLICA-
TIONS PER SEASON. DO NOT ALLOW GRANULES TO CON-
TAMINATE EDIBLE PORTIONS OF PLANT

HOW & WHERE TO USE

For control of SNAILS, SLUGS and SOWBUGS in the following
areas, use at the rate of 35 to 50 lbs. per acre which is equivalent
to 1 lb. granules to treat 880 up to 1,250 sq. ft. of soil surface.
Use the higher rate (50 lbs.) for heavy infestations. Apply when
first plant damage appears or is anticipated and repeat as
needed for control. This application will aid in the control of
MILLIPEDES that are present.

FOR USE AS A SOIL TREATMENT AROUND THE HOME
FOUNDATION ; IN DICHONDRA and TURFGRASS AREAS ;
FLOWER GARDENS; GROUND COVERS; ORNAMENTAL
GREENHOUSES; ORNAMENTAL PLANTINGS; UNDER
CITRUS AND AVOCADO TREES; IN COMMERCIAL
ORNAMENTAL NURSERIES

For best SNAIL, SLUG, SOWBUG and MILLIPEDE control,
thoroughly water areas to be treated 12 to 24 hours prior to
application. Sprinkle 1 pound of granules uniformly over 1,000
Sq.Ft. of area. (44 lbs. per acre). Do not place granules in piles.
Scatter bait so it is hardly visible on the ground. When making
applications special attention should be given to treating areas
around plant beds; under greenhouse benches; on dichondra
and around building foundations; along edges of flower beds
adjacent to flowering or ground cover plants; at the base of
fences & walls in shady, protected locations and around sus-
ceptible green plants such as Spathiphyllum.
DO NOT USE ON or AROUND PLANTS GROWN FOR FOOD.

WHEN TO APPLY

Evening application gives most effective control. The effective-
ness of the granules can be increased if watering is avoided for
as long as possible after application. Do not apply before heavy
rain is imminent. Repeat application as necessary to keep areas
free of SNAILS, SLUGS, SOWBUGS and MILLIPEDES.

NOTICE: This product conforms to its chemical description and
is reasonably fit for the purpose stated on the label, when used
in accordance with directions under normal conditions of use.
Manufacturer is not responsible for the use of this product
contrary to the label instructions, or under abnormal condi-
tions, or under conditions not reasonably foreseeable to the
manufacturer and/or seller and the buyer assumes the risk of
any such use

ACCEPTED
MAF - F
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No.

BEST AVAILABLE COPY