

#540-210
1/15/86 1/0

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 5481-216	DATE OF ISSUANCE FEB 5 1986
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Dursban-DWP 2.50 Indoor/Outdoor Pest Control	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Zenon Chemical Corporation
 1100 East Washington Boulevard
 Los Angeles, CA 90023

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.


A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(a) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 5481-216."
 - b. Uppercase D in Diethyl.
 - c. Change "Mining Enforcement and Safety Administration" to "Mine Safety and Health Administration."
 - d. Change "30 CFR Part II" to "30 CFR Part 11" [Eleven].
 - e. Change "Oakwork" to "Oakworm" in list of pests.
 - f. Delete "suspected" in "Spray suspected problem areas, etc."
 This product is too toxic to be recommended for suspected pest problems.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL  DATE 2/6/86

- g. Change "Extra Strength Spray" to "Standard Strength Spray" in indoor directions and dilution chart. Extra strength implies authorized overdosage.
- h. Change "HIGH RATE" to "STANDARD RATE" in food area directions.
- i. Change "(Do not treat pests with this product)" to "(Do not treat pets with this product.)"
- j. Delete "Aromatic petroleum solvent" from active ingredient portion of this label and include in the total percentage of inert ingredients since this component of the formulation is a solvent.
- k. Under Indoor Pest Control, delete the first paragraph beginning "Do not use this product . . . etc." This conflicts with your directions to use the product as a crack and crevice treatment within food areas. The Nonfood Area Directions and paragraph should precede the paragraph beginning, "Use this product as a spot treatment . . . etc."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures



(R)
D U R S B A N - D D V P 2 . 5 0 FEB 5 1986

I N D O O R / O U T D O O R P E S T C O N T R O L

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide,
registered under EPA Reg. No.
5481-211

FOR COMMERCIAL / INDUSTRIAL USE

Controls Ants, Chinch Bugs, Sod Webworms, White Grub Larvae,
Chiggers, Fleas, Mosquitoes, Spiders, Ticks, Millipedes, Sowbugs,
Aphids, Bagworms, Whiteflies, Leafhoppers, Mites, and Borers as Listed

FOR INSECT CONTROL IN FOOD AND NON-FOOD AREAS

For Cockroaches-Ants-Crickets-Silverfish-Fleas-Brown Dog Ticks

ACTIVE INGREDIENTS:

CHLORPYRIFOS [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate].	24.00%
2,2-Dichlorovinyl dimethyl phosphate.	6.04%
Related Compounds	0.46%
Aromatic Petroleum Solvent.	62.76%
INERT INGREDIENTS:	6.74%
TOTAL	100.00%

Contains 2 lb. Chlorpyrifos & 0.50 lbs of Dichlorvos(DDVP) per Gallon

*Contains an Aromatic Petroleum Distillate.

(R) DURS BAN Reg. T.M. Dow Chemical Company U.S.A.

KEEP OUT OF REACH OF CHILDREN

SKULL		SKULL
X (red ink)	D A N G E R - P O I S O N	(red ink) X
CROSSBONES		CROSSBONE

-----STATEMENTS OF PRACTICAL TREATMENT-----

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Have victim drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Call a physician and get medical attention immediately.

IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention immediately.

NOTE TO PHYSICIAN: If signs of cholinesterase inhibition (weakness, headache, chest tightness, blurred vision, salivation, sweating, nausea, vomiting or abdominal cramps) occur, atropine by injection is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

*Solvent presents as aspiration hazard. Gastric lavage is indicated if material was taken internally.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG NO. 5481-

EPA EST. NO. 5481-CA-1

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD. - LOS ANGELES, CA 90021

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not get in eyes or on skin, Do not breathe fumes. Rapidly absorbed through the skin. Wear natural rubber gloves, water-proof protective clothing and goggles when handling, mixing or spraying. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute of Occupational Safety and Health under the provision of 30 CFR Part II for protection against chlorpyrifos and dichlorvos(DDVP).

NOTE TO PHYSICIAN - POISONING SYMPTOMS

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. TREATMENT - Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinizations has occurred. Morphine is contraindicated, 2 PAM is also antidotal and may be administered in conjunction with Atropine. Clear chest by postural drainage.

Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small amounts of cholinesterase inhibitors. allow nor further exposure until time for cholinesterase regeneration has been allowed as determined by a blood test. This product contains an aromatic petroleum solvent. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift. Do not contaminate water by cleaning of equipment or disposal of wastes. Use only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store product in its original container in a cool, dry, locked place out for reach of children. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your nearest State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions... under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller, and buyer assumes the risk of any such use.

PESTS OUT-OF-DOORS

General Information — Use this product for control of certain pests on outside surfaces of buildings and on lawns and ornamental plants, and for area control of Chiggers. Consult the following directions for dosage and application details to control the pests listed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product at the rate of 2.34 ounces per gallon of water to control Ants, Chigger Mites, Cockroaches, Crickets, Earwigs, Fleas, Flies, Millipedes, Mosquitoes, Sowbugs, Spiders, and Ticks by application as a residual spray to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

NOTE — To help prevent infestations of buildings by Ants, Crickets, Earwigs, Millipedes, and Sowbugs (Pillbugs) treat a band of soil 6 to 10 feet wide around and adjacent to buildings, also building's foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 16 ounces (1 pint) in 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons spray mixture per 1,000 sq. ft. to thoroughly and uniformly wet the band area.

PESTS OF LAWNS, OTHER ORNAMENTAL AND RECREATIONAL TURF AREAS AND PERENNIAL TURF GRASSES GROWN FOR SEED: Use this product to control pests listed in the following table by application at the recommended dosages and in accordance with the directions given below. Dilute in enough water to obtain complete and uniform coverage of pest infested areas and apply as a coarse, low pressure spray using suitable spray equipment. Thoroughly water after treatment to wash the insecticide into the turf except as noted. For best results, the lawn should be moist at time of treatment.

PESTS ON ORNAMENTALS: Use this product to treat flowers, shrubs, vines, shade and flowering trees, and evergreens found to be infested with the pests listed in the following table. Dilute with water according to directions given in the table and apply using suitable hand or power spray equipment in a manner to provide complete coverage. For best results apply a wetting spray to both upper and lower leaf surfaces and infested limb and trunk areas. Attempt to penetrate dense foliage but avoid overspraying. Treat when pests appear and repeat at 7 to 10 day intervals, if needed. **CAUTION:** Do not use on Azaleas, Camellias, Poinsettias, Rose Bushes, or Vangated Ivy because of possible injury to foliage.

ATTENTION — Do not allow public use of treated areas during application or until spray has dried. (Area control of Chiggers and Ticks).

DOSAGES AND DIRECTIONS FOR USE ON ORNAMENTAL PLANTS

Pests	Amount of Concentrate to use in Water to Make		
	3 Gal	10 Gal	100 Gal
Aphids, Mites, Bagworms, Orangestriped Oakworm, Eastern Tent Caterpillar, Spittlebug, Fall Webworm, Whiteflies, Grasshoppers, Yellownecked Caterpillar	.5 fl.oz.	1.6 fl.oz.	1 pint
Cutworms, Leafhoppers, Mealybugs, Mimosa Webworm, Redhumped Caterpillar, Thrips (Exposed stages)	1 fl.oz.	3.2 fl.oz.	1 quart
Ash Borer, Lilac Borer, Dogwood Borer, Scale Crawlers, Oak Lecanium, Pine Needle, Tea, and White Peach Scale	2 fl.oz.	6.4 fl.oz.	2 quarts
Peach Tree Borer	5 1/2 fl.oz.	19.2 fl.oz.	1.5 gallon

DOGWOOD BORER — Mix 1/2 gallon in 100 gallons water (1 quart in 50 gals.) and spray trunks and lower limbs of trees when adults begin to emerge. Consult your local Agricultural Extension Service for the proper timing.

PEACH TREE BORER — Dilute 5.34 fl.oz. in 3 gallons of water. Apply to flowering trees and shrubs of the Genus PRUNUS. Thoroughly spray the trunk at ground level up to the first limbs. Apply as coarse wet spray 3 times May 1st, June 1st, and July 1st. Do not treat the fruit or upper portions of the tree. This treatment is for ornamentals only.


NOTE — MOSQUITOES coming to rest on areas treated for control of Turf and Ornamental plant pests will be killed for varying periods of time after treatment, depending on exposure of treated areas to weathering conditions.

AREA CONTROL OF TICKS AND CHIGGERS — Use for noncrop areas such as roadsides, footpaths, and trails, picnic and camping sites, parks and other recreational areas where these pests are present and create a nuisance or possible public health problem. Apply 1 pint per acre to sufficient water to mist all areas including low underbrush, grassy areas, weeds, and ground surface and debris using enough spray volume to obtain thorough coverage, usually 40 to 100 gallons of water per acre.

DOSAGES AND DIRECTIONS FOR USE ON TURF

PEST	DOSAGE per 1,000 sq. ft.	REMARKS
Ants, Armyworms, Chiggers, Chinch Bugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Ticks, Sod Webworms	* 1.5 Fl. Ounces Use in a minimum of 6 to 10 Gallons water per 1,000 sq. ft.	Spray when pests first appear, retreat when needed. For Sod Webworms delay watering or mowing the treated area for 12 to 24 hours after treatment.
Turfgrass Hyperodes	3 Fl. Ounces	Spray suspected problem areas in Mid April and in Mid May or as recommended by Local Agricultural Extension Service Specialist.
White Grubs of European Chaffer and Japanese Beetle only	3 to 6 Ounces	Spray when Grubs are actively feeding near the soil surface in late July and August or as recommended by Extension Specialist. Water treated area after treatment with 1/2 to 1 inch of water to wash insecticide into soil.
Bluegrass Billbug	3 to 6 Ounces	Spray early in the season when adults first appear. Retreat when needed.

* 1.5 Fluid Ounces/1,000 sq. ft. = 1/8 gallon per acre



INDOOR PEST CONTROL

Do not use this product in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. **USE ONLY IN NON-FOOD AREAS** as directed below.

Use this product as a spot treatment for the control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders, Fleas and Brown Dog Ticks in and around residential, institutional, and commercial buildings, including homes, apartment buildings, hospitals, stores, and warehouses. It may be used with water or a deodorized base oil for a maintenance spray or extra strength spray. Follow directions for control of pests listed and repeat as needed for control.

DILUTION CHART

Amount of Spray (Water or Oil)	Amount of Concentrate To Use	
	Maintenance Spray	Extra Strength Spray
1 Gallon	1 1/3 ounces	2 2/3 ounces
3 Gallon	4 ounces	8 ounces
5 Gallon	6 2/3 ounces	13 1/3 ounces

The lower strength should be used as a maintenance spray while the stronger rate should be used to quickly reduce heavy infestations of Cockroaches, Ants, Crickets, Firebrats, Silverfish, and Spiders.

HOW TO APPLY — Apply as a coarse spray or with a paint brush to localized areas where the above mentioned pests are found or normally occur, including dark corners of rooms, and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For Ants apply to ant trails, also around doors and windows and wherever these pests may find entry. For Brown Dog Ticks (Do not treat pests with this product) - apply as a spot treatment to infested areas such as pet's bedding and resting quarters; nearby cracks and crevices, along and behind baseboards, windows and door frames and other localized areas where pests may hide. Old bedding should be removed and replaced with fresh clean bedding after treatment.

DIRECTIONS FOR APPLICATION IN NON-FOOD AREA

Non-Food areas includes Garbage Rooms, Lavatories, floor drains (to sewer entries and vestibules) offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Use the "maintenance" rate (See Dilution Chart above) as a spot treatment by applying as a coarse spray or with a paint brush to areas where Cockroaches are normally found. Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter. Do not let spray or mist contact food, feedstuffs and water supplies. Dishes and food handling equipment should be thoroughly washed with soap and water if they have become contaminated with this product. Repeat treatment as needed for control.

WARNING — Use as spot treatment only for indoor pests. Do not use in poultry houses or other animal buildings. Do not allow children or pets to contact treated surfaces until spray has dried. Remove or cover fish bowls before spraying.


DIRECTIONS FOR APPLICATION WITHIN FOOD AREAS


FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY - Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area)

USE HIGH RATE and apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide directly into cracks and crevices, in points between different elements of construction, between equipment legs and bases where cockroaches hide. **DONOT** use this product in conduits, motor housings, and electrical switch boxes

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.



US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 5481-216	DATE OF ISSUANCE FEB 5 1986
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT DIEVEN 1000 D. E. INSECTICIDE	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended.)</i>		
NAME AND ADDRESS OF REGISTRANT (include ZIP code) <input type="checkbox"/> <input checked="" type="checkbox"/> 1111 11th Street, N.E. Washington, D.C. 20003		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This registration is conditional upon compliance with the provisions of section 3(c)(7)(A) provided that you:		
1. Submit any/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registration or reregistration data.		
2. Make the labeling changes listed below before you release the product for sale:		
a. Add the phrase "EPA Registration No. 5481-216."		
b. Uppercase D in Diethyl.		
c. Change "Agency, Department of Safety Administration" to "EPA, Safety and Health Administration."		
d. Change "30 CFR Part 11" to "30 CFR Part 11" [Eleven].		
e. Change "Oakwork" to "Oakworm" in list of pests.		
f. Delete "suspected" in "Spray suspected problem areas, etc." This product is too toxic to be recommended for suspected pest problems.		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL 		DATE 2/6/86

- g. Change "Extra Strength Spray" to "Standard Strength Spray" in indoor directions and dilution chart. Extra strength implies authorized overdosage.
- h. Change "HIGH RATE" to "STANDARD RATE" in food area directions.
- i. Change "(Do not treat pests with this product)" to "(Do not treat pets with this product.)"
- j. Delete "Aromatic petroleum solvent" from active ingredient portion of this label and include in the total percentage of inert ingredients since this component of the formulation is a solvent.
- k. Under Indoor Pest Control, delete the first paragraph beginning "Do not use this product . . . etc." This conflicts with your directions to use the product as a crack and crevice treatment within food areas. The Monfox ' Area Directions and paragraph should precede the paragraph beginning, "Use this product as a spot treatment . . . etc."


3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures



(R)
D U R S B A N - D D V P 2 . 5 0

FEB 5 1986

I N D O O R / O U T D O O R P E S T C O N T R O L

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide,
registered under EPA Reg. No.

FOR COMMERCIAL / INDUSTRIAL USE

5481-211e

Controls Ants, Chinch Bugs, Sod Webworms, White Grub Larvae,
Chiggers, Fleas, Mosquitoes, Spiders, Ticks, Millipedes, Sowbugs,
Aphids, Bagworms, Whiteflies, Leafhoppers, Mites, and Borers as Listed

FOR INSECT CONTROL IN FOOD AND NON-FOOD AREAS

For Cockroaches-Ants-Crickets-Silverfish-Fleas-Brown Dog Ticks

ACTIVE INGREDIENTS:

CHLORPYRIFOS [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate].	24.00%
2,2-Dichlorovinyl dimethyl phosphate.	6.04%
Related Compounds	0.46%
Aromatic Petroleum Solvent.	62.76%
INERT INGREDIENTS:	6.74%
TOTAL	100.00%

Contains 2 lb. Chlorpyrifos & 0.50 lbs of Dichlorvos(DDVP) per Gallon

*Contains an Aromatic Petroleum Distillate.

(R) DURS BAN Reg. T.M. Dow Chemical Company U.S.A.

KEEP OUT OF REACH OF CHILDREN

SKULL		SKULL
X (red ink)	D A N G E R - P O I S O N	(red ink) X
CROSSBONES		CROSSBONE

-----STATEMENTS OF PRACTICAL TREATMENT-----

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Have victim drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Call a physician and get medical attention immediately.

IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention immediately.

NOTE TO PHYSICIAN: If signs of cholinesterase inhibition (weakness, headache, chest tightness, blurred vision, salivation, sweating, nausea, vomiting or abdominal cramps) occur, atropine by injection is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

*Solvent presents as aspiration hazard. Gastric lavage is indicated if material was taken internally.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG NO. 5481-

EPA EST. NO. 5481-CA-1

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD. - LOS ANGELES, CA 90023

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not get in eyes or on skin, Do not breathe fumes. Rapidly absorbed through the skin. Wear natural rubber gloves, water-proof protective clothing and goggles when handling, mixing or spraying. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute of Occupational Safety and Health under the provision of 30 CFR Part II for protection against chlorpyrifos and dichlorvos(DDVP).

NOTE TO PHYSICIAN - POISONING SYMPTOMS

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. TREATMENT - Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinizations has occurred. Morphine is contraindicated, 2 PAM is also antidotal and may be administered in conjunction with Atropine. Clear chest by postural drainage.

Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small amounts of cholinesterase inhibitors. allow nor further exposure until time for cholinesterase regeneration has been allowed as determined by a blood test. This product contains an aromatic petroleum solvent. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift. Do not contaminate water by cleaning of equipment or disposal of wastes. Use only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store product in its original container in a cool, dry, locked palce out for reach of children. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinasate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instrucitons, contact your nearest State Pesticide or Environmental Control.. Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then.. offer for recycling or reconditoning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local.. authorities, by burning. If burned stay out of smoke.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions... under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller, and buyer assumes the risk of any such use.