

NOTIFICATION TO PRINTER
Please Reference the Front Panel of This EPA Labeling.
EPA no longer classifies the Solvent in this Product as an
Active Ingredient therefore entirely remove the Solvent Name
from the Ingredient Statement. Adjust the figure to add the
percentage which is now shown for the solvent TO ... the
total percentage of the INERT INGREDIENT. Proof ASAP.

DDVP 5% EMULSIFIABLE CONCENTRATE

- * INDOOR & OUTDOOR PEST CONTROL
- * ANIMAL BUILDINGS & FEED LOTS
- * DAIRY & BEEF CATTLE
- * MUSHROOM HOUSES

Only for Sale To, Use and Storage by Pest Control Operators or Other Service persons

KEEP OUT OF REACH OF CHILDREN
ANGER — POISON

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphite	4.65%
Related Compounds35%
Xylene Range Aromatic Solvent	90.00%
INERT INGREDIENTS:	5.00%
TOTAL:	100.00%

Contains 5% Technical DDVP or .37 lbs. per gallon.
STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Have victim drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- If Inhaled: Remove victim to fresh air. Apply respiration if indicated.
- If On Skin: Wash immediately with soap and water. Call a physician immediately.
- If In Eyes: Flush eyes with plenty of water. Call a physician immediately.
- If Warning Symptoms Appear: Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport patient immediately to the nearest physician.

EPA REG. NO. 5481-220 EPA EST. NO. 5481-CA-1

AMVAC CHEMICAL CORPORATION

4100 E. Washington Blvd - Los Angeles, CA 90023

Not Reviewed, Registered,
or Approved by the
EPA for use as a
Pesticide.

PRECAUTIONARY STATEMENTS—HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Irritant. Causes eye irritation. Avoid contact with skin or eyes. Do not get in eyes or on face. Avoid contact with clothing. Wash thoroughly after use. Keep out of reach of children. For more Precautionary Statements and Safety Information, consult the Material Safety Data Sheet (MSDS) and the Safety Information Statement (SIS) on the back of this label.

NOTE TO PHYSICIAN—SYMPTOMS & TREATMENT
Symptoms include: eye irritation, headache, dizziness, skin irritation, respiratory irritation, nausea, vomiting, diarrhea, and abdominal pain. If these symptoms occur, stop using the product and seek medical attention. If these symptoms occur, stop using the product and seek medical attention. If these symptoms occur, stop using the product and seek medical attention.

PHYSICAL OR CHEMICAL HAZARDS
This product is toxic to fish, birds, and other wildlife. Do not apply directly to water or streams. Do not apply where water conditions favor fish and other wildlife. Do not contaminate water by cleaning of equipment or disposal of waste.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticidal materials should be stored in their original containers. Containers should be disposed of according to Federal, State, or local requirements. Do not reuse or refill containers. Do not use for purposes other than those intended. Do not use for purposes other than those intended.

DIRECTIONS FOR USE

INDOOR PEST CONTROL: Apply with fogging or misting equipment at the rate of 1 quart of 1% DDVP solution per 64,000 cubic feet for control of flies, house flies, and other flying insects. Construction, Auto, Sealed, and Smoker. **DDVP MIST:** Use a 0.5% Spray Solution by misting 1 quart of the product with 2 gallons of water. **HOW TO APPLY:** Apply 0.5% spray with a fine pressure sprayer to insects and insects which may infest areas around buildings, cracks, crevices, and other hiding places. Do not apply to areas which will be contacted frequently by children and do not apply to areas which are used for food preparation. Do not contaminate food, water, feed containers, or clothing. Do not use in areas where food is prepared or stored. Do not use in areas where food is prepared or stored.

OUTDOOR PEST CONTROL

DDVP MIST: Use a 0.5% Fogging or Misting Solution by misting 1 gallon of 1% DDVP solution with 20 gallons of water. **HOW TO APPLY:** Apply the 1% fogging solution with fogging equipment at the rate of 1 quart of 1% DDVP solution per 64,000 cubic feet for control of flies, house flies, and other flying insects. **DDVP MIST:** Use a 0.5% Fogging or Misting Solution by misting 1 quart of the product with 2 gallons of water. **HOW TO APPLY:** Apply as a spray with spray at the rate of 1 quart per 1,000 sq. ft. for control of flies, house flies, and other flying insects. Do not use in areas where food is prepared or stored.

