

5481-220

3/20/2013

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 20, 2013

Ms. Kaila Moran
Amvac Chemical Corporation
4695 MacArthur Court, Suite 1250
Newport Beach, CA 92660

Subject: Amended Reregistration Label
Product Name: DDVP 5% Emulsifiable Concentrate
EPA Registration Number: 5481-220
EPA Decision Number: 393465

Dear Ms. Moran:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the reregistration of the referenced product in connection with the Dichlorvos RED and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 3/14/2012

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

2/10

2

If you have any questions about this letter, please contact Dana Pilitt, Ph.D. at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov.

Sincerely,

Dana R. Pilitt

for Mark Suarez
Product Manager (13)
Insecticide Branch
Registration Division (7504P)

*Enclosures: Label stamped "Accepted", dated March 20, 2013
Acute Toxicity Review, dated October 23, 2009
Product Chemistry Review, dated April 2, 2012*

3/10

Restricted Use Pesticide
Due to primary eye irritation. For retail sale to and use *only* by Certified Applicators or persons under their direct supervision and *only* for those uses covered by the Certified Applicator's certification.

FOR AGRICULTURAL / COMMERCIAL USE ONLY.
NOT FOR SALE FOR ANY OTHER USES.



DDVP 5%

EMULSIFIABLE CONCENTRATE

*INDOOR & OUTDOOR PEST CONTROL *ANIMAL BUILDINGS & FEED LOTS
*DAIRY & BEEF CATTLE *MUSHROOM HOUSES

ACCEPTED
MAR 20 2013
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5481-220

ACTIVE INGREDIENT:

Dichlorvos [2,2-Dichlorovinyl dimethyl phosphate] 5.00%

INERT INGREDIENTS:*..... 95.00%

Total:..... 100.00%

This product contains 0.35 pounds of DDVP per gallon.

*Contains Xylene Range Aromatic Solvent.

KEEP OUT OF REACH OF CHILDREN



**DANGER — PELIGRO
POISON**



Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID Organophosphate	
If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
EMERGENCY INFORMATION	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY: For Medical Emergencies phone:..... 1-888-681-4261 For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC..... 1-800-424-9300 For Product Use Information phone : AMVAC..... 1-888-462-6822	

SEE CONTAINER LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

EPA Reg. No. 5481-220

EPA Est. No. 5481-CA-1

NET CONTENTS: 30 GALLONS



4100 E. Washington Blvd. Los Angeles, CA 90023 U.S.A
1-888-462-6822

4/10

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Contain petroleum distillates. May pose an aspiration pneumonia hazard. NOTE TO PHYSICIAN -- POISONING SYMPTOMS: This product is a cholinesterase inhibitor. Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with atropine. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been allowed as determined by blood test.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMAN AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin.

Personal Protective Equipment (PPE)

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions of Category "C" on an EPA Chemical Resistance Category Selection Chart in the Worker Protection Standard (WPS).

Applicators and other handlers must wear:

- protective eye wear (goggles or face shield).
- long sleeved shirt, long pants, shoes, socks, and
- chemical resistant gloves (barrier laminate or viton, selection category C)
- chemical-resistant headgear for overhead exposure;
- chemical-resistant apron required for mixing/loading and cleaning equipment;
- A respirator with either an organic vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

User Safety Requirements

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is toxic to fish birds, and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment wash-waters or rinsate. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on treated area. Do not apply when bees are visiting ornamentals, weeds, or other vegetation blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

Physical Or Chemical Hazards

Combustible. Do not use or store the product near heat or open flame.

DIRECTION FOR USE

Restricted Use Pesticide

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Do not enter or allow others to enter until sprays have dried. Only handlers wearing specified PPE may be in the area during applications. Only protected handlers maybe in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

- Do not enter or allow others to enter until sprays have dried.
- Use in hand held fogger or hand held smoke generator equipment is prohibited.
- Use in residential sites as a crack and crevice or space spray is prohibited.
- Use on lawns, turf or ornamentals is prohibited.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. These requirements only apply to uses of this product that are covered by the Worker Protection Standard.

NOTIFICATION: Before the start of the application, notify workers of the application by warning them orally and by posting fumigant warning signs at all entrances to the building. The signs must bear the skull and crossbones symbol and state: (1) "DANGER/PELIGRO," (2) "Building under fumigation, DO NOT ENTER/NO ENTRE," (3) the date and time of fumigation, (4) "DDVP {or use brand name} Fumigant in use," and name, address, and telephone number of the applicator. Post the fumigant warning sign instead of the WPS sign for this application, but follow all WPS requirements pertaining to location, legibility, size, and timing of posting and removal.

Do not apply this product to a greenhouse or mushroom house that is attached to another structure, including another greenhouse or mushroom house, unless the greenhouse or mushroom house to be treated is entirely sealed off from the other structures.

A trained pesticide handler with immediate access to the PPE that this labeling requires for applicators must maintain constant visual or voice contact with any handler who is applying this product in a greenhouse or mushroom house or who enters the treated building before the ventilation is complete to perform any handling task.

Entry (including early entry that would otherwise be permitted under the WPS) by any person -- other than a correctly trained and equipped handler who is performing a handling task permitted by the WPS and wearing the personal protective equipment required for handlers --is PROHIBITED in the entire greenhouse or mushroom house (entire enclosed structural building) from the start of application until ventilation is complete in the greenhouse or mushroom house. Ventilation is complete either when 24 hours have elapsed following application and the building has been opened and aired or when a direct-indication short-term concentration monitoring device (e.g. Draeger tube) indicates that the DDVP air concentration is equal to, or less than 0.050 ppm (50% of the OSHA PEL). A trained pesticide handler with immediate access to the PPE that this labeling requires for applicators must maintain constant visual or voice contact with any handlers entering the treated building before the ventilation is complete.

For Greenhouses: If ventilation is complete before 12 hours have elapsed following application (e.g., Draeger tube reading), then a restricted-entry interval of 12 hours is in effect. Do not enter or allow workers to enter during the restricted entry interval of 12 hours. Early entry as permitted by the Worker Protection Standard is permitted provided:

- the fumigant warning sign is removed, and
- the following personal protective equipment is worn: coveralls, shoes and socks, and waterproof gloves.

For Mushroom Houses: If ventilation is complete before 18 hours have elapsed following application (e.g., Draeger tube reading), then a restricted-entry interval of 18 hours is in effect. Do not enter or allow workers to enter during the restricted entry interval of 18 hours. Early entry as permitted by the Worker Protection Standard is permitted provided: • the fumigant warning sign is removed, and the following personal protective equipment is worn: coveralls, shoes and socks, and waterproof gloves.

Non-Agricultural Use Requirements

These requirements apply to uses of this product NOT in the scope of the Worker Protection Standard for agricultural pesticides, 40 CFR part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, and greenhouses. Keep children, pets, and other unprotected persons out of treated areas until sprays have dried.

NOTIFICATION: Before the start of the application, post fumigant warning signs at all entrances to the building. The signs must bear the skull and crossbones symbol and state: (1) "DANGER/PELIGRO," (2) "Building under fumigation, DO NOT ENTER/NO ENTREE," (3) the date and time of fumigation, (4) "DDVP {or use brand name} Fumigant in use," and name, address, and telephone number of the applicator. The signs must be located prominently at each entrance, using a sign size and letter size that makes the sign clearly legible. All signs must be removed after the ventilation is complete and before routine entry by unprotected persons is permitted. Entry by any person -- other than a correctly trained and equipped handler who is performing a task related to ventilation or air concentration monitoring and who is wearing the personal protective equipment required for handlers -- is PROHIBITED in the entire enclosed structure/building from the start of application until ventilation is complete. Ventilation is complete either when 24 hours have elapsed following application and the building has been opened and aired or when a direct-indication short term concentration monitoring device (e.g. Draeger tube) indicates that the DDVP air concentration is equal to, or less than 0.050 ppm (50% of the OSHA PEL).

INDOOR PEST CONTROL

SPRAYING -Households, Industrial Plant, Warehouses (non food storage).

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

INSECTS - Flies, Mosquitoes, Wasps, Gnats, Small Flying Moths, and other small flying insects. Cockroaches, Ants, Spiders, and Silverfish.

MIXING RATE- Use a 0.5% Spray Solution by mixing 1 quart of this product with 2 gallons of water.

HOW TO APPLY- Apply 0.5% spray with a low pressure sprayer to localized areas insects may infest. Treat areas around baseboards, walls, door and window frames, and localized areas of floors. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, or cooking utensils. Do not treat animals. Do not use in hospitals or clinical rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in any rooms where infants, or the sick or aged are, or will be present for any extended period of confinement. Do not use in food handling areas of restaurants, or areas where food is prepared or served. Do not use in food processing plants. Do not use to treat non-perishable bagged and/or bulk stored raw or processed agricultural commodities.

FOGGING OR MISTING - Food Processing Plants, Industrial Plants, Warehouses (Nonfood Storage).

INSECTS- Flies, Ants, Roaches and Silverfish

MIXING RATE- Use a 1.0% Fogging or Misting Solution by mixing 1 gal. with 3 1/2 gals. Of water or 4 1/2 gals. of deodorized base oil.

HOW TO APPLY- Apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 64,000 cubic feet for control Flies. When fogging for control of roaches, ants and silverfish, the fog should be directed into hiding places. After application open several windows and doors to create air currents to insure reduction of the insecticide vapors. When using in food processing, handling and storage areas: A. Apply only during times when plant is not in operation and no food products are exposed. If bulk, unpackaged foods are exposed, remove or cover before treatment begins. B. All food processing surfaces should be covered during treatment or thoroughly cleaned before using; **NOTE: DO NOT USE IN BOTTLING PLANTS, FOOD CONTACT AREAS OR MEAT SLAUGHTER, AND/OR PACKING PLANTS OR IN FROZEN FOOD PLANTS.** All treatments should be made during the hours when building are unoccupied. Building treated should be closed and ventilation kept at a minimum during application. Lock all entrances and do not allow unprotected workers to enter buildings during treatment. **NOTIFICATION:** Before the start of the application, post fumigant warning signs at all entrances to the building. The signs must bear the skull and crossbones symbol and state: (1) DANGER/PELIGRO," (2) "Building under fumigation, DO NOT ENTER/NO ENTREE," (3) the date and time of fumigation, (4) "DDVP {or use brand name} Fumigant in use," and name, address, and telephone number of the applicator. The signs must be

7/10

located prominently at each entrance, using a sign size and letter size that makes the sign clearly legible. All signs must be removed after the ventilation is complete and before routine entry by unprotected persons is permitted. Entry by any person -- other than a correctly trained and equipped handler who is performing a task related to ventilation or air concentration monitoring and who is wearing the personal protective equipment required for handlers -- is PROHIBITED in the entire enclosed structure/building from the start of application until ventilation is complete. Ventilation is complete either when 24 hours have elapsed following application and the building has been opened and aired or when a direct-indication short term concentration monitoring device (e.g. Draeger tube) indicates that the DDVP air concentration is equal to, or less than 0.050 ppm (50% of the OSHA PEL).

NOTE: The solvent and/or the Active Ingredients in this product may stain certain plastic, rubber, asphalt and/or carpeted floor coverings. DO NOT TREAT NOR ALLOW THIS PRODUCT TO COME IN CONTACT WITH SUCH SURFACES OF FLOORS, CARPETS OR RUGS SINCE DAMAGE MAY OCCUR.

OUTDOOR PEST CONTROL

FOGGING & MISTING -Outdoor living areas, picnic areas, backyard areas, patios, loading docks, outdoor latrines, parking areas, refuse areas around service stations, open-air drive-ins, ice-cream stands, garbage collection and disposal areas. INSECTS -- Flies, Mosquitoes, and Gnats

MIXING RATE- Use a 1.0% Fogging or Misting solution by mixing 1 gallon in 3 1/2 gallons of water of 4 1/2 gallons of #2 light mineral oil, vegetable oil, or diesel oil.

HOW TO APPLY- Apply the 1% fogging solution with fogging apparatus or mist blowers at the rate of 5 to 10 pints per acre. Equivalent to 0.05 to 0.1 pound of DDVP insecticide per acre. Do not treat where food or feed crops are growing. Use in a way to minimize drift onto sensitive areas.

AS A SPRAY- For the control of flies, gnats, mosquitoes, reaches, fleas, ants, sowbugs, and brown dog ticks use 0.5% spray solution by mixing 1 quart of this product in 2 gallons of water.

Apply as a coarse wet spray at the rate 1 quart per 1,000 sq. ft. Do not treat animals or humans. Do not contaminate water, food, food containers or cooking utensils. Applications may be repeated monthly or as needed. This product may be used as a 1% solution to control Flies, Mosquitoes, Wasps, Gnats & other small flying insects in outdoor areas.

MANURE PILES, GARBAGE DUMPS

For the control of fly maggots in maggot breeding areas apply at the rate of 1 to 2 quarts of 0.5% spray solution per 100 sq. ft. (Use 1 quart of 1% solution).

DOG KENNELS

Apply to outside dog runways, window sills and ledges at the rate of 1 quart of 0.5% spray solution per 1,000 sq. ft. For the control of fleas and brown dog ticks, increase dosage to 2 quarts of 0.5% spray per 1,000 sq. ft. For the control of Fleas, and Brown Dog Ticks increase dosage to 2 quarts of 0.5% spray per 1,000 sq. ft. NOTE: Remove dogs and cover or remove feed and water before treating.

ANIMAL BUILDINGS

Horse Barns, Dairy Barns, Shelter Sheds, Milk Sheds, Pig Pens, Outdoor Areas.

AS A SPRAY- INSECTS -- Flies, Gnats, Mosquitoes, Roaches, Fleas, Ants, Sowbugs and Brown Dog Ticks.

MIXING RATE – Use a 0.5% spray solution by mixing 1 quart of this product with 2 gallons of water. Apply as a coarse wet spray at the rate of 1 qt. per 1,000 sq. ft.

HOW TO APPLY – Before applying in enclosed areas, reduce air movement as much as possible by closing doors, windows and other openings. Spray around doorways, feed storage rooms, alleyways and window sills. Do not contaminate milk or milking utensils. Do not treat animals or humans. Do not contaminate water, feed or foodstuffs. Applications may be repeated as necessary. Animals may be present during treatment. In poultry houses apply to manure, window sills, outside of penned enclosures and on floor of feed storage rooms.

8/10

AS A FOG- INSECTS -- Flies, Gnats, Mosquitoes.

IMPORTANT PRECAUTIONS: Remove animals before fogging. Applicator must not remain in treated area. Keep area closed for at least 10 minutes to kill resting adult flying insects. After treatment the area should be opened up and ventilated prior to reoccupying by humans or animals

MIXING RATE – Use a 0.5% to 1.0% fogging solution by mixing 1 quart of this product with 2.4 gallons light mineral oil, vegetable oil, or diesel oil for 0.5% & for 1.0% dilute 1 gallon per 4.3 gallons of light mineral oil, vegetable oil, or diesel oil.

HOW TO APPLY – Apply with fogging or misting equipment at the rate of 1 quart of the 0.5% solution or 1 pint of the 1.0% solution per 8,000 cubic feet. Before applying reduce air movement as much as possible by closing doors, windows and other openings. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not use in areas where animals have received direct applications of DDVP within 8 hours.

CATTLE FEED LOTS, STOCKYARDS, HOLDING PENS, CORRALS

INSECTS – Flies, Gnats, Mosquitoes.

MIXING RATE – Use a 0.5% DDVP solution by mixing 1 Quart of this product with 2 gallons of water.

HOW TO APPLY – Apply with a mist blower or other suitable equipment as an overall application at the rate of 0.2 pounds of Technical DDVP per acre (approximately 5 gallon of the 0.5% solution). Particular attention should be given to areas where flies congregate such as fences, spillage areas, around feed bunks, and walls of building. Animals may be present during treatment. Avoid direct application to exposed feed and water.

DAIRY AND BEEF CATTLE APPLICATIONS

AS A SPRAY- Insects– Horn Flies, Stable Flies, Face Flies, House Flies, Mosquitoes.

MIXING RATE – Use a 1.0% DDVP solution by mixing 1 gallon of this product with 3.5 gallons of water.

HOW TO APPLY – Apply 2 fluid ounces per animal as mist spray daily with hand or an automatic sprayer. Spray to cover all parts of the animal, including the legs but do not wet the skin. Do not apply in excess of 2 fluid ounces per animal per day. This may be made in two applications of one ounce in morning and one ounce in the evening. For Face Flies spray the forehead taking care to avoid getting spray in eyes.

IMPORTANT: PRECAUTIONS WHEN APPLYING TO ANIMALS

Do not apply regularly to calves under 6 months of age. After treating Dairy Cattle, wash the teats with an approved cleaning solution and then dry them prior to milking. Do not treat sick or convalescing animals. Do not treat Brahman & Brahman Cross cattle, as they may show hypersensitivity to organophosphate insecticides. Do not apply dermally in conjunction with Trichlorfon and do not use on animals simultaneously or within a few days before or after treatment with, or exposure to, cholinesterase inhibiting drugs, pesticides or chemicals.

FOR BAITED SOLUTIONS, sugar may be added at the rate of 1 pound per gallon of the 1.0% solution. To use for control of Face Flies apply approximately 3 ml of this to the forehead of the animal by making a single 6 inch stroke with a paint brush. Treat in morning while dairy animals are in the barn.

MUSHROOM HOUSES

For control of Phorid flies (manure flies), apply a 0.5% spray solution by mixing 1 quart of this product with 2 gallons of water. Apply the 0.5% solution as a course spray with a low-pressure sprayer. Apply to inside walls, around doors, ventilators and cracks in building before mushrooms come into production. Use ½ to 1 pint of the spray solution per 100 square feet. Apply up to 10 days before crop appears on soil beds. Do not spray inside walls after mushrooms are on beds. Thereafter, use only on the outside walls. Keep a minimum of a one-week interval between applications. Do not make applications when temperatures are below 60°F. For Mushroom Houses: If ventilation is complete before 18 hours have elapsed following application (e.g., Draeger tube reading), then a restricted-entry interval of 18 hours is in effect. Do not enter or allow workers to enter during the restricted entry interval of 18 hours. Early entry as permitted by the Worker Protection Standard is permitted provided: • the fumigant warning sign is removed, and• the following personal protective equipment is worn: coveralls, shoes and socks, and waterproof gloves.

All treatments should be made during the hours when buildings are unoccupied. Buildings treated should be closed and ventilation kept at a minimum during application. Lock all entrances and do not allow unprotected workers to enter buildings during treatment. Place warning signs at all entrances stating:

9/10

This building should be opened and aired prior to reentry of unprotected workers.

This building must not be entered without personal protective equipment for 24 hours or until a direct-indicating, short-term concentration monitoring device (e.g., a Dräger Tube) indicates that the DDVP air concentration \leq 50% of the PEL (0.1 ppm). An air concentration of 0.05 ppm or less is required for entry without personal protective equipment.

Do not enter prior to _____ (Time) AM/PM on _____ (Date) without personal protective equipment unless air concentrations of DDVP are \leq 50% of the PEL.

USE IN GREENHOUSES

For control of Aphids, Leafhoppers and Red Spider Mites use this product in the same manner as for use in Mushroom houses: using the same precautionary measures with a full-faced gas mask; closing all outlets, posting warning signs and fogging the area keeping the fog nozzles at least 10 feet from the beds or benches. Use this product only on plants and varieties that are known to be tolerant to this type of treatment. After fogging ventilate the area by using forced fan fog removal through doors and ventilators.

GREENHOUSE ORNAMENTAL AND FLOWERING PLANTS (NON-FOOD ONLY)

FOGGING AND MISTING APPLICATION

For control of aphids, mites, Mealybugs and Whiteflies, prepare a 1.0% solution by mixing 1 gallon in 3½ gallons of water. Apply this 1.0% solution with a fogging apparatus or a mist blower at the rate of 6.8 fluid ounces per 1,000 cubic feet of greenhouse. Apply in closed greenhouse in air above plants. Ventilators should be closed for at least 2 hours. Begin applications when insects appear. Keep a minimum of one-week interval between applications. Do not make applications when temperatures are below 60°F.

All treatments should be made during the hours when buildings are unoccupied. Buildings treated should be closed and ventilation kept at a minimum during application. Lock all entrances and do not allow unprotected workers to enter buildings during treatment. Place warning signs at all entrances stating:

For Greenhouses: If ventilation is complete before 12 hours have elapsed following application (e.g., Draeger tube reading), then a restricted-entry interval of 12 hours is in effect. Do not enter or allow workers to enter during the restricted entry interval of 12 hours. Early entry as permitted by the Worker Protection Standard is permitted provided:

- the fumigant warning sign is removed, and
- the following personal protective equipment is worn: coveralls, shoes and socks, and waterproof gloves.

This building should be opened and aired prior to reentry of unprotected workers.

This building must not be entered without personal protective equipment for 24 hours or until a direct-indicating, short-term concentration monitoring device (e.g., a Dräger Tube) indicates that the DDVP air concentration \leq 50% of the PEL (0.1 ppm). An air concentration of 0.05 ppm or less is required for entry without personal protective equipment.

Do not enter prior to _____ (Time) AM/PM on _____ (Date) without personal protective equipment unless air concentrations of DDVP are \leq 50% of the PEL.

10/10

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your nearest State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. [Metal] Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and/or local procedures. [Plastic] Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. Stay out of smoke.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

Amvac Chemical Corporation
4100 E. Washington Blvd.
Los Angeles, CA 90023 U.S.A.