

**ACCEPTED**

SEP 21 1989

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for this
pesticide registered under
EPA Reg. No. 5481-245

FLEA DUSTING POWDER

**CONTAINS MALATHION
MAY BE USED DIRECTLY ON DOGS & CATS,
AND AS A PREMISE TREATMENT
KILLS FLEAS & BROWN DOG TICKS**

ACTIVE INGREDIENT:

Malathion: O,O dimethyl phosphorodithioate
of diethyl mercaptosuccinate 4.0%

INERT INGREDIENTS: 96.0%
Total 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le
adquiera haya sido explicado amplemente."

STATEMENTS OF PRACTICAL TREATMENTS

IF SWALLOWED: Call a physician of Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. **IF INHALED:** Remove victim to fresh air. Apply Artificial Respiration if indicated. Get medical attention.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 5481-245

EPA Est. No. 5481-CA-1

Net Weight 1 Pound

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES CA 90023

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing dust. Avoid contact with skin. Wash thoroughly after handling and before eating or smoking. Wash contaminated clothing before re-use. Do not contaminate food or feed. **NOTE TO PHYSICIAN:** Malathion may cause cholinesterase inhibition. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Do not reuse empty container, wrap and put in trash.

FOR DOGS AND CATS

For control of Fleas and Brown Dog Ticks on dogs and cats, treat pet only out-of-outdoors or indoors in an area with adequate ventilation. After using, ventilate thoroughly before occupying enclosed spaces. Do not breath dust. Wear chemical resistant gloves* and apply Flea Powder, using enough dust to thoroughly treat the animal. The use of 3 level teaspoonfuls (1/4 oz.); 1 tsp. at the nape of the neck; 1 on the backline "rump" and 1 tsp. for the belly and legs is usually adequate for a 5-10 lbs. size dog; half that amount for Cats). Apply dust by spoon (one that will not be used as a kitchen utensil) or through shaker-top container, first treating the neck and head area (do not get dust in pet's eyes), belly, the backline and then legs. Rub dust into the hair against the "grain" to the skin. If the animal has free run, and becomes reinfested, treatments may be repeated every second or third week. Examine for Fleas, before treating. If the animal is confined to an area free of Fleas, one treatment may be sufficient. Repeat treatments as required for continued control. Use at half rate for pets of less than 3 months age. *Wash gloves with soap and water before removing.

FLEAS IN ANIMAL QUARTERS AND IN LOAFING AND RESTING AREAS OF LAWNS & YARDS

For the control of Fleas in dog and cat kennels, in pens, yards, lawns, under houses/porches and any other place where pets may rest or frequent, apply to the paved areas, cracks and crevices, bare ground or grassy/weedy vegetation (do not apply dust to blooms of weeds or "clover") by using at the rate of 1 to 2 pounds dust per 1000 sq. ft. Apply with a hand duster or shaker top canister. Wear protective gloves during treatment. Do not breath dust. Maintain premises with good housekeeping practices. Repeat treatment as needed for control.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller, and buyer assumes the risk of any such use.

08-21-89

