

DIRECTIONS

TOBACCO: For control of Aphids, Grasshoppers, hornworms and flea beetles use at rate of 2 to 3 quarts per acre. For Budworms use 3 quarts per acre. Apply specified dosage per acre by air or ground equipment in sufficient water for complete coverage but not less than 5 gallons per acre. Treat hornworms as soon as egg masses or worms are first found. Repeat as necessary but not within 6 days of harvest. Prime before treating.

RESTRICTIONS: Not for use or storage in or around the home. Do not use on other crops used for food or forage. Use only according to label directions. Application at rates above those shown may result in illegal crop residues. Do not treat food crops grown in the greenhouse.


HIGHLY TOXIC TO FISH AND WILDLIFE: Birds and other wildlife in treated areas may be killed.

DO NOT CONTAMINATE any body of water nor apply to any area not specified on the label.

DO NOT CONTAMINATE WATER by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur.

CONTAINER DISPOSAL: DO NOT REUSE THE CONTAINER - Completely empty the contents and bury the unused chemical at least 18 inches in an isolated location away from water supplies. Rinse empty drum by filling with water and add 1 cup of household lye to each 5 gallons of water. Bury rinse solution at least 18 inches deep in an isolated area away from water supply. Punch holes in the top and bottom of the can, crush the can, and bury deeply in an isolated location.

U. S. D. A. REG. NO. 3743-220



10F2
Pm12
5481-276

ROYAL BRAND BEETLE BUSTER

(Contains 1 Lb. Guthion per gallon)

ACTIVE INGREDIENTS:

*O,O-Dimethyl S-(4-oxo-1, 2, 3-benzotriazin-3 (4 H)-ylmethyl) phosphorodithioate	11.0%
Xylene	84.0%
INERT INGREDIENTS	5.0%
	<hr/> 100.00%



POISON!

DANGER: KEEP OUT OF REACH OF CHILDREN

SEE ANTIDOTE STATEMENTS AND OTHER WARNINGS ON SIDE PANEL.

MANUFACTURED BY

SOUTHERN AGRICULTURAL CHEMICALS, INC.

NEWLAND, N. C.

KINGSTREE, S. C.

DANGER: Poisonous if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on skin. Do not breathe fumes or spray mist. Spray operator should work to windward to stay out of drift or mist.

Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be reentered for at least two days. Wash hands, arms, and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

When loading spray tank or handling the concentrate at any other time, wear protective clothing, natural rubber gloves and goggles. A mask or respirator recommended by the U. S. Department of Agriculture for protection against GUTHION should also be worn when handling the concentrate.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

