101 BRAND



ACTIVE INGREDIENTS:

Pentachloronitro Benzene INERT INGREDIENTS: 100.0%

DIRECTIONS: For control of club root on cabbage. Put in transplanting water or spray soil surface and disc in prior to planting. Use at rate of 4½ lbs. per 100 gallon transplanting water or ¾ pint solution per plant. For soil application prior to planting, use 40-80 lbs. applied to soil surface and disced in to a depth of 4"-6". Use lower rate for lighter soils and higher rate for heavier soil or if disease is severe.

CAUTION: May cause irritation of nose, throat and skin. May be harmful if inhaled or swallowed. Do not breathe dust or spray mist. Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep away from feed or food products.

This product is toxic to fish. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

WARNING: KEEP OUT OF REACH OF CHILDREN

Do not reuse container. Destroy when empty.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumer all risks of use, storage or handling of this material not in strict accordance with directions given he ewith.

USDA Reg. No. 3743-251

MANUFACTURED BY

Southern Agricultural Chemicals, Inc.

Newland, N. C.

Kingstree, S. C.