



# METALDEHYDE METHIOCARB GRANULES 2-1

## FOR HOMEOWNER USE

A VERY EFFECTIVE CONTROL FOR SNAILS AND SLUGS ON  
LAWNS & TURF, FLOWER GARDENS, ORNAMENTAL GROUND  
COVERS AND IN GREENHOUSES  
A SOIL SURFACE TREATMENT FOR CONTROL OF SNAILS,  
SLUGS & SOWBUGS

ALSO FOR USE AS AN AID IN THE CONTROL MILLPEDES

#### ACTIVE INGREDIENTS:

Methiocarb (4-methylthio-3,5 xylylmethylcarbamate) — — — 1.0%  
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxocyclo-octane) — 2.0%

INERT INGREDIENTS: — — — — — 97.0%  
Total 100.0%

\*Contains Mesurol<sup>®</sup> a Reg. Trademark of the Parent Company of Farber 'abricken Bayer, GmbH, Leverkusen

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENTS OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Administer milk or water freely and induce vomiting by giving one dose (1/2 oz or 15 ml) of syrup of ipecac. If vomiting does not occur within 30 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. **IF ON SKIN:** Remove contaminated clothing and wash skin immediately with soap and warm water. **IF IN EYES:** Wash eyes with plenty of water. Get medical attention if irritation persists. **NOTE TO PHYSICIAN:** Emergency information (213) 264 3910. Methiocarb is a cholinesterase inhibitor. Atropine is antidotal.

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN

KEEP PETS OUT OF TREATED AREA

SEE TOP BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5481-332

EPA EST. NO. 5481-CA-1

NET WEIGHT 20 POUND

**AMVAG CHEMICAL CORPORATION**  
4100 EAST WASHINGTON BLVD.  
LOS ANGELES, CALIFORNIA 90023

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
an amended by the pesticide  
control under  
EPA Reg. No.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful if swallowed inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re use. Do not contaminate feed or food. If poisoning occurs, obtain prompt medical aid.

**NOTE TO PHYSICIAN:** Emergency information (213) 264 3910. Methiocarb is a cholinesterase inhibitor. Atropine is antidotal.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and very highly toxic to birds. Do not apply directly to water or wetlands (swamps, bogs, marshes, and pot-holes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling.

#### SOIL TREATMENT ONLY. DO NOT APPLY DIRECTLY ONTO PLANTS

Do not allow granules to contaminate edible portions of any food crop.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke. **HOUSEHOLD:** Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.

### WHERE TO USE

FOR USE AS A SOIL TREATMENT  
AROUND THE HOME - ADJACENT  
TO FOUNDATIONS - IN DICHONDRA  
and TURFGRASS AREAS - FLOWER  
GARDENS - GROUND COVERS -  
ORNAMENTAL GREENHOUSES -  
ORNAMENTAL PLANTINGS

For best SNAIL, SLUG, SOWBUG and MILL-  
PEDE control, thoroughly water areas to be treated  
12 to 24 hours prior to application. Sprinkle 1  
pound of granules uniformly over 1,000 Sq.Ft. of  
area. (44 lbs. per acre). Do not place granules in  
piles. Scatter ball so it is hardly visible on the  
ground. When making applications special atten-  
tion should be given to treating areas around plant  
beds; under greenhouse benches; on dichondra  
and around building foundations; along edges of  
flower beds adjacent to flowering or ground cover  
plants; at the base of fences & walls in shady,  
protected locations and around susceptible green  
plants such as Spathiphyllum.

DO NOT USE ON OR AROUND PLANTS  
GROWN FOR FOOD.

### WHEN TO APPLY

Evening application gives most effective control.  
The effective life of the granules can be increased  
if watering is avoided for as long as possible after  
application. Do not apply before heavy rain is im-  
minent. Repeat application as necessary to keep  
areas free of SNAILS, SLUGS, SOWBUGS & MILL-  
PEDES.

**NOTICE:** This product conforms to its chemical  
description and is reasonably fit for the purpose  
stated on the label, when used in accordance with  
directions under normal conditions of use. Manu-  
facturer is not responsible for the use of this prod-  
uct contrary to the label instructions, or under  
abnormal conditions, or under conditions not  
reasonably foreseeable to the manufacturer and/  
or seller and the buyer assumes the risk of any  
such use.

