

8/1/90

METALDEHYDE METHIOCARB GRANULES 2-1

FOR HOMEOWNER USE

A VERY EFFECTIVE CONTROL FOR SNAILS AND SLUGS ON
LAWNS & TURF, FLOWER GARDENS, ORNAMENTAL GROUND
COVERS AND IN GREENHOUSES

A SOIL SURFACE TREATMENT FOR CONTROL OF SNAILS,
SLUGS & SOWBUGS

ALSO FOR USE AS AN AID IN THE CONTROL MILLIPEDES

ACTIVE INGREDIENTS:

Methiocarb *(4-methylthio-3,5 xylylmethylcarbamate)	— — —	1.0%
Metaldehyde(2,4,6,8-tetramethyl-1,3,5,7,tetraoxycyclo-octane)	— — —	2.0%

INERT INGREDIENTS:	— — — — —	97.0%
		Total 100.0%

*Contains Mesuro[®] a Reg. Trademark of the Parent Company of Farbenfabriken Bayer, GmbH, Leverkusen.

DATE: AUG 13 1990
NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-5

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Administer milk or water freely and induce vomiting by giving one dose (1/2 oz or 15 ml) of syrup of ipecac. If vomiting does not occur within 30 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF ON SKIN:** Remove contaminated clothing and wash skin immediately with soap and warm water. **IF IN EYES:** Wash eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: For emergency information call (213) 264 3910. Methiocarb is a cholinesterase inhibitor. Atropine is antidotal.

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN
••••• KEEP PETS OUT OF TREATED AREA

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 6481-832

EPA EST. NO. 5481-CA-1

NET WEIGHT 25 POUND

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD.

LOS ANGELES, CALIFORNIA 90023

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re use. Do not contaminate feed or food. If poisoning occurs, obtain prompt medical aid.

NOTE TO PHYSICIAN: Emergency information (213) 264 3910. Methiocarb is a cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and very highly toxic to birds. Do not apply directly to water or wetlands (swamps, bogs, marshes, and pot-holes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SOIL TREATMENT ONLY. DO NOT APPLY DIRECTLY ONTO PLANTS

Do not allow granules to contaminate edible portions of any food crop.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke. **HOUSEHOLD:** Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.

WHERE TO USE

FOR USE AS A SOIL TREATMENT AROUND THE HOME - ADJACENT TO FOUNDATIONS - IN DICHONDRA and TURFGRASS AREAS - FLOWER GARDENS - GROUND COVERS - ORNAMENTAL GREENHOUSES - ORNAMENTAL PLANTINGS

For best SNAIL, SLUG, SOWBUG and MILLIPEDE control, thoroughly water areas to be treated 12 to 24 hours prior to application. Sprinkle 1 pound of granules uniformly over 1,000 Sq.Ft. of area. (44 lbs. per acre). Do not place granules in piles. Scatter bait so it is hardly visible on the ground. When making applications special attention should be given to treating areas around plant beds; under greenhouse benches; on dichondra and around building foundations; along edges of flower beds adjacent to flowering or ground cover plants; at the base of fences & walls in shady, protected locations and around susceptible green plants such as Spathiphyllum.

NOT FOR USE ON TURF FARMS OR GOLF COURSES

DO NOT USE ON OR AROUND PLANTS GROWN FOR FOOD.

WHEN TO APPLY

Evening application gives most effective control. The effective life of the granules can be increased if watering is avoided for as long as possible after application. Do not apply before heavy rain is imminent. Repeat application as necessary to keep areas free of SNAILS, SLUGS, SOWBUGS and MILLIPEDES.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use.

This is Amendment Revision which adds *NOT FOR USE ON TURF FARMS OR GOLF COURSES; dated 07-20-90 of EPA appr'd 12-12-89 version.

Handwritten notes and signatures at the bottom right corner.