



DAIRY and LIVESTOCK SPRAY

AND BACKRUBBER REFILL WITH CIODRIN & DDVP

LONG ACTING

CONTROLS STABLE FLIES, HORN FLIES FACE FLIES, LICE AND TICKS

ACTIVE INGREDIENTS:

Dimethyl phosphate of alpha-cyano-4-tert-butylbenzyl 3-hydroxy-cis-crotonate	15.00%
2,2 Dichlorovinyl dimethyl phosphate	0.93%
Related Compounds	0.07%
INERT INGREDIENTS:	84.00%
TOTAL	100.00%

DATE: JUL 18 1990

NOTIFICATION
NAME NOT REVERSED
PRINT IN NOTICE CASE

KEEP OUT OF REACH OF CHILDREN WARNING

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated. **IF ON SKIN:** Wash immediately with soap and water. **IF IN EYES:** Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: If signs of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine.


SEE SIDE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5481-330

EPA EST. NO. 5481-CA-1

NET CONTENTS 1 GALLON

AMVAG CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES, CALIFORNIA 90023



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Hazardous if inhaled or absorbed through the skin. May irritate eyes, nose, throat, and skin. Do not get in eyes, on skin or clothing. Wash thoroughly and before eating or smoking. Do not contaminate feed, foodstuffs, water, milk or milk. During exposure to spray mixing and loading operations, wear chemical resistant gloves, protective clothing and goggles when handling. Wear a mask or respirator of a type jointly approved by the Mine Enforcement and Safety Administration (MESA) and by the National Occupational Safety and Health (NIOSH) under the provisions of 30 CFR Part 11 approved Cocdrin and Dichlorvos (DDVP).

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not use under conditions favor drift from areas treated. Do not contaminate water when cleaning equipment wash waters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative nearest EPA regional office for guidance. **CONTAINER DISPOSAL:** Metal or Glass Containers (or equivalent) Then offer for recycling or reconditioning, or puncture & dispose of in a landfill, or by other procedures approved by State and local authorities. For Plastic Containers (or equivalent) Then offer for recycling or reconditioning, or puncture and dispose of in a landfill or incineration, or, if allowed by State & local authorities, by burning. If burned, smoke.

DAIRY, BEEF CATTLE, HORSES, SHEEP, GOATS and H LIVESTOCK FLY CONTROL

Do not use this material on Brahman or Brahman cross cattle.

WET SPRAY: For control of Face Flies, Horn Flies and Stable Flies, dilute 1 gallon of product with 9 gallons (9 fluid ounces per 1 gallon) of water. Spray all parts of the animal including legs and feet. Repeat as necessary but not more often than once weekly.

MIST SPRAY: For Dairy and Beef Cattle, and Horses, mix 1 gallon of product with 7 gallons (7 pints) of water. Apply as a fine mist at the rate of 2 fluid ounces per animal. Cover all parts of the animal. Do not exceed 2 fluid ounces per animal per day.

"POUR-ON": For control of Horn Flies on Beef Cattle, dilute 1 gallon of product with 14 gallons (14 pints) of water and apply by pouring 1 quart of the diluted emulsion along the back of the animal. Repeat as necessary but not more often than once weekly.

BACKRUBBER: For the control of Horn Flies on Dairy and Beef Cattle, dilute 1 gallon of product with 18 gallons of fuel oil or other suitable carrier and charge backrubber device or sack or cloth. Repeat as necessary. Do not spray animals with this oil solution.

LICE and TICKS: For the control of Lice and Ticks on Cattle, Sheep, Goats, Horses, and Horses, dilute 1 gallon of product with 50 gallons of water and spray animal thoroughly. Make second application 14 days if needed. Repeat as necessary but not more often than once weekly.

BARN FLY CONTROL: As an aid in the reduction of House Flies, Face Flies, and Stable Flies, mix 1 gallon of product with 3 gallons of water. Spray mixture on surfaces where flies alight and land. To improve control add 1 pound of sugar to 6 gallons of spray solution. Do not use this product in poultry houses.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose for which it is used in accordance with the directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller, which may result in the risk of any such use. (Name Change Notif. Amd. 07-10-90)