



BUG SPRAY

PRESSURIZED

KILLS INSECTS WITH VAPOR ACTION

For use in households, offices, garages, kennels and the nonfood areas of restaurants, industrial plants, warehouses, hospitals (non-patient areas), bakeries.

ACTIVE INGREDIENTS: 2,2-Dichlorovinyl dimethyl phosphate 0.465%; Related Compounds 0.035%; Pyrethrins 0.030%; *Piperonyl Butoxide, technical 0.060; **N-octyl bicycloheptane dicarboximide 0.102%
INERT INGREDIENTS: 99.306%

*Equivalent to 0.048% (Butylcarbitol) (6-propyl-piperonyl) Ether and 0.012% related compounds.
**MGK-264 Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT


IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.
IF ON SKIN: Remove contaminated clothing and wash area with soap and water.
IF IN EYES: Flush eyes with plenty of water. Get medical attention.
NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
EPA REG. NO. 5481-340 EPA EST. NO.

NET WEIGHT 20 OUNCES

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD
LOS ANGELES, CALIFORNIA 90023



7-16-70

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes. Avoid breathing of spray mist. Wash thoroughly after handling and before eating. Do not spray directly on the skin or on animals. Do not apply in patient room occupied by the elderly or infirm. Do not allow children or pets to contact treated surfaces.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flames. Do not incinerate container. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label. For use in households, offices, garages, kennels and the nonfood areas of restaurants, industrial plants, warehouses, hospitals (non-patient areas), bakeries. Not for Use in USDA Meat and Poultry Plants.

Remove birds and pets and cover fish bowls and aquariums before spraying room. Avoid contact with utensils, food, water and foodstuffs. Do not use in food areas of food establishments, or other areas where food is commercially prepared or processed. Do not use in serving areas exposed or facility is in operation. Serving areas are areas where prepared foods are served in dining rooms, but excluding areas where food may be prepared or held. In the home, all food surfaces and utensils should be covered during treatment or thoroughly washed before use. Food should be covered or removed. Nonfood areas are areas such as garbage rooms, laundries (to sewers), entries and vestibules, offices, locker rooms, machine rooms, basements, garages, mop closets, and storage (after cleaning or bottling). Do not remain in treated areas after treatment is completed.

Follow instructions for specific pests as listed below, repeating treatments as needed.

FLEAS, TICKS - Thoroughly spray localized infested areas including floors, baseboard, window frames and sleeping quarters of pets. Repeat as necessary. Place fresh bedding in quarters after treatment. Do not spray pets.

FLIES, MOSQUITOES, GNATS, WASPS - Spray upward with a sweeping motion for 4 to 6 seconds each 1000 cubic feet. Keep room closed for 15 minutes after treatment. Do not reoccupy area. Ventilate area before reoccupying.

ROACHES, WATERBUGS, SILVERFISH, ANTS, SPIDERS, CENTIPEDES, MILLIPEDES - Spray liberally into breeding and hiding places such as cracks, around cabinets, walls and woodwork. Thoroughly treat trails, runs, and other places where insects are seen. Spray directly on insects when possible. Repeat as necessary.

CARPET BEETLES, CLOTHES MOTH LARVAE - Clean and air contaminated mats and carpets. Spray directly on pests, repeating treatment as needed. Treat upper and under surfaces of carpets for carpet beetles. Articles not stored in moth tight containers should be retreated at intervals. Allow all articles to thoroughly dry before use.

PEDBUGS - Spray cracks and surfaces in baseboards, floors, molding, and other crevices. Take bed apart and treat mattress, springs, frame, and bedding. Air mattress 24 hours before re-use.

STORAGE AND DISPOSAL

Store in a cool area away from children. Replace cap and discard container in trash or incinerate or puncture.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose on the label when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal or under conditions not reasonably foreseeable to the manufacturer and distributor and the buyer at the risk of any such use.

(Name Change Notif. Amd. 07-10-90)

0661 8 1 III

NOTIFICATION
LABEL NOT REVERSED
FOR PER NOTICE 88-9

187

093-1205

part 15