

SEP 26 1990

AMVAC Chemical Corporation
c/o H.R. McLane, Inc.
7210 Red Road, Suite 212-A
Miami, FL 33143

~~3955381624~~
17

Dear Mr. McLane:

Subject: Amendment In Accordance With PR-Notice 90-1:
Add Label Statement Identifying the
Inert Ingredient Di-(2-ethylhexyl)adipate
AMVAC Insect Strip
EPA Registration Number 5481-344
Your Submission Dated August 17, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Add a Statement of Practical Treatment as follows:

IF IN SKIN: Remove contaminated clothing and wash affected area with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

2. Revise the Storage and Disposal section as follows:

Do not contaminate water, food or feed by storage or disposal. Store product in...

3. Add an asterisk to "Inert Ingredients" and "This product contains the toxic inert ingredient Di-(2-ethylhexyl)adipate."

LEMAN 9/25/90

2

Submit five copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

AMVAC INSECT STRIP

KILLS: Flies, Mosquitoes, and Gnats up to 4 Months

USE IN
MILK ROOMS - HOMES - GARAGES - CABINS
MOTELS - ANIMAL SHELTERS

..... Decorated Holder Included

ACTIVE INGREDIENTS:	
2,2 Dichlorovinyl dimethyl phosphate	- 18.6%
Related Compounds	- - - - 1.4%
INERT INGREDIENTS:	
- - - - -	80.0%
Total 100.0%	

This product contains the toxic inert ingredient Di-(2-ethylhexyl)adipate

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side/Back Panel for Additional Precautionary Statements

Net Weight 3.3 Oz. (93.6 g)

EPA Reg. No. 5481-344

EPA Est. No. 42836-TX-01

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES, CALIFORNIA 90023

ACCEPTED
with COMMENTS

SEP 26 1990

5481-344

DO NOT OPEN UNTIL READY TO USE
CONTROLS FLIES, MOSQUITOES, AND GNATS
Use in Homes, Cabins, Garages, Motels, Horse Barns, Milk Rooms and Animal Shelters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Homes, Cabins, Motels: To control flies, mosquitoes, and gnats, use one Insect Strip per average size room (10 x 10 x 10 feet). Normally this is effective for four months. Replace strip if effectiveness diminishes. For control of flies in garbage cans attach one Insect Strip inside of an average size garbage can (20 gallons capacity). One unit will be effective for entire fly season. Keep lid on garbage can.

Animal Buildings & Milk Rooms: To control flies, mosquitoes, and gnats in Horse Barns, Calf Barns, Milk Rooms, Bulk Milk storage rooms, Stables, Pig Parlors, Dog Kennels, and Poultry Houses suspend one Insect Strip for each 1,000 cubic feet of space. If more than one strip is required, distribute them equally over areas to be treated. Weather and other conditions such as strong drafts may alter the performance, but this treatment is usually effective for up to 4 months. Replace when effectiveness diminishes. Do not contaminate feed, water, foodstuffs, milk or milking utensils.

Catch Basins: For the control of mosquitoes breeding in catch basins, suspend one Insect Strip approximately 10 inches above water line in each basin. Each unit should give effective control for 10 to 15 weeks. Replace strip when effectiveness diminishes.

Non-Perishable Bulk Stored Raw Agricultural Commodities (Including Soybeans, Corn, Grains, Cocoa Beans, and Peanuts): For the control of Indian Meal Moths, Almond Moths, Warehouse or Cocoa Moths, and Mediterranean Flour Moths, infesting non-perishable bulk stored raw agricultural commodities, suspend one strip per 1,000 cubic feet of air space over the commodity before moths begin to emerge in early spring. Weather and other conditions such as extreme ventilation or strong drafts may alter the performance of the strip, but this treatment is usually effective for four months. Replace strips immediately when effectiveness diminishes to prevent egg laying and growth of larvae.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Do not get in mouth. Harmful if swallowed. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash hands thoroughly with soap and water after handling strip. Do not use in hospitals or clinical rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in any rooms where infants, or the sick or aged are, or will be present for any extended period of confinement. Do not use in kitchens, restaurants, or areas where food is prepared or served. Not to be taken internally by humans or animals. Do not use in edible product areas of food processing plants.

STORAGE AND DISPOSAL

Store product in its original unopened container, in a cool, locked place out of reach of children. Do not reuse container or used Insect Strip. Wrap and put in trash.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use. (Inert Amdmt. 08-17-90)

3/3