AMVAC

AMEL HOT F

INSECT STRIP



KILLS: Flies, Mosquitoes, and Gnats up to 4 Months

USE IN
MILK ROOMS - HOMES
GARAGES - CABINS
MOTELS
ANIMAL SHELTERS



ACTIVE INGREDIENTS:

2.2 Dichlorovinyl dimethyl phosphate - 18.6% Related Compounds - - - - 1.4% INERT ING. *DIENTS: * - - - 80.0% Total 100.0%

*This product contains the toxic inert ingredient Di-(2-etnylhexyl)adipate

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side/Back Panel for Additional Precautionary Statements

Net Weight 3.3 Oz. (93.6 g)

EPA Reg. No. 5481-344

EPA Est. No. 42836-TX-01


AMVAC CHEMICAL CORPORATION 4100 EAST WASHINGTON BLVD. LOS ANGELES, CALIFORNIA 90023 ASSEMBLY INSTRUCTIONS
1. Geney squeeze edges
of holder to open ends of
unit.

Press in bottom locking tabe to prevent strip from sliding out of holder.
 Without damaging the

Without damaging the strip inside, carefully cut open envelops with scissors. Slide strip into the holder at the top.

 Press in top faciung table to secure strip inside holder.

5. To hang, gently push out hook on tap of cage using the perforated lines.



DO NOT OPEN UNTIL READY TO USE CONTROLS FLIES, MOSQUITOES, AND GNATS Use in Homes, Cabins, Garages, Motels, Horse Barns, Milk Rooms and Animal Shelters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Homes, Cabins, Motels: To control flies, mosquitoes, and gnats, use one Insect Strip per average size room (10 x 10 x 10 feet). Normally this is effective for four months. Replace strip if effectiveness diminishes. For control of flies in garbage cans attach one Insect Strip inside of an average size garbage can (20 gallons capacity). One unit will be effective for entire fly season. Keep lid on garbage can.

Animal Buildings & Milk Rooms: To control flies, mosguitoes, and gnats in Horse Barns, Calf Barns, Milk Rooms, Bulk Milk storage rooms, Stables, Pig Parlors, Dog Kennels, and Poultry Houses suspend one insect Strip for each 1,000 cubic feet of space. If more than one strip is required, distribute them equally over areas to be treated. Weather and other conditions such as strong drafts may alter the performance, but this treatment is usually effective for up to 4 months. Replace when effectiveness diminishes. Do not contaminate feed, water, foodstuffs, milk or milking utensils. Catch Basins: For the control of mosquitoes breeding in catch basins, suspend one lissect Strip approximately 10 inches above water line in each basin. Each unit should give effective control for 10 to 15 weeks. Replace strip when effectiveness diminishes.

Non-Perishable Bulk Stored Raw Agricultural Commodities (Including Soybeans, Corn, Grains, Cocoa Beans, and Peanuts): For the control of Indian Meal Moths, Almond Moths, Warehouse or Cocoa Moths, and Mediterranean Flour Moths, intesting non-perishable bulk stored raw agricultural commodities, suspend one strip per 1,000 cubic feet of air space over the commodity before moths begin to emerge in early spring. Weather and other conditions such as extreme ventilation or strong drafts may alter the performance of the strip, but this treatment is usually effective for four month. Replace strips immediately when effectiveness diminishes to prevent egg laying and growth of larvae.

NOTICE: product conforms to its chemical description and is reasonably fit for the purpose stated on the lebel, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonabiy foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use. (Assembly instructions amdmt. 04-16-91)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
ICAUTION: Do not get in mouth. Harmful if swallowed.
After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash hands thoroughly with soap and water after handling strip.
Do not use in hospitals or clinical rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in any rooms where infants, or the sick or aged are, or will be present for any extended period of confinement. Do not use in kitchens, restaurants, or areas where flood is prepared or served. Not to be taken internally by humans or animals. Do not use in edible product areas of food processing plasts.

STATEMENTS OF PRACTICAL TREATMENT
If On Skin: Remove Contaminated clothing and wash
affected area with soap and water
If In Eyes: Flush eyes with pienty of water. Call a
physician if irritation persists.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store product in its original unopened container, in a cool, locked place out of reach of children. Do not reuse container or used insect Strip. Wrap and put in trash.