

Reg # 5481-414

PM-22

File
198



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

11 504

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

H. R. McLean
AMVAC CHEMICAL CORP.
4100 East Washington Blvd.
Los Angeles, CA 90023

Subject: Label Amendment Submission of 11/02/93 in Response to PR Notice 93-7
EPA Reg. No. 5481-414
K-SALT FRUIT FIX 200

IMPORTANT NOTICE: This Letter Requires You to Submit a Notification to the Office of Compliance Monitoring within 20 Days.

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments listed on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

SERIOUS ERROR(S) ON SUBMITTED LABELING:

EPA has determined that one or more of the errors on the labeling you submitted to the Agency is categorized as "serious" as defined in PR Notice 93-11. In general, serious errors are those that may create a potential for harm to workers, handlers, other persons, or the environment; or those that prevent the achievement of the basic goals of the Worker Protection Standard (WPS) or FIFRA.

YOU MUST NOT SELL OR DISTRIBUTE (INCLUDING RELEASE FOR SHIPMENT) ANY PRODUCT BEARING THE SUBMITTED LABELING. Sale or distribution of any product with the incorrect labeling is a violation of FIFRA that could result in initiation of an action for civil penalties and/or cancellation of your product. This matter has been referred to the Office of Compliance Monitoring (OCM) for further action.

YOU MUST SUBMIT A NOTIFICATION TO THE OFFICE OF COMPLIANCE MONITORING WITHIN 20 DAYS OF THE DATE OF THIS LETTER.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

298

Each notification must include the following information:

1. Registrant's name and address.
2. EPA Registration number of the product for which the labeling was submitted.
3. Whether any product already has been sold or distributed (this includes released for shipment) bearing the submitted labeling.

In addition, the notification must include the following information, IF you have already sold or distributed any product bearing the submitted labeling:

1. Quantity of the product that has been sold or distributed.
2. EPA Producing Establishment number.
3. Location of the product, if known.
4. Proposed plan for assuring that product with the incorrect labeling in your control, as well as that in the hands of dealers/distributors/users, will be corrected. The plan must include your proposal for assuring that the labeling is corrected as soon as possible.

Submit the notification to:

Michael Wood, Director
Compliance Division, (7203)
Worker Protection Notification
Office of Compliance Monitoring
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460

Failure to submit a notification also may result in initiation of an action under FIFRA for civil penalties, if you sold or distributed (this includes released for shipment) product bearing the incorrect labeling.

IN ADDITION, YOU SHOULD CONTACT IMMEDIATELY THE PERSONS TO WHOM YOU SOLD OR DISTRIBUTED YOUR PRODUCT AND INFORM THEM NOT TO SELL OR DISTRIBUTE ANY PRODUCT WITH THE INCORRECT LABELING.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the WPS labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have neither been reviewed nor accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Submit the required notification. Then by the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- **BEFORE** selling or distributing any product bearing the final printed labeling as amended

AND

- **WITHIN** one year from date of this acceptance.

Submit the final printed labeling via the U.S. Postal Service to:


**Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001**

498

Hand or courier deliveries of final labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

cc: Office of Compliance Monitoring

598

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division

H.R. McLane
AMVAC CHEMICAL CORP
4100 EAST WASHINGTON BLVD
LOS ANGELES CA 90023

Comment for: EPA Reg Nr.5481-414
K-SALT FRUIT FIX 200

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

The requirement under the heading "Personal Protective Equipment" must state: "Applicators and other handlers must wear:". Cross out your lead-in statement and replace it with correct one. EXCEPTION: If you have an entirely separate PPE section specifying what "Mixers and loaders must wear", the requirement under the heading "Personal Protective Equipment" must state: "Applicators and other handlers (other than mixers and loaders) must wear:". Cross out your lead-in statement and replace it with the correct one.

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.

The bodywear requirement for "applicators and other handlers" in the "Personal Protective Equipment" section on your proposed labeling is missing or incorrect. Remove the incorrect requirement (if any) and add "Long-sleeved shirt and long pants." The exact location is shown in Sections A and B on Part I of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

The Agricultural Use Requirements section must be located in a clearly separate box on the product labeling -- with lines or other graphic indicators (such as contrasting color) to separate the section from the surrounding text.

Insert the following statement above the Agricultural Use Requirements box: "Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your

698

AMVAC CHEMICAL CORP
EPA Reg. Number: 5481-414
K-SALT FRUIT FIX 200
Application date: 11/02/93
Original Submission

State or Tribe, consult the agency responsible for pesticide regulation." The exact location is shown in Section F on Part 2 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

You have incorrect wording in the second-to-last sentence in the first paragraph in the Agricultural Use Requirements box on your proposed label. The sentence must be as follows: "It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval."

The correct restricted entry interval (REI) for this product is 24 hours. Your REI statement must read: "Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours." The exact location is shown in Section F on Part 2 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

K-SALTTM FRUIT FIX 200

**A HORMONE TYPE PRODUCT FOR THINNING
APPLES, CITRUS, OLIVES, PEARS AND FOR CONTROL
OF PREHARVEST DROP OF APPLES AND PEARS**

ACTIVE INGREDIENT:
1-Naphthalene Acetic Acid, Potassium Salt - - - 6.25%
INERT INGREDIENTS: - - - - - 93.75%
Total 100.00%

Equivalent to 5.18% 1-Naphthaleneacetic Acid or 200 grams (0.44 lbs.) per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT
IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat. Do not give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Wash thoroughly with soap and water. **IF INHALED:** Remove to fresh air.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Applications and other handlers (other than mixers and loaders) must wear waterproof gloves, shoes plus socks. Follow manufacturers instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations
Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS
Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate irrigation ditches or water used for irrigation or domestic purposes. Do not apply when conditions favor drift from treated areas. Do not use in a greenhouse.

See Side Panel For Additional Precautionary Statements
DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. K-Salt Fruit Fix 200 thins the fruit of apples, pears and certain varieties of citrus and olives to provide an adequate return bloom the following season. K-Salt Fruit Fix 200 controls pre-harvest drop of apples and pears, leading to a larger harvest and a reduction of losses from windfall and knockdown.

MISSING TEXT
AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls, waterproof gloves, and shoes plus socks.

EPA Reg. No. 5481-CA-1
In EPA Letter Dated

AMVAC CHEMICAL CORPORATION
4100 WASHINGTON BLVD., LOS ANGELES, CA 90023 - U.S.A.
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
5481-414

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in direct sunlight, dry, locked place out of reach of children. Do not allow rain water to enter. **DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, incineration, or, if allowed by State and local authorities, by burning.

GENERAL INFORMATION
Use K-Salt Fruit Fix 200 in sufficient water to ensure good coverage in accordance with the manufacturer's directions.

CHEMICAL THINNING
Because of differences in varieties, climatic factors, tree vigor can range from 2 to 20 ppm and application timing can range from 15 to 25 days before harvest. Higher concentrations should be limited to vigorous trees and lower concentrations for weaker, less vigorous trees and less than 5 ppm when a surfactant (wetting agent) is added. Use surfactant recommendations, but not more than 1 pint per 100 gallons of spray. As Red Delicious, Golden Delicious, and Rome should be thinning locally and other factors. During cool springs, delay application 15 mm in diameter and forecasted daytime temperatures are 70°F or above. The preferred application temperature is between 70°F and 75°F or above 80°F. When daytime temperatures exceed 85°F, thinning is obtained under the latter conditions with lower rates of chemical.

IMPORTANT: K-Salt Fruit Fix 200 should not be used on McIntosh such as Yellow Transparent, Early Williams Red thinning may occur. Amid-Thin W (a registered trademark of Chemical Corp.), is recommended for these early season varieties.

CHEMICAL THINNING

Variety	Spray Concentration ppm Active Ingredient (Plus Surfactant)
Bartlett, Booc and Comice	10-15 ppm

Apply K-Salt Fruit Fix 200 once per year 15-28 days after full bloom. Fruit Fix 200 may not adequately thin Bartlett some seasons. The preferred application temperature is between 70°F and 75°F or above 80°F.

For thinning of Apples and Pears, do not use K-Salt Fruit Fix 200.

CHEMICAL THINNING
TIMING IS CRITICAL: Spray when young fruits are 1/8 to 3/16 inch in diameter. Thinning is effective on all varieties except Savillano. Do not spray after full bloom. The spray concentration should be adjusted upward or downward during the thinning period.

CHEMICAL THINNING - ORANGE (Mandarins), TANGELOS
Spray at the rate of 100 to 500 ppm (24 fl.oz. per 100 gals. water) obtained with K-Salt Fruit Fix 200 is highly variable and temperature from application to trees during hot and dry conditions. Do not determine a suitable concentration and time of application for concentrations in the 100 to 150 ppm range should be tried early stage of development (5 to 20 mm in diameter) and near the period of natural drop occurs in May.) Higher thinning is therefore lower concentrations should be used during hot weather (95° F and higher) and higher concentrations should be used. The effectiveness of K-Salt Fruit Fix 200 diminishes rapidly beyond one year. Do not use on varieties where both young and fruits are within 150 days of harvest.

NOTICE: This product conforms to its chemical description on the label, when used in accordance with directions under the label. The user is responsible for the use of this product contrary to the label instructions under conditions not reasonably foreseeable to the manufacturer and/or user. (414-WPS.PM4 / 11-01-93)

APPLES AND PEARS
K-SALT FRUIT FIX 200 becomes effective (2) weeks. Apply K-Salt Fruit Fix 200 to early and late maturing varieties. Do not apply beyond optimum maturity. Do not

APPROPRIATE SPRAYING CONCENTRATIONS

Concentration	Remarks
200 ppm per acre	
22.0 fl.oz.	Apply to fruit 2 to 21 days before harvest.
16.0 fl.oz.	Apply to fruit 2 to 7 days before harvest.

Adjust the actual rate required.

CONVERSION CHART

FLUID OUNCES

300	400
1.5 fl.oz.	2.0 fl.oz.
3.6 "	4.8 "
5.4 "	7.2 "
7.2 "	9.6 "
10.8 "	14.4 "
14.4 "	19.2 "

APPLICATION INFORMATION

Spray coverage to all portions of trees. Use lower rates for normal foliage and higher rates in at least 5 gallons of water per tree. In at least 5 gallons of water per tree are interplanted, spray only once. Prevent pre-mature ripening.

ORNAMENTAL USE

For ornamentals containing 8 to 16 fluid ounces in large shrubs as soon as possible after purchase or leafy branches in dip solution. Higher concentration replace with fresh water. Maintain

Do not use as a pesticide, additive, or fertilizer except

For specific variety and location. See label for recommendations.

BEST AVAILABLE

00 5P 00

CONTROLS PREHARVEST DROP - APPLES AND PEARS

Spray trees thoroughly, wetting all fruit stems and adjacent leaves. K-SALT FRUIT FIX 200 becomes effective in 3 to 4 days after application and controls drop for two (2) weeks. Apply K-Salt Fruit Fix 800 before fruit start to loosen. Separate sprays should be applied to early and late maturing varieties. Do not make more than 2 applications and do not delay picking beyond optimum maturity. Do not spray within 2 days of harvest.

FOR DILUTE OR CONCENTRATE SPRAYING WITH GROUND EQUIPMENT

Crop	Dilute		Concentrate	Remarks
	Spray Conc. (ppm active ingredient)	K-Salt 200 per 100 Gals.	K-Salt 200 per acre	
Apples* and D'Anjou Pears	5-10 ppm (Eastern U.S.)	1.2-2.4 fl.oz.	16.0-22.0 fl.oz.	Apply to fruit 2 to 21 days before harvest.
	15-20 ppm (Pacific N.W.)	3.6-4.8 fl.oz.		
Pears Bosc and Bartlett	10-15 ppm	2.4-3.6 fl.oz.	11.0-16.0 fl.oz.	Apply to fruit 2 to 7 days before harvest.

*For apples, variety and climatic conditions will affect the actual rate required.

SPRAY PREPARATION CHART

AMOUNT OF K-SALT FRUIT FIX 200 IN FLUID OUNCES

Conc. in ppm	Gallons	100	200	300	400
2		0.5 fl.oz.	1.0 fl.oz.	1.5 fl.oz.	2.0 fl.oz.
5		1.2 "	2.4 "	3.6 "	4.8 "
7.5		1.8 "	3.6 "	5.4 "	7.2 "
10		2.4 "	4.8 "	7.2 "	9.6 "
15		3.6 "	7.2 "	10.8 "	14.4 "
20		4.8 "	9.6 "	14.4 "	19.2 "

AERIAL APPLICATION

Aircraft should utilize spray equipment which gives thorough spray coverage to all portions of trees. Apply only when weather conditions favor minimal spray drift. Use lower rates for normal foliage and fruiting; the higher rates for dense foliage and heavy fruiting.

APPLES and D'ANJOU PEARS: Use 16 to 22 fluid ounces in at least 5 gallons of water per acre. Do not apply within 2 days of harvest.

BARTLETT AND BOS C PEARS: Use 11 to 16 fluid ounces in at least 5 gallons of water per acre. Do not apply within 2 day of harvest. When Bartlett and Bosc are interplanted, spray only once. Use a maximum of 11 fluid ounces per acre on Bartlett to prevent pre-mature ripening.

FOR USE IN PRESERVING ORNAMENTAL HOLLY BOUGHS

To delay leaf drop of Holly boughs, make a dip solution containing 8 to 16 fluid ounces in 100 gallons of water; (equals 33 to 66 ppm). Dip Holly boughs as soon as possible after cutting. Allow excess solution to drain. Do not soak or leave boughs in dip solution. Replenish dip solution as needed. However, to maintain concentration replace with fresh solution every 3 to 4 days. Package while moist to keep boughs fresh until used. Maintain a 34 to 40 degree temperature in bough storage area.

Do not mix or apply K-Salt Fruit Fix 200 with any other pesticide, additive, or fertilizer except as specifically recommended on this labeling.

FOR RATES AND APPLICATION TIMING FOR YOUR SPECIFIC VARIETY AND LOCATION, CONSULT YOUR LOCAL EXTENSION POMOLOGIST FOR RECOMMENDATIONS.

K-SALTTM FRUIT FIX 200

A HORMONE TYPE PRODUCT FOR THINNING APPLES, CITRUS, OLIVES, PEARS AND FOR CONTROL OF PREHARVEST DROP OF APPLES AND PEARS

ACTIVE INGREDIENT:
1-Naphthalene Acetic Acid, Potassium Salt - - - 6.25%
INERT INGREDIENTS: - - - - - 93.75%
Total 100.00%
Equivalent to 5.18% 1-Naphthaleneacetic Acid or 200 grams (0.44 lbs.) per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT
IF SWALLOWED - Call a physician or Poison Control Center immediately. Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat. Do not give anything by mouth to an unconscious or comatose person. IF IN EYES - Flush eyes with plenty of water. Get medical attention if irritation persists. IF ON SKIN - Wash thoroughly with soap and water. IF INHALED - Remove to fresh air.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Applicators and other handlers (other than mixers and loaders) must wear coveralls, waterproof gloves, shoes plus socks. Follow manufacturers instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.
User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS
Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate irrigation ditches or water used for irrigation or domestic purposes. Do not apply when conditions favor drift from treated areas. Do not use in a greenhouse.

See Side Panel For Additional Precautionary Statements
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. K-Salt Fruit Fix 200 thins the fruit of apples, pears and certain varieties of citrus and olives to provide an adequate return bloom the following season. K-Salt Fruit Fix 200 controls pre-harvest drop of apples and pears, leading to a larger harvest and a reduction of losses from windfall and knockdown.

AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides, it contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, includes coveralls, waterproof gloves, and shoes plus socks.

EPA Reg. No. 548-1100-01-0001 CONTENTS 1 GALLON EPA Est. No. 5-181-CA-1
In EPA Letter Dated
MAY 11 1993

AMVAC CHEMICAL CORPORATION

4100 WEST WASHINGTON BLVD. LOS ANGELES, CA 90023 - U.S.A.

Pesticide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.
5481-414

STORAGE

Do not contaminate water, food or feed by storage or disposal in direct sunlight. Dry, locked place out of reach of children resulting from the use of this product may be disposed of. DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or incineration, or, if allowed by State and local authorities

GENERAL INFO

Use K-Salt Fruit Fix 200 in sufficient water to ensue accordance with the manufacturer's directions.

CHEMICAL THIN

Because of differences in varieties, climatic factors can range from 2 to 20 ppm and application timing. Higher concentrations should be limited to vigorous concentrations for weaker, less vigorous trees and 5 ppm when a surfactant (wetting agent) is added. Use recommendations, but not more than 1 pint per 100 g as Red Delicious, Golden Delicious and Pome also locally and other factors. During cool springs, delay 15 mm in diameter and forecasted daytime temperature. The preferred application temperature is between 70° F or above 80° F. When daytime temperatures are obtained under the latter conditions with lower rate

IMPORTANT: K-Salt Fruit Fix 200 should not be used on McIntosh such as Yellow Transparent, Early Will Thinning may occur. Amid-Thin W, (a registered Chemical Corp.), is recommended for these early

CHEMICAL THIN

Variety	Spray Concentration ppm Active Ing (Plus Surfact)
Bartlett, Bosc and Cornice	10-15 ppm

Apply K-Salt Fruit Fix 200 once per year 15-28 days before Fruit Fix 200 may not adequately thin Bartlett some. The preferred application temperature is between 70° F or above 80° F.

For thinning of Apples and Pears, do not use K-Salt

CHEMICAL THIN

TIMING IS CRITICAL: Spray when young fruits are 1/2 full bloom. Thinning is effective on all varieties except Seville. all your fruit. Apply a solution of 120 ppm by adding 28.8 fl. oz. full bloom. The spray concentration should be adjusted full bloom during the thinning period.

CHEMICAL THINNING - (Mandarins), TANG

Spray at the rate of 100 to 500 ppm (24 fl.oz. per 100 gallons) with K-Salt Fruit Fix 200 is highly variable from application to trees during hot and dry conditions determine a suitable concentration and time of application. Concentrations in the 100 to 150 ppm range should determine early stage of development (5 to 20 mm in diameter the period of natural drop occurs in May.) Higher concentrations should be used during 95° F and higher) and higher concentrations should be used during the thinning period. The effectiveness of K-Salt Fruit Fix 200 diminishes per year. Do not use on varieties where both young and old fruit are present within 150 days of harvest.

NOTICE: This product conforms to its chemical label, when used in accordance with directions responsible for the use of this product contrary to the conditions not reasonably foreseeable to the manufacturer such use. (414-WPS.PM4 / 11-01-93)

BEST AVAILABLE COPY