

(Reentry Statement continued from right panel)  
**DANGER:** Avoid contact with PCNB-DISULFOTON GRANULES 6.5-6.5 on (Date)..... Do not enter without appropriate protective clothing within 24 hours of application. (If more restrictive insect State Department of Agriculture reentry interval).....In case of accidental exposure to pesticide dust, wash skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. Get medical attention if needed.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
**HAZARD:** Store in a dry location. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your nearest State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of your nearest EPA regional office for guidance.  
**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, burning. If burned stay out of smoke.

PCNB - DISULFOTON 6.5-6.5 GRANULES is a combination of systemic insecticide and a fungicide for use in protecting seedling cotton from early season insects (Aphids, Mites and Thrips) and *Rhizoctonia solani* ("damping off")

#### COTTON

For the control of *Rhizoctonia* induced damping-off, seedling blight, seedling rot, sore-shin, aphids, mites and thrips use 14.37 lb. per 12,500 linear feet of row as a soil treatment. (1.5 lbs. per R. of row). Apply in furrow over seed and surrounding soil at planting time using equipment such as Gandy, or similar equipment which will accurately meter the granules. Do not feed or graze foliage. Do not plant root crops in PCNB treated field within 12 months of broadcast and banding applications unless PCNB is registered for use on those crops.

**IMPORTANT:** When using this product on cotton at the maximum recommended rates under adverse conditions such as extremely cool and wet weather, this material may cause some delay in emergence or stunting of seedlings may occur and result in a reduction of stand. Injury may be more pronounced in light sandy soils. Damage to seedlings may also occur when this product is used in conjunction with certain preemergent herbicides.

**NOTICE:** This product conforms to its chemical description & is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer, assumes the risk of any such use. 12-22-88



**RESTRICTED USE PESTICIDE**  
 Avoid Oral, Dermal, and Inhalation Toxicity. For Retail Sale To and Use Only by Certified Applicators or Persons Under Their Direct Supervision, and Only for Those Uses Covered by the Certified Applicator Certification.

# PCNB DISULFOTON GRANULES 6.5-6.5

ACCEPTED  
 APR 03 1990

#### ACTIVE INGREDIENTS:

Pentachloronitrobenzene (PCNB) .....	6.5%
O,O-Diethyl [2-ethylthio]ethyl phosphorodithioate* .....	6.5%
<b>INERT INGREDIENTS .....</b>	<b>87.0%</b>
<b>Total .....</b>	<b>100.0%</b>

**KEEP OUT OF REACH OF CHILDREN  
 DANGER-POISON-PELIGRO**

**PRECAUCION AL USUARIO:** Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido traducida completamente.

**POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN,  
 RAPIDLY ABSORBED THROUGH SKIN - ATROPINE IS AN ANTIDOTE FOR DI-SYSTON\*  
 CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

**STATEMENTS OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious or convulsing person.

**IF INHALED:** Remove victim to fresh air immediately. Apply artificial respiration if indicated. Get medical attention.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician immediately.

**IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water.

**NOTE TO PHYSICIAN: ANTIDOTE**  
 Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in oxygen tent and treated symptomatically.

#### NOT FOR USE OR STORAGE AROUND THE HOME

See Side Panel For Additional Precautionary Statements

EPA REG NO 5481-415

EPA EST. NO 5481-CA-1

NET WEIGHT 50 POUNDS (22.68 Kg)

**AMVAC CHEMICAL CORPORATION**  
 4100 EAST WASHINGTON BLVD.  
 LOS ANGELES, CA 90023

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin. Do not breathe dust. Do not get in eyes, on skin or clothing. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing. While transferring material from package to equipment, and during mixing / loading or application operations, wear a hat, goggles, face shield or equivalent, gloves (neoprene or natural rubber), freshly laundered long-sleeved shirt, long pants, socks, shoes and a pesticide respirator jointly approved by the Mine Safety Health Administration and by the National Institute for Occupational Safety and Health under the provision of 30 CFR Part 11. If cotton gloves are used, they must be laundered or discarded after each days use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently. Keep all unprotected person out of the operating area.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic organisms and wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not contaminate water or wetlands when disposing of equipment washwaters. Cover or incorporate spills. This pesticide is toxic to bees exposed to direct application. Application should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### REENTRY STATEMENTS

Do not allow reentry into treated fields within 24 hours of application unless appropriate protective clothing is worn. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not allow reentry into treated areas within 24 hours of application. Protective clothing means, at least a hat or other suitable head covering, a long-sleeved shirt and long-legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs) shoes and socks. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings regarding the use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information. (Continued next panel)

**BEST AVAILABLE COPY**