

Reg # 5481-428

PM - 22

File
196



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAR 23 1991

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

H. R. McLane
AMVAC CHEMICAL CORP.
4100 EAST WASHINGTON BLVD
LOS ANGELES, CA 90023

Subject: Label Amendment Submission of 01/07/94 in Response to PR Notice 93-7
EPA Reg. No. 5481-428
NAA-800

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with SoyCandis Ink on paper that
contains at least 50% recycled fiber


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

6
2
3

FOR CONTROL OF PRE-HARVEST DROP OF APPLES AND PEARS

DIRECTIONS - PRE-HARVEST DROP

NAA-800® contains 800 grams of 1-naphthaleneacetic acid equivalent per gallon and has been formulated for aerial and ground applications to control pre-harvest drop of apples and pears. It is important that aerial operators apply NAA-800® under conditions where drift can be minimized so that material is equally distributed over the area being sprayed.

Applications should be completed in time to become effective before actual pre-harvest drop begins. NAA-800® becomes effective in one or two days when applied to summer and early fall maturing varieties. For later varieties ripening during cooler weather, a slightly longer period is necessary. Healthy foliage, freedom from mites and frost damage is necessary for the most effective action from this material. For maximum effectiveness, spray should be applied when the temperature is 70° or higher. For aerial applications use at least 5 gallons of water per acre and for ground applications use sufficient amounts of water to insure good coverage. In California, do not use this product for aerial application on Pears.

AMOUNTS PER ACRE

APPLES

Proper timing of sprays to reduce pre-harvest drop is extremely important. Make application as the first few sound, uninjured fruit begin to drop. With summer varieties, 1/4 pint NAA-800® per acre should be used, especially in hot weather. For a variety such as McIntosh, 1/3 pint NAA-800® per acre is suggested. A second application of the same amount can be applied 5 to 6 days after the first application. Do not harvest within 5 days of last application. With later varieties, such as Delicious, 1/3 pint NAA-800® for one acre of apples is suggested.

PEARS

Make applications as the first few sound, uninjured fruit begin to drop. Use 1/8 to 1/4 pint of NAA-800® per acre.

IMPORTANT: NAA-800® inhibits fruit drop, but does not affect normal ripening. The fruit must be picked at the proper stage of maturity even though NAA-800 is still effectively delaying excessive drop. Do not apply within 5 days of harvest. Do not make more than 2 applications per growing season.

IMPORTANT: PLEASE READ BEFORE USE

By using this product, the user accepts the following: **LIMITED WARRANTY:** AMVAC warrants that (a) this product conforms to the chemical description on its label; (b) this product is reasonably fit for the purposes stated on its label, subject to the inherent risks referred to herein, when used in accordance with its directions; and (c) that the directions, warnings, cautions, and other statements on this label are based upon reasonable experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and plants, of residues on food crops, and upon reports of field experience. Testing has not been performed on all varieties of food crops, and plants, in all states, or under all application, weather and crop conditions.

There are no express warranties other than those set forth herein. Amvac neither makes nor intends, nor does it authorize any agent or representative to make, any other warranty, express or implied. Amvac expressly excludes and disclaims all implied warranties of merchantability, fitness for particular purpose, or any other warranty of quality or performance.

This warranty does not extend to, and the user shall be solely responsible for, any loss or damage which results from the use of this product in any manner which is inconsistent with this label's directions, warnings or cautions.

User's exclusive remedy and Amvac's sellers' exclusive liability for any claim, loss, damage, or injury resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort, or other wise shall be limited, at Amvac's option, to replacement of, or repayment of the purchase price for, the quantity of product with respect to which damages are claimed. In no event shall Amvac or Seller be liable for special, indirect, or consequential damages resulting from the use or handling of this product.

FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY
TRANSPORTATION: CHEMTREC - - - - - 1-800-424-9300
MEDICAL HAZARD INFORMATION SERVICES (H.I.S.) - - - - - 1-800-228-6936 Ext. 109

BEST AVAILABLE COPY

NAA-800



For Control of Pre-Harvest Drop of Apples and Pears

ACTIVE INGREDIENT:

Potassium Salt of 1-Naphthaleneacetic Acid - - - 24.2%

INERT INGREDIENTS: - - - - - 75.8%

Total 100.0%

1-Naphthaleneacetic acid equivalent 20.1% by weight or 800 grams per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

Si usted no entiende el etiquetado, busque a alguien para que se lo explique en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

GENERAL: Contact physician in all cases of suspected poisoning. If poisoning is suspected in contact a Veterinarian. **IF SWALLOWED:** If subject is conscious and alert, give 2-3 glasses of milk to drink. If available, give one tablespoon of Syrup of Ipecac to induce vomiting. Alternate vomiting by touching back of throat with finger. Do not repeat the Syrup of Ipecac. Do not let unconscious person vomit. **GET MEDICAL ATTENTION. IN CASE OF EYE CONTACT:** Hold open and flush with a steady, gentle stream of water for at least 15 minutes. **GET MEDICAL ATTENTION. IN CASE OF SKIN CONTACT:** Wash with soap and plenty of water. **IF INHALED:** Remove contaminated atmosphere. Call a physician.

See Side Panel For Additional Precautionary Statements.

EPA Reg. No. 5481-428

EPA Est. No. 5481-C

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES, CA 90023 U.S.A.

**-HARVEST DROP
D PEARS**

NAA-800

HARVEST DROP
Fate acid equivalent per gallon and has control pre-harvest drop of apples and 800 @ under conditions where drift can cover the area being sprayed.

Effective before actual pre-harvest drop days when applied to summer and early spring cooler weather, a slightly longer time and frost damage is necessary for optimum effectiveness, spray should be applied in several applications use at least 5 gallons sufficient amounts of water to insure good aerial application on Pears.



**For Control of
Pre-Harvest Drop
of Apples and Pears**

ACTIVE INGREDIENT:
Potassium Salt of 1-Naphthaleneacetic Acid . . . 24.2%

INERT INGREDIENTS: 75.8%

Total 100.0%

1-Naphthaleneacetic acid equivalent 20.1% by weight or 800 grams per gallon.

PER ACRE
extremely important. Make application with summer varieties, 1/4 pint NAA-800 per acre. For a variety such as McIntosh, application of the same amount can be made within 5 days of leaf application. NAA-800 for one acre of apples is

fruit begin to drop. Use 1/8 to 1/4 pint

does not affect normal ripening. The fruit on which NAA-800 is still effectively delaying. Do not make more than 2 applications

BEFORE USE
Warning: LIMITED WARRANTY:
chemical description on its label; (b) its label, subject to the inherent risks, directions; and (c) that the directions are based upon responsible experts' testimony to laboratory animals and plants, and human experience. Testing has not been conducted in all states, or under all application

with herein. Amvac neither makes nor attempts to make, any other warranty, express or implied warranties of merchantability, quality or performance. Amvac is not responsible for, any loss or damage in any manner which is inconsistent with

liability for any claim, loss, damage, or injury, whether or not based in contract, and such liability shall be limited, at Amvac's option, to the quantity of product with respect to which the Seller be liable for special, indirect, or consequential damages resulting from the use of this product.

PHONE 24 HOURS A DAY
1-800-424-9300
(L.S.) 1-800-226-5635 Ext. 169

**KEEP OUT OF REACH OF CHILDREN
WARNING - AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

GENERAL: Contact physician in all cases of suspected poisoning. If poisoning is suspected in animals, contact a Veterinarian. **IF SWALLOWED:** If subject is conscious and alert, give 2-3 glasses of water or milk to drink. If available, give one tablespoon of Syrup of Ipecac to induce vomiting. Alternately, induce vomiting by touching back of throat with finger. Do not repeat the Syrup of Ipecac. Do not make an unconscious person vomit. **GET MEDICAL ATTENTION. IN CASE OF EYE CONTACT:** Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. **GET MEDICAL ATTENTION. IN CASE OF SKIN CONTACT:** Wash with soap and plenty of water. **IF INHALED:** Remove from contaminated atmosphere. Call a physician.

See Side Panel For Additional Precautionary Statements.

EPA Reg. No. 5481-428 EPA Est. No. 5481-CA-1

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES, CA 90023 U.S.A.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING: Harmful if swallowed. Causes irritation but temporary eye irritation. Do not get in eyes. Do not get on skin. Do not breathe spray mist. Keep away from domestic animals.

PERSONAL PROTECTIVE EQUIPMENT (PPE):
Applicators: Other handlers: long-sleeved shirt and long pants; waterproof gloves, shoes plus socks and gaiters. Follow manufacturer's instructions for cleaning/maintaining PPE. If no specific instructions for washables use detergent and hot water. Do not reuse. Do not dry near open flame. Do not use laundry detergent.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if you feel that you have been exposed to or touched the inside of and remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS
Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate irrigation ditches or water used for irrigation or domestic purposes. Do not apply when weather conditions favor drift from treated areas. Do not use in a greenhouse.

PHYSICAL / CHEMICAL HAZARDS
Flammable: Do not use or store near heat sources or open flame. Do not use in the vicinity of pilot lights.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use same spray equipment for other purposes unless thoroughly cleaned. Do not apply NAA-800 through any type of irrigation system. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. The Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains requirements and exceptions pertaining to the statements on this label about personal protective equipment (PPE) notification to workers and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not apply this product in any manner that will violate the Worker Protection Standard, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow workers to enter the restricted-entry interval (REI) of 24 hours. PPE required for entry only in restricted areas that is permitted under the Worker Protection Standard and that is not consistent with anything that has been treated, such as plants, soil, or water, is: long-sleeved shirt, long pants, gloves, shoes, plus socks, protective eyewear.

STORAGE AND DISPOSAL
STORAGE: Do not store near fertilizers, seeds, insecticides or fungicides.
PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If container is burned stay out of smoke.

ACCEPTED
with COMMENTS
In EPA Letter Dated

23 1994
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 5481-428

NAA-800 is a registered trademark of Rhone-Poulenc used under license by Amvac.

BEST AVAILABLE COPY

9
6
5

STORAGE AND DISPOSAL

STORAGE: Do not store near fertilizers, seeds, insecticides or fungicides.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved wastes disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If container is burned stay out of smoke.

FOR CONTROL OF PRE-HARVEST DROP OF APPLES & PEARS DIRECTIONS - PRE-HARVEST DROP

NAA-800® contains 800 grams of naphthaleneacetic acid equivalent per gallon and has been formulated for aerial and ground applications to control pre-harvest drop of apples and pears. It is important that aerial operators apply NAA-800® under conditions where drift can be minimized so that material is equally distributed over the area being sprayed.

Applications should be completed in time to become effective before actual pre-harvest drop begins. NAA-800® becomes effective in one or two days when applied to summer and early fall maturing varieties. For later varieties ripening during cooler weather, a slightly longer period is necessary. Healthy foliage, freedom from mites and frost damage is necessary for the most effective action from this material. For maximum effectiveness, spray should be applied when the temperatures is 70° or higher. For aerial applications use at least 5 gallons of water per acre and for ground applications use sufficient amounts of water to insure good coverage. In California, do not use this product for aerial application on Pears.

AMOUNTS PER ACRE - APPLES

Proper timing of sprays to reduce pre-harvest drop is extremely important. Make application as the first few sound, uninjured fruit begin to drop. With summer varieties, 1/4 pint NAA-800® per acre should be used, especially in hot weather. For a variety such as McIntosh, 1/3 pint NAA-800® per acre is suggested. A second application of the same amount can be applied 5 to 6 days after the first application. Do not harvest within 5 days of last application. With later varieties, such as Delicious, 1/3 pint NAA-800® for one acre of apples is suggested.

PEARS - Make applications as the first few sound, uninjured fruit begin to drop. Use 1/8 to 1/4 pint of NAA-800® per acre.

IMPORTANT: NAA-800® inhibits fruit drop, but does not affect normal ripening. The fruit must be picked at the proper stage of maturity even though NAA-800 is still effectively delaying excessive drop. Do not apply within 5 days of harvest. Do not make more than 2 applications per growing season.

IMPORTANT: PLEASE READ BEFORE USE

By using this product, the user accepts the following: **LIMITED WARRANTY**


AMVAC warrants that (a) this product conforms to the chemical description on its label; (b) this product is reasonably fit for the purposes stated on its label, subject to the inherent risks referred to herein, when used in accordance with its directions, and (c) that the directions, warnings, cautions, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and plants, of residues on food crops, and upon reports of field experience. Testing has not been performed on all varieties of food crops, and plants, in all states, or under all application, weather and crop conditions.

There are no express warranties other than those set forth herein. Amvac neither makes nor intends, nor does it authorize any agent or representative to make, any other warranty, express or implied. Amvac expressly excludes and disclaims all implied warranties of merchantability, fitness for particular purpose, or any other warranty of quality or performance.

This warranty does not extend to, and the user shall be solely responsible for, any loss or damage which results from the use of this product in any manner which is inconsistent with the label's directions, warnings or cautions. User's exclusive remedy and Amvac's sellers' exclusive liability for any claim, loss, damage, or injury result from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort, or other wise shall be limited, at Amvac's option, to replacement of, or repayment of the purchase price for, the quantity of product with respect to which damages are claimed. In no event shall Amvac or Seller be liable for special, indirect, or consequential damages resulting from the use or handling of this product.

FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY
TRANSPORTATION: CHEMTREC - - - - - 1-800-424-9300
MEDICAL: HAZARD INFORMATION SERVICES (H.I.S.) 1-800-228-6636 Ext. 169

NAA-800®



For Control of Pre-Harvest Drop of Apples and Pears

ACTIVE INGREDIENT:

Potassium Salt of 1-Naphthaleneacetic Acid - - - 24.2%

INERT INGREDIENTS: - - - - - 75.8%

Total 100.0%

1-Naphthaleneacetic acid equivalent 20.1% by weight or 800 grams per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

PRECAUCION AL USUARIO: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente

FOR ADDITIONAL PRECAUTIONARY STATEMENTS: See Right Panel.

EPA Reg. No. 5481-428

EPA Est. No. 5481-CA-1

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD
LOS ANGELES CA 90023

BEST AVAILABLE COPY

PRECAUTIONS

HAZARDS TO HUMANS

Harmful if swallowed. Causes subst. on skin or on clothing. Wear safety g-trousers, long-sleeved shirt and head c. Change to clean clothing daily. Rem. Wash hands and face with soap and w. domestic animals.

STATEMENT OF

GENERAL: Contact physician in a suspected in animals, contact a Veter and alert, give 2-3 glasses of water or n of Ipecac to induce vomiting. Alternat finger. Do not repeat the Syrup of Ipec **MEDICAL ATTENTION. IN CASE O** a steady, gentle stream of water for at **CASE OF SKIN CONTACT:** Wash v **IF INHALED:** Remove from contain

ENVIRONMENTAL

Do not apply directly to water, to areas below the mean high water mark. Do disposal of wastes. Do not contamin domestic purposes. Do not apply wh Do not use in a greenhouse.

PHYSICAL

Flammable: Do not use or store near h of pilot lights.

DIRECTIONS

It is a violation of Federal law to use thi Do not use same spray equipment for apply NAA-800 through any type of in

GENERAL WORKING

Do not apply this product in such a m or other persons. The area treated mu treated areas without protective clothi require more restrictive reentry interval with your State Department of Agricult must be given to workers who are exp treated with this product. Advise worke have dried. Regular long-sleeved wori fields. See PRECAUTIONARY STA TREATMENT for information on acc warnings shall be given in a language must be given if there is reason to bel workers. Written warnings must includ (WARNING); area treated with NAA-8 and Reentry Interval (i.e. until sprays t

DISPOSAL

icides or fungicides.
food or feed by storage or disposal.
disposed of on site or at an approved

Then offer for recycling or recondition-
incineration, or if allowed by State and
y out of smoke.

TOP OF APPLES & PEARS BEST DROP

acid equivalent per gallon and has been
pre-harvest drop of apples and pears.
under conditions where drift can be
the area being sprayed.
effective before actual pre-harvest drop
ys when applied to summer and early
ing cooler weather, a slightly longer
as and frost damage is necessary for
mum effectiveness, spray should be
ial applications use at least 5 gallons
cient amounts of water to insure good
ial application on Pears.

APPLES

extremely important. Make application
summer varieties, 1/4 pint NAA-800®
a variety such as McIntosh, 1/3 pint
n of the same amount can be applied
n 5 days of last application. With later
ne acre of apples is suggested.

uninjured fruit begin to drop. Use 1/

not affect normal ripening. The fruit
h NAA-800 is still effectively delaying
to not make more than 2 applications

BEFORE USE

ng LIMITED WARRANTY
tion on its label, (b) this product is reasonably
med to herein, when used in accordance with
her statements on this label are based upon
of toxicity to laboratory animals and plants,
es not been performed on all varieties of food
crop conditions

rmvac neither makes nor intends, nor does it
ess or implied. Armvac expressly excludes and
er purpose, or any other warranty of quality or


ble for, any loss or damage which results from
abel's directions, warnings or cautions
ny claim, loss, damage, or injury result from
, negligence, strict
ement of, or repayment of the purchase price
in no event shall Armvac or Seller be liable for
handing of this product.

PHONE 24 HOURS A DAY

1-800-424-9300

(U.S.) 1-800-228-5635 Ext. 169

NAA-800



For Control of Pre-Harvest Drop of Apples and Pears

ACTIVE INGREDIENT:

Potassium Salt of 1-Naphthaleneacetic Acid - - 24.2%

INERT INGREDIENTS: - - - - - 75.8%

Total 100.0%

1-Naphthaleneacetic acid equivalent 20.1% by weight or 800 grams per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

PRECAUCION AL USUARIO: si usted no lee ingles, no use este producto hasta que la
etiqueta le haya sido explicado ampliamente

FOR ADDITIONAL PRECAUTIONARY STATEMENTS: See Right Panel.

EPA Reg. No. 5481-428

EPA Est. No. 5481-CA-1

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD
LOS ANGELES CA 90023

PRECAUTIONARY STATEMENTS

WARNING

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Causes substantial but temporary eye irritation. Do not get in eyes, on skin or on clothing. Wear safety goggles. Do not breathe spray mist. Wear full-length trousers, long-sleeved shirt and head covering. Do not eat, drink or use tobacco while using. Change to clean clothing daily. Remove contaminated clothing and wash before reuse. Wash hands and face with soap and water after handling and before eating. Keep away from domestic animals.

STATEMENT OF PRACTICAL TREATMENT

GENERAL: Contact physician in all cases of suspected poisoning. If poisoning is suspected in animals, contact a Veterinarian. **IF SWALLOWED:** If subject is conscious and alert, give 2-3 glasses of water or milk to drink. If available, give one tablespoon of Syrup of Ipecac to induce vomiting. Alternately, induce vomiting by touching back of throat with finger. Do not repeat the Syrup of Ipecac. Do not make an unconscious person vomit. **GET MEDICAL ATTENTION. IN CASE OF EYE CONTACT:** Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. **GET MEDICAL ATTENTION. IN CASE OF SKIN CONTACT:** Wash with soap and plenty of water.

IF INHALED: Remove from contaminated atmosphere. Call a physician.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate irrigation ditches or water used for irrigation or domestic purposes. Do not apply when weather conditions favor drift from treated areas. Do not use in a greenhouse.

PHYSICAL / CHEMICAL HAZARDS

Flammable: Do not use or store near heat sources or open flame. Do not use in the vicinity of pilot lights.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use same spray equipment for other purposes unless thoroughly cleaned. Do not apply NAA-800 through any type of irrigation system.

GENERAL WORKER PROTECTION STATEMENTS

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult with your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in treated areas or in an area about to be treated with this product. Advise workers to stay out of fields during application until sprays have dried. Regular long-sleeved work clothing should be worn when working in treated fields. See PRECAUTIONARY STATEMENTS and STATEMENT OF PRACTICAL TREATMENT for information on accidental exposures. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: Appropriate signal word (WARNING); area treated with NAA-800®; date of application(). Appropriate clothing, and Reentry Interval (i.e. until sprays have dried).

BEST AVAILABLE COPY

NAA-800® is a registered trademark of Rhone-Poulenc
used under license by Armvac