5481-548

2011



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

Ms. Kelly K. Naujock Amvac Chemical Corporation 4696 Mac Arthur Court, Suite 1250 Newport Beach, CA 92660

Dear Ms. Naujock:

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION SEP 1 9 2011

Subject: Amendment-add fabric use rate, remove product website and update per PR Notice 2007-4 Permethrin Technical EPA Registration Number 5481-548 Your submission dated August 30, 2011

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

A stamped label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

Sincerely yours,

Leh ADr her

Richard Gebken Product Manager (10) Insecticide Branch Registration Division (7504P)

Enclosure

# PERMETHRIN TECHNICAL INSECTICIDE

AN INSECTICIDE FOR FORMULATING USE ONLY

# **ACTIVE INGREDIENT:**

÷

By Weight

\*Cis/trans ratio: Min. 35%(±) cis and max. 65%(±)trans

# KEEP OUT OF REACH OF CHILDREN CAUTION


| FIRST AID  |   |  |  |
|--|---|--|--|
| If swallowed   | Call a poison control center or doctor immediately for treatment advice                             |  |  |
|  | • Have person sip a glass of water if able to swallow   |  |  |
|  | • Do not induce vomiting unless told to do so by a poison control center or doctor                  |  |  |
|  | • Do not give anything by mouth to an unconscious person  |  |  |
| If on skin or  | Take off contaminated clothing  |  |  |
| clothing   | • Rinse skin immediately with plenty of water for 15-20 minutes                                     |  |  |
|  | Call a poison control center or doctor for treatment advice   |  |  |
| If inhaled   | Move person to fresh air  |  |  |
|  | • If person is not breathing, call 911 or an ambulance, then give artificial respiration,           |  |  |
|  | preferably by mouth-to-mouth, if possible   |  |  |
|  | Call a poison control center or doctor for treatment advice   |  |  |
| If in eyes   | Hold eye open and rinse slowly and gently with water for 15-20 minutes                              |  |  |
|  | • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye           |  |  |
|  | Call a poison control center or doctor for treatment advice   |  |  |
| EMERGENCY INFORMATION وَرَدْمَ اللَّهُ اللَّ |   |  |  |
| Have the product c   | container or label with you when calling a poison control center or doctor coregoing for treatment. |  |  |
| FOR THE FOLLO  | OWING EMERGENCIES, PHONE 24 HOURS A DAY:  |  |  |
| Transportation: CI   | HEMTREC   |  |  |
| Other: AMVAC   |   |  |  |
| Other: AMVAC   | PANEL FOR ADDITIONAL PRECALITIONARY STATEMENTS AND DISCTIONS FOR USE                                |  |  |

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

EPA Reg. No. 5481-548 EPA Est. No.



Los Angeles, CA 90023 U.S.A 1-323-264-3910



**Net Contents:** 

ιιιι

# PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if inhaled. Avoid breathing vapors or spray mists. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Wear goggles, face shield or safety glasses.

# ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment washwaters. Keep out of lakes, streams, ponds, tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage plant authority. For guidance contact your local State Water Board or Regional Office of the EPA.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for formulation into wettable powder formulations unless they are packaged in water soluble bags. For impregnated fabric applications, do not exceed an application rate equivalent to 1.25 grams ai per square meter of fabric.

Formulators using this product are responsible for obtaining EPA registration for their formulated product which may be labeled for the use patterns as found listed on this label.

Only for formulation into an insecticide for the following uses:

### **Terrestrial Food**

| cottat i oou            |                                  |                       |                  |
|-------------------------|----------------------------------|-----------------------|------------------|
| Alfalfa                 | Cucurbit vegetables <sup>2</sup> | Pears                 |                  |
| Almonds                 | Eggplant                         | Peppers, Bell         |                  |
| Apples                  | Field Corn/Popcorn/Seed corn     | Pistachios            |                  |
| Artichokes              | Filberts                         | Potatoes              |                  |
| Asparagus               | Horseradish                      | Range Grass (NM Only) | cccc             |
| Asparagus fern          | Leafy vegetables <sup>3</sup>    | Soybeans              | C C C C          |
| Avocados                | Mushrooms                        | Sweet Corn            | cc c             |
| Cherries                | Onions (Dry bulb & garlic)       | Tomatoes              | с с<br>с о о     |
| Cole crops <sup>1</sup> | Papaya (FL only)                 | Turnips occocc        | C 0 0<br>C 0 0 0 |
|                         | Peaches                          | Walnuts               | с с<br>сссссс    |
|                         |                                  |                       |                  |

<sup>1</sup> COLE CROPS: Broccoli, Chinese broccoli, Brussels sprouts, Cabbage, Chinese cabbage, Cauliflower, Collards, Mustard greens, and Rape greens.

- <sup>2</sup> CUCURBIT VEGETABLES: Chayote (fruit); Chinese Waxgourd (Chinese preserving melon); citron melon; cucumber; gherkin; gourds, edible (includes hyotan, cucuzza, hechima, Chinese okra); Mornordica spp. (includes balsam apple, balsam pear, bitter melon, Chinese cucumber); muskmelons, including hybrids such as true cantaloupe, casaba, crenshaw, golden pershaw melon, honeydew melons, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon, snake melon; pumpkin; squash, summer (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini); and winter (butternut squash, calabaza, hubbard squash, acorn squash, spaghetti squash); watermelon, including hybrids.
- <sup>3</sup> LEAFY VEGETABLES (Except Brassica): Amaranth (leafy amaranth, Chinese spinach, tampala); arrugla (Roquette); Cardoon; celery; Chinese celery; celtuce; chervil; corn salad; chrysanthemum, edible-leaved; chrysanthemum, garland; cress, garden; cress upland (yellow rocket, winter cress); dandelion; dock (sorrel); endive (escarole); fennel, Florence; lettuce (head and leaf); orach; parsley; purslane, garden; purslane, winter;

radicchio (red chicory); rhubarb; spinach; spinach, vine (Malabar spinach, Indian spinach); spinach, New Zealand; Swiss chard.

# **Terrestrial Nonfood**

Christmas Trees (container & field-grown) Chrysanthemums Conifers (container & field-grown)

**Domestic Farm Animals** 

Cattle Horses Hogs Poultry

**Agricultural Premises** 

#### **Companion Animals**

# Termiticide soil contact nonfumigation treatment

#### **General Outdoor Insect Control**

Limit applications to 2 lbs. active ingredient per acre per year.

#### **General Indoor Insect Control**

Food Handling Establishments: Places other than private residences in which food is held, processed, prepared or served.

**Nonfood/feed Areas:** May be used to manufacture end-use products for use as a general spot or crack and crevice treatment in nonfood areas. Similar areas where insects hide or through which insects may enter can be treated. Examples of nonfood areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Food/Feed Areas: May not be used to manufacture products for use in food/feed areas. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods environment of here areas where prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Examples of food areas are areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible wastes storage and enclosed, processing systems (mills, dairies, edible oils, syrups). Serving areas (when food to be covered and facility is in operation) also would be considered a food area.

#### **Fiber Product Protection**

#### **Human Articles and Materials**

#### Human Body Hair

# NOTE: Not for use to formulate products to be used:

- In warehouses where raw or cured tobacco is stored.
- In warehouses while raw agricultural commodities for food or feed are stored.
- In greenhouses where crops for food or feed are grown.
- In USDA meat and egg processing plants.

### **Mosquito and Biting Insect Control**

#### **Other Uses**

Ornamentals Nursery Stock (field-grown) Pine Seed Orchards Roses (field-grown & greenhouse)

כ ה הנונוה

- 1. Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and
- 2. Uses for experimental purposes that are in compliance with USEPA requirements.

# STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

**PESTICIDE STORAGE:** Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container <sup>1</sup>/<sub>4</sub> full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

# LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

AMVAC Chemical Corporation 4100 E. Washington Boulevard Los Angeles, CA 90023 U.S.A. 1-323-264-3910 www.amvac-chemical.com Ć

6 1 1 F

66