

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

May 30, 2025

Oscar Perez Ovilla, Ph.D.
Regulatory Affairs Manager
AMVAC Chemical Corporation
4695 MacArthur Court, Suite 1200
Newport Beach, CA 92660-1706

Subject: Label Amendment – Addition of California Prop 65 Language and Incorporation

of Other Revisions in Response to Agency-Initiated Letter Dated March 12, 2024

Product Name: AMVAC LARGE PRO-STRIP EPA Registration Number: 5481-554

Application Date: May 6, 2024 Action Case Number: 612770

Dear Oscar Perez Ovilla:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find

Page 2 of 2 EPA Reg. No. 5481-554 Action Case No. 612770

or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Carmen Rodia via e-mail at *Rodia.Carmen@epa.gov*.

Sincerely,

Tamica L. Cain, Product Manager 10 Invertebrate & Vertebrate Branch 2 Registration Division (7505T)

Enclosure: Stamped "Accepted" Master Label, May 30, 2025

RESTRICTED USE PESTICIDE

DUE TO ACUTE ORAL TOXICITY.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

{Note to reviewer: Text in braces { } is for informational purposes and will not appear on the end-use label.}

{Note to reviewer: Text in brackets [] is optional, and may or may not appear on the end-use label.}

{Text in parentheses () will appear on the end-use label.}

AMVAC LARGE PRO-STRIP

[ALTERNATE BRAND NAME: NUVAN PROSTRIPS +]

ACCEPTED

05/30/2025

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 5481-554

ACTIVE INGREDIENT:

Dichlorvos (2,2-dichlorovinyl dimethyl phosphate):	18.6%
OTHER INGREDIENTS*:	<u>81.4%</u>
Total	100.0%

^{*}This product contains the toxic inert ingredient Bis (2-ethylhexyl) adipate (DEHA) at 19.8%.

KEEP OUT OF REACH OF CHILDREN WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID		
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	Do NOT induce vomiting unless told to by a poison control center or doctor.	
	Do NOT give anything by mouth to an unconscious person.	
IF INHALED	Move person to fresh air.	
	If person is not breathing, call 911 or ambulance, then give artificial respiration,	
	preferably mouth-to-mouth, if possible.	
	Call a poison control center or doctor for further treatment advice.	
	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
IF IN EYES	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
IF ON SKIN	Take off contaminated clothing.	
	Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a poison control center or doctor for treatment advice.	
NOTE TO PHYSICIAN		

Probable mucosal damage may contraindicate the use of gastric lavage. POISONING SYMPTOMS: This product is a cholinesterase inhibitor. Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with atropine. Clear chest by postural drainage.

EMERGENCY INFORMATION

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:

For Medical Emergencies phone: 1-888-681-4261

For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC®	
For Product Use Information phone: AMVAC®	1-888-462-6822
See [inside] [side] [back panel] [booklet] [attached] [to] [pouch] [bag] [sealed pacl Statements,] [Precautionary Statements,] [Directions For Use,] [Storage and D Disclaimer]	
EPA Reg. No. 5481-554	PA Est. No
Net Weight:{NOTE TO REVIEWER: This product will only be sold in the size	zes 2.29 oz (65 g), 2.82 oz (80 g)}
{NOTE TO REVIEWER: The following are optional logos.}	
The state of the s	







AMVAC Chemical Corporation 4695 MacArthur Court, Suite 1200 Newport Beach, CA 92660 USA 1-888-462-6822

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed. Do NOT get in mouth. Harmful if inhaled. Causes moderate eye irritation. Avoid breathing vapors. Avoid contact with eyes or clothing. After prolonged storage, a small amount of liquid may form on strip. Do NOT get liquid in eyes. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants;
- Chemical-resistant gloves made of butyl rubber ≥ 14 mils or nitrile rubber ≥ 14 mils or neoprene rubber ≥ 14 mils; and
- Shoes plus socks

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STOP! READ ENTIRE LABEL BEFORE USE

DIRECTIONS FOR USE

Restricted Use Pesticide

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

- Do NOT apply this product in a way that will contact any person or pet directly. Keep people and pets out of the area during application.
- Do NOT use in the food/feed areas of food/feed processing or food/feed manufacturing or food/feed service establishments, except in garbage containers with lids. Serving areas where food is exposed and the facility is in operation are also considered food areas. Product may be used in serving areas that are not in operation and have no exposed food. Non-food/feed areas of these establishments where the product can be used are areas such as garbage rooms, lavatories, floor drains (to sewers) and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and product storage (after canning or bottling).
- Do NOT use where unwrapped food is stored or allow the product to come into contact with food or cooking utensils.
- This product is not to be taken internally by humans or animals.
- Do NOT use in any area where people will be present for more than four (4) hours per day.
- Do NOT allow children to handle new or used product.
- Do NOT allow children or pets to play or sleep in these areas when treatment is in progress.
- Do NOT contaminate milk or milking equipment.
- Do NOT use in hospital rooms or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas.
- For use in unoccupied areas provided they are unoccupied for more than four (4) months immediately following placement of product. Do NOT use within occupied homes except in garages, attics, enclosed crawl spaces and sheds that are occupied for less than four (4) hours per day, or when specifically following the bed bug control use directions listed on this label.
- Do NOT use in kitchens, restaurants or areas where food is prepared or served (except serving areas that are not in operation and have no exposed food).
- For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

PRODUCT INFORMATION

[Two Sizes Available – See table for space treated for each size 65 g (2.29 oz), 80 g (2.82 oz)]

- This product is for retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.
- This product controls bed bugs, flies, gnats, mosquitoes, moths, silverfish, cockroaches, spiders, beetles, earwigs and other listed insect pests.
- This product provides continuous control of listed insect pests in treated areas through controlled release technology for up to four (4) months.
- Always use the appropriate size and number of product units for the space being treated. If more than one is required, distribute them within the space equally. The closed volume for treatment should not exceed the volume to be treated for the size of the unit used.

How much space will one unit treat?

Unit Size / grams	Treats / cu ft	Approximately Equivalent to Area Measuring / cu ft
65 or 80	900 to 1,200	8' x 10' x 11' = 880
		8' x 10' x 15' = 1,200

Always use the appropriate size and number of product units for the space being treated. If more than one is required, distribute them over the space equally.

HOW IT WORKS: This product utilizes controlled release technology to slowly diffuse a deep penetrating vapor in enclosed spaces for up to four (4) months. The clean, odorless vapor is evenly distributed throughout the enclosed treatment area, killing visible and hidden insects on contact and preventing new insect infestations [while you're away].

This product may be used in unoccupied areas and other areas that are occupied for less than four (4) hours per day including garages, sheds, attics, enclosed crawl spaces, museums, museum collections, reptile houses, terrariums, animal buildings, barns, milk rooms, storage units, storage bins, garbage cans with lids, trash bins, trash dumpsters, bulk raw grain bins, grain shipping containers, drop ceilings, mausoleums, enclosed shipping containers/trailers, enclosed utility boxes, vacation homes, cabins, out-houses, mobile homes, recreational vehicles, transportation vehicles,

including cars, trucks, vans, buses, and train and trolley cars (for bed bug control only – see bed bug control section of this label), boats, boathouses, farm houses, ranch houses, catch basins and food serving areas that are not in operation and have no exposed food.

This product may be used in serving areas that are not in operation and have no exposed food. Product may also be used in areas where non-perishable packaged, bagged or bulk raw and processed agricultural commodities (including corn, soybeans, grains, cocoa beans, and peanuts) are stored. Non-food/feed areas of these establishments where the product CAN be used are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and product storage (after canning or bottling).

Within homes, use only in unoccupied garages, sheds, attics and enclosed crawl spaces (except when following the bed bug control directions for use listed on this label) where people are present for less than four (4) hours per day.

This product controls listed flying and crawling insect pests including bed bugs, flies, gnats, mosquitoes, moths, silverfish, cockroaches, spiders, beetles and earwigs.

Wearing chemical-resistant gloves, remove the product from sealed bag when ready to use and place it in provided holder if treatment area is routinely accessed by people or pets. Place product uniformly in the area to be treated to facilitate a uniform treatment of the space. [Place] [or] [Hang] away from windows and out of reach of children and pets. (To apply product to vertical surfaces, use the enclosed stickers). Record the date of installation and replace with a new unit at the end of four (4) months or when effectiveness diminishes. When properly placed, product provides control of pests for up to four (4) months depending upon local conditions.

[WHERE TO USE:] [FOR USE IN THE FOLLOWING AREAS:]

HOUSEHOLD, INDUSTRIAL AND COMMERCIAL USES

For use in the Following Unoccupied Areas/Structures: Vacation Homes, Ranch Houses, Farm Houses, Cabins, Mobile Homes, Storage Units, Boathouses and Boats provided they are unoccupied for more than four (4) months immediately following placement of product. This product is NOT for Use Within Occupied Homes Except in Garages, Attics, Enclosed Crawl Spaces and Sheds that are occupied for less than four (4) hours per day, or when specifically following the bed bug control use directions listed on this label for treatment of bed bugs.

This product kills flies, mosquitoes, gnats and other listed insect pests for up to four (4) months. Wearing gloves, remove the product from sealed bag when ready to use and place it in provided holder if treatment area is routinely accessed by people or pets. Do NOT allow children to handle new or used product. [Hang] [or] [Place] out of reach of children and pets in an open space of an enclosed area, away from windows. [Hang] [or] [place] the product as high as possible/reasonable within the treated volume of space. Ensure that product does not contact clothes, fabrics or other items and that air can circulate around the product. Calculate cu ft of air space to determine the number of product units required for treatment. One unit will treat 900 to 1,200 cu ft. When multiple product units are required, distribute them uniformly within the treated space. Keep the treated space closed to contain product vapors. Record the date of installation so that the old product may be replaced with a new one at the end of the four (4) month period or when effectiveness diminishes. Do NOT use more than the number of product units recommended for the space to be treated. Do NOT use in any area where people will be for more than four (4) hours per day. Do NOT use in closets and wardrobes of hospital rooms or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas where infants, children and the sick or aged are or will be present for more than four (4) hours per day. Do NOT use where unwrapped food is stored or allow the product to come into contact with food or cooking utensils. Do NOT allow children or pets to play or sleep in these areas when treatment is in progress. Do NOT allow children to handle new or used product.

Garbage Cans With Lids, Trash Dumpsters and Trash Receptacles

For control of flying and crawling pests, place the appropriate number of product units within trash receptacles such as compactors, garbage chutes, garbage rooms, garbage bins and others. This product provides control of listed insect pests within trash receptacles for up to four (4) months. Do NOT use in any area where people will be for more than four (4) hours per day.

Animal Buildings

Use this product to control listed insect pests in animal buildings including stalls, barns, milk rooms, kennels, pens, poultry houses, manure storage and other such areas. Do NOT contaminate milk or milking equipment by direct contact with product. Place product in manure collection areas such as beneath egg layers and broilers but do NOT allow product to be placed in areas directly occupied by poultry. Place the appropriate number of product units for the space to be treated. Product provides control of listed insect pests for up to four (4) months. Do NOT use in any area where people will be for more than four (4) hours per day.

Milk Rooms

This product controls flies, mosquitoes and gnats in milk rooms and bulk storage rooms. Do NOT contaminate milk or milking equipment by direct contact with product. Do NOT use in any area where people will be for more than four (4) hours per day.

Agricultural Commodities

This product controls listed stored product insect pests [including] [almond moths] [and] [cocoa moths] [and] [Indianmeal moths] [and] [Mediterranean flour moths] infesting non-perishable packaged and bagged or bulk-stored processed and raw agricultural commodities (such as soybeans, corn, grains, cocoa beans and peanuts). Do NOT contaminate foods. Do NOT allow this product to contact foods. Calculate the cubic feet of air space above the commodity to determine the number of product units required for treatment. One unit will treat 900 to 1,200 cu ft. Treat before moths emerge. Replace product when needed to prevent egg laying by moths. Hang product so as not to impede air circulation. When multiple product units are required, distribute them uniformly over the treated space. Product will control pests for up to four (4) months. Do NOT use in any area where people will be for more than four (4) hours per day.

Catch Basins

To control mosquitoes breeding in catch basins, suspend product about ten inches above the water level. Product may control mosquitoes for 10 to 15 weeks. Do NOT use in any area where people will be for more than four (4) hours per day.

Enclosed Utility Boxes

This product controls mosquitoes and other listed insect pests which commonly infest utility enclosures, cabinets, conduits, junction boxes, enclosed electrical panels, motor control rooms and other utility equipment for communications, electric, gas, water and cable television. Place product so that air can contact all sides of the product. Record installation date and replace when effectiveness diminishes. Do NOT use in any area where people will be for more than four (4) hours per day.

Reptile Houses and Terrariums

Use product to control mites on reptiles and other listed insect pests in reptile enclosures, displays, reptile houses and terrariums. In reptile houses, hang the appropriate number of product units for the space to be treated to provide proper control. Do NOT over-treat. In terrariums, cover the top of an open terrarium having a minimum size of 10 cu ft with a wire screen and place the product on the screen for no more than 48 hours. Product is NOT for treatment of aviaries or birdcages. Do NOT use in any area where people will be for more than four (4) hours per day.

Museum Collections

Use product to protect museum collections and other similar materials from damaging pests when this is a concern. Place product in close proximity or within collection boxes using care to avoid contact with collectible and valuable items. Do NOT use in any area where people will be for more than four (4) hours per day.

For Control of Bed Bugs and Bed Bug Eggs

Product may be used to control bed bug nymphs and adults exposed to product vapors for 48 hours. In difficult to treat areas, a minimum treatment time of 72 hours will provide better results. To kill bed bug eggs, confine vapors in the treated space for seven (7) days.

Product may be used to control bed bugs that have entered various items in an infested structure, including, electronics, small appliances, footwear, artwork, collectibles, plush toys, clocks, radios, wall hangings, telephones, computers, printers, mattresses, box springs, books, lamps, furniture and other such items. Take care to avoid direct contact of the product with the surface of items being treated.

Place infested items in a suitable plastic bag that is completely sealed using tape, twist ties or other means, poly sheeting that is completely sealed by adhesive tape on all sides, container or room that is closed and sealed off to contain the product treatment. Plastic bags or poly sheeting must be at least 2 mils thick. Any mattress or box springs to be treated must be fully enclosed with a single product unit within a large plastic bag or within poly sheeting with all edges taped closed. Seal plastic bags and poly sheeting with as much air space around the treated article as is practical as this will enhance the exposure to the product vapors. Proper seal can be attained by any appropriate manner such as the use of tape, twist ties or other means. Do NOT sleep or lay on mattress while in treatment bag. The closed volume for treatment should not exceed the volume to be treated for the size of the unit used. Professionals should test for adequate seal by testing for the escape of air from the sealed bag. Identify sealed treatment by a label indicating a pesticide treatment is in process that should not be disturbed by unauthorized persons. The label must include the date, and the pest professional person or company responsible and a contact telephone number. When treatment is complete, remove treated items from the treatment in a well-ventilated area and air out for a period of not less than two (2) hours. Discard plastic treatment bag or treatment poly sheeting and used product in trash.

When an unoccupied room is properly closed and sealed to contain the product vapors, it may be located in a home, apartment, hotel, motel, school or other residential, commercial or industrial building. Identify sealed treatment by a label indicating a pesticide treatment is in process that should not be disturbed by unauthorized persons. The label should include the date, and the pest professional person or company responsible and contact telephone number. When a room treatment is completed, the product must be removed and discarded in trash. The room must be thoroughly ventilated for a period of not less than two (2) hours before it is re-occupied.

Product may be used to control bed bugs in transportation vehicles, including cars, trucks, vans, emergency vehicles, buses and train and trolley cars. Vehicles must not be used during the bed bug treatment. Place the appropriate number of product units in a vehicle that is then closed/sealed to contain the product vapors. The product must remain in place for 72 hours to control bed bug nymphs and adults and for one week to control bed bug eggs. The ambient temperature should be at least 60° F during the treatment. Identify the vehicle by a label indicating a pesticide treatment is in process that must not be disturbed by unauthorized persons. The label must include the date, and the pest professional person or company responsible and a contact telephone number. When the treatment is complete, remove the product in a well-ventilated area and thoroughly ventilate the vehicle for a period of not less than two (2) hours.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container protected from freezing temperatures and away from heat sources and direct sunlight. Store in a secure, cool, dry (preferably locked) area that is inaccessible to children and animals. **DO NOT** store near food or feed. **DO NOT** open or remove package before ready to install.

PESTICIDE DISPOSAL: DO NOT contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

<u>Foil Pouch Packaging</u>: **DO NOT** open or remove from package before ready to use. **Disposal: If empty: Do NOT** reuse container. Place in trash or offer for recycling if available. **If partly filled:** Call your solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

<u>Outer Container</u>: Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling if available or dispose of the empty container in trash.

<u>Used Product</u>: Used product should be wrapped in paper and discarded in the trash.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; and (b) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS WARRANTY DOES NOT EXTEND TO THE USE OF THIS PRODUCT CONTRARY TO LABEL INSTRUCTIONS, OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE.

THERE ARE NO EXPRESS OR IMPLIED WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN TORT, CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

{NOTE TO REVIEWER: The following alternate warranty statement may be used.}

[NOTICE: Read the entire label before using this product. To the extent consistent with applicable law, AMVAC Chemical Corporation will not be responsible for losses or damages resulting from use of this product in any manner not specifically stated on this label or other labels or bulletins published by AMVAC Chemical Corporation. User assumes all risks associated with such non-specified use.]

© 2024 AMVAC Chemical Corporation is a wholly owned subsidiary of American Vanguard Corporation. All rights reserved. AMERICAN VANGUARD, [AMGUARD] AMVAC, NUVAN, PROSTRIPS, and their respective logos are trademarks of AMVAC Chemical Corporation. Chemtrec is a service mark of the American Chemistry Council, Inc.

{NOTE TO REVIEWER: The following statement is optional for use in California.}

WARNING: This product can expose you to chemicals including dichlorvos, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

AMVAC Chemical Corporation 4695 MacArthur Court, Suite 1200 Newport Beach, CA 92660 USA 1-888-462-6822

{NOTE TO REVIEWER: The following are optional marketing claims}

- Silent Defender
- Pests Can't Hide
- Proven Protection

- Silent Insect Assassin
- Product provides continuous control of listed insect pests in treated areas through controlled release technology for up to four (4) months.
- Proudly Made in America [for Over [#] Years]
- For Professional Use Only
- Only Professionals Can Use This Product
- Only Professional Applicators Can Use This Product
- All-Pro Defense
- All-Pro Defender
- Pro-Only Defense
- Pro-Only Defender
- The Choice of Professional Applicators for Over [#] Years
- Defend Your [Customer's] Space
- Kills Bed Bugs
- Controlled release [technology] for up to four (4) months
- Continuous [slow] release [technology] [action] for up to four (4) months
- Sustained release [technology] for up to four (4) months
- Kills listed flying and crawling insect pests for up to four (4) months
- Leaves No Odor
- Clean, Odorless, deep penetrating vapor [action]
- No-mess vapor technology
- Leaves no mess [residue]
- Non-staining
- Lasts for up to four (4) months
- Keeps protecting (insects out) for up to four (4) months
- Works for up to four (4) months
- Continuous (insect) protection for up to four (4) months
- When properly placed, product provide control of listed insect pests for up to four (4) months depending upon local conditions.
- Drafts, weather, and other labeled conditions may affect the performance, but treatment usually lasts for four (4) months

PRODUCT FACTS What It Does: Where to Use: Kills listed flying and crawling insects, including bed Garages, storage units, enclosed crawl spaces bugs, flies, gnats, mosquitoes, moths, silverfish, **Questions & Comments:** cockroaches, spiders, beetles and earwigs. [Send us a message https://www.amguardtech.com/contact/][¿Preguntas? ¿Comentarios? Envíenos un mensaje https://www.amguardtech.com/contact/] [or] visit our website at www.amguardtech.com [Note to reviewer: The following optional text will be used when AMVAC sub-registers this product.] **Questions & Comments:** [E-mail __] [¿Preguntas? ¿Commentarios? Envie un correo electronico @ _____] [or] visit our website

GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.