	UNITED STATE		NTAL PROTECTION AGEN		Reg. Number: -556	Date of Issuance: JUN 13 2008
- CHIA		Registration Division (H7505C) 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20460		1	Term of Issuance: Conditional	
(Under H	۳ _{4, PROT} ech ITRA as amended)	NOTICE OF PES' X Registra Reregist	tion	Wis	of Pesticide Prod dom 0.10% cticide	
5	d Address of Registrant (include Chemical Corpor		·····	<u></u>	<u>,</u> ,	
8	MacArthur Court, Soort Beach, CA 926					
Note: Ch	anges in labeling differing in	substance from that acc	epted in connection with this r nany correspondence on this p	egistration must be roduct always refe	submitted to and	accepted by the Aregistration number.
On the b	A San Land and Star	Part of the section of the lot of	ove named pesticide is hereby	as I At a Maria	Munder L. M. w. P. M.	
Registration environm of any na	tion is in no way to be constru- nent, the Administrator, on hi	is motion, may at any tin gistration of a product u	r recommendation of this prod ne suspend or cancel the regist nder this Act is not to be const	ration of a pesticid	e in accordance w	ith the Act. The acceptance
	This product is <u>co</u> that:	onditionally regi	stered in accordance	with FIFRA	a sec. 3(c)(7)(A), provided
1.	FIFRA sec. 3(c)(5	5) when the Age	ta required for regist ncy requires all regis nses required for rer	trants of sim	ilar produc	ts to submit such
2.	You will make the	e following labe	l changes before you	release the	product for	shipment:
	a) Revise the	EPA Registration	on Number to read "	EPA Reg. N	o. 5481-556	5."
	,		sal delete the Homeo ensed applicators.	wner Contai	ner disposa	l since this product
1	, ,	should" to "mus lete the statemer	t" in statement Deal	er should sa	le product i	n original packages
	only of de	icie me statemer	,	or should sa		
3.	Based on the phys	sical characterist	,	granular, ar		
4.	Based on the physical of active ingredies Note that the contraccordance with F	sical characterist nt we grant your tainer disposal ir	nt. ics of this product, a	granular, ar of the acute	have been	study. revised in
4. Signatur Georg	Based on the physical of active ingredies Note that the contraccordance with H	sical characterist nt we grant your tainer disposal in PR Notice 2007- Uut Manager (1	nt. ics of this product, a request for a waiver structions for pestic 4. Please revise thes W ADW 3)	granular, ar of the acute ide products se statements	have been to a corda	study. revised in

- 5. Generate and submit the results of an one year storage stability and corrosion characteristics study to the Agency on completion. It is recommended that the observations be made at 0, 3, 6, 9, and 12 months intervals.
- 6. Within 30 days submit a copy of the enforcement analytical method to the EPA Analytical Laboratory at the following address:

EPA Analytical Laboratory 701 Mapes Road Ft. Meade, MD 20755-5350

7. Please submit three (3) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

WISDOM 0.10% GRANULAR INSECTICIDE

FOR USE BY INDIVIDUALS/FIRMS LICENSED OR REGISTERED BY THE STATE TO APPLY INSECTICIDE PRODUCTS.

FOR USE TO CONTROL ANTS (INCLUDING IMPORTED FIRE ANTS), MOLE CRICKETS AND OTHER PESTS ON LAWNS IN LANDSCAPED AREAS AND PERIMETERS AROUND RESIDENTIAL, INSTITUTIONAL, PUBLIC, COMMERCIAL AND INDUSTRIAL BUILDINGS, PARKS, RECREATIONAL AREAS, AND ATHLECTIC FIELDS.

ACTIVE INGREDIENT:

Bifenthrin*	0.10%
OTHER INGREDIENTS:	
TOTAL:	
* Cis Isomers 97% min.; trans isomers 3% max.	

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advise. EMERGENCY INFORMATION Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-264-3910 or Chemtrec; 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

SEE INSIDE FOR ADDITIONAL PRECAUTIONARY STATEMENTS EPA Reg No. 5481-____ EPA Est. No.

ACCEPTED with COMMENTS in EPA Letter Dated JUN 1 3 2008 Under the Federal Insecticide. Fundicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

4100 E. Washington Blvd. Los Angeles, CA 90023 U.S.A

1-323-264-3910

• www.amvac-chemical.com

Page 1 of 5

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

Additional Precautions when Used in the State of New York:

In New York State this product should not be applied to any grass or turfgrass within 100 ft of a water body (lake, pond, river, stream, wetland, drainage ditch). In New York State, make only a single repeat application if there are signs of renewed insect or pest activity, but no sooner than 2 weeks after the first application.

GUARANTEED ANALYSIS	X-X-X
Major nutrients:	
Total Nitrogen (N)*	x.xx%
x.xx% Nitrogen (as Ammonia)	
x.xx% Nitrogen (as Nitrate)	
x.xx% Nitrogen (as Urea)	
x.xx% Water Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	x.xx%
Soluble Potash (K ₂ O)	x.xx%
Macronutients:	
	x.xx%
Magnesium (Mg)	
x.xx% Water Soluble Magnesium (Mg)	
x.xx% Combined Sulfur (S)	
Micronutrients:	
Total Manganese (Mn)	
x.xx% Water Soluble Manganese (Mn)	
	x.%
Total Zinc (Zn)	
Other Micronutrients :	
XX	
XX	
Other:	
	x.xx%
Derived from:	
*x.xx% slowly available nitrogen from .	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or research purposes.

Not for use on golf courses, sod farms, nurseries, commercial greenhouses or grass grown for seed. Do not apply this product within 25 ft of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds or commercial fish ponds.

Best results are obtained if the areas are thoroughly watered soon after application.

Do not allow children or pets in treated areas until surfaces are dry.

Do not exceed 9.20 lbs of product per 1000 sq. ft. in any given year (400 lbs/acre)

Do not apply by air

For best results, commence treatment when the pests (listed below) first appear.

Lawn (or Turf) & Perimeter Applications:

- *Perimeter application:* Apply to lawn (or turf) area in a uniform band 6 to10 ft. wide around and adjacent to structures to help prevent entry of insects into homes or buildings. Use at the rate of 2.30 lb to 4.60 lb. per 1,000 sq. ft depending on pest to be treated.
- *Lawn (or turf) application:* Broadcast this product with suitable application equipment which is properly calibrated to ensure uniform coverage over the treatment area. Best results are obtained when two applications at half rates are made perpendicular to each other. Apply 2.30 lb to 4.60 lb. per 1,000 sq. ft. to control the following pests:

Pest List and Use Rates:

- To control Annual bluegrass weevil adults (Hyperodes sp.), Armyworms, Billbug adults, Black turfgrass ataenuis adults, Cutworms, Mealybugs, sod webworms and European crane fly, use at the rate of 2.30 lbs/1000 sq. ft.
- To control Ants, Centipedes, Chiggers (Red bugs), Chinch bugs, Fire ants, Fleas, Imported fire ants, Leafhoppers, Millipedes, Mole crickets, Ticks, Pillbugs and Sowbugs,, use at the rate of 4.60 lbs/1000 sq. ft.

Note: To improve overall control of Imported fire ant colonies, combine broadcast treatments with appropriate products approved for fire ant mound applications.

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability.

Spreader Suggestions:

The spreader settings indicated below are approximate and should only be used as a guide. Age and conditions of spreader (especially if parts are worn out) and walking speed can cause variation in application rate. Prior to each use, equipment calibration is recommended. Close spreader hopper and adjust the setting using the suggested settings chart below. If not indicated below, carefully follow spreader manufacturer's recommendations to obtain accurate spread rates.

Always fill Spreader on a hard surface to eliminate the chance of spillage on the lawn and close spreader hopper when stopping or turning.

Drop Spreaders:

Yard Star 75350.... xx Republic EZ7.....xx Precision FH22....xx Scotts Acugreen....xx

Broadcast Spreaders

Yard Star 7450...xx Republic EzGROW 75450...xx Scotts Speedygreen 740xx Precision SB50P...xx Scotts Easygreen 745..xx

Suggested Spreader Settings:

Spyker 24-22 Rotary	XX	XX
Lesco Rotary	XX	XX
Earthway 2400 Rotary	XX	XX
Cyclone Pro	XX	XX
Scotts R8A	XX	XX
Lely Broadcast	XX	XX
Bigfoot	XX	XX

Storage & Disposal

Prohibitions:

Do not contaminate water, food or feed by storage or disposal.

Storage: Store product in its original closed container in a cool, dry place out of reach of children and animals. Carefully open containers and after partial use, close tightly. Avoid excessive heat.

If spill, avoid contact. Isolate spills, sweep up, and use as directed on this label.

Pesticide Disposal: Wastes resulting from a spill or from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into equipment and use as directed. Do not re-use empty bag. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

HOMEOWNER CONTAINER DISPOSAL: <u>If empty:</u> Fold bag and discard in trash. <u>If partially filled</u>: Use as directed or call your local waste agency or 1-800-CLEANUP for disposal instructions. Never discard unused product down any drain.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTANT WITH APPLIABLE LAW THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS:

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTANT WITH APPLICABLE LAW MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

Dealers should sell product in original packages only.

AMVAC Chemical Corporation 4100 E. Washington Boulevard Los Angeles, CA 90023 U.S.A. 1-323-264-3910 www.amvac-chemical.com

Contents of a XX lb bag will treat up to x,xxx sq. ft. Contents of a XX lb bag will treat up to x,xxx sq. ft.