

5481-562

5/7/2014

1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

MAY - 7 2014

Chris Davis
Product Registration Manager
AMVAC
4695 MacArthur Court, Suite 1200
Newport Beach, CA 92660

Subject: Submission of Supplemental Labeling to change PHI for Sugar Beets to 90 days
EPA Reg. No. 5481-562/ Counter 20G Systemic Insecticide-Nematicide
Submissions dated April 7, 2014

Dear Mr. Davis:

The proposed labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you submit two copies of your final printed label before you release the product for shipment. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

A stamped copy is enclosed for your records. If you have any questions, please contact Marianne Lewis at (703) 308-8043 or lewis.marianne@epa.gov.

Regards,

A handwritten signature in cursive script that reads "Venus Eagle".

Venus Eagle, PM 01
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

RESTRICTED USE PESTICIDE

Due to Acute Oral, Dermal and Inhalation Toxicity and Risks to Aquatic Organisms and Wildlife. For retail sale to, and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABEL

COUNTER[®] 20G Systemic Insecticide-Nematicide SMARTBOX[®] or LOCK'N LOAD[®]

This supplemental label expires on March 19, 2017 and must not be used or distributed after this date.

Use Directions for 90-day Preharvest Interval for Sugar Beets

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

THIS LABEL AND THE FEDERAL LABEL FOR THIS PRODUCT MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

Before applying Counter 20G please read the complete label. All applicable directions, restrictions and precautions on the EPA-registered label are to be followed. Use of Counter 20G according to this supplemental labeling is subject to the use precautions and limitations imposed by the label on the container.

IMPORTANT: Read the entire Directions for Use and the Limited Warranty and Disclaimer on the EPA-registered Counter 20G label before using this product.

USE DIRECTIONS FOR SUGAR BEETS

This supplemental label contains new information that may not be on the container label.

Crops	Pests Controlled	Rate	Application	Remarks
ONLY ONE APPLICATION OF COUNTER 20G PER YEAR MAY BE MADE FOR SUGAR BEETS.				
SUGAR BEETS At Planting	Sugar beet root maggots ¹ Sugar beet leafhopper ² Aphids ² Wireworms ¹ White Grubs ¹ Crown borer	Banded or Modified In-Furrow 3-6 oz. per 1,000 ft. of row for any row spacing (minimum 20 inch row spacing) or no more than 9.8 lbs. of Counter 20G per acre.	Modified In-Furrow Apply in-furrow at planting time 2-3 inches behind the seed drop zone after some soil has covered the seed.	At Planting Restriction: DO NOT place granules in direct contact with the seed or crop injury may occur. Power incorporation may be used. Restriction: DO NOT incorporate deeper than 2 inches. ¹ If especially heavy infestations are expected, use the 6 oz. rate. ² Modified in-furrow only at the 6 oz. rate.

ACCEPTED

5/7/14

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 5481-562

	<p>Suppression of: Cutworms</p>	<p>Banded 6 oz. per 1,000 ft. of row for any row spacing (minimum 20 inch row spacing) or no more than 9.8 lbs. of Counter 20G per acre.</p>	<p>Banded Apply in 5 to 7 inch band over the row and lightly incorporate into the soil with drag chains or tines.</p>	<p>Restriction: DO NOT harvest sugar beets or feed tops to livestock within 150 days of a knifed-in application</p>
	<p>Suppression of: Sugar beet cyst nematode</p> <p>Control of: Sugar beet leafhopper Aphids</p>	<p>Knifed-in 6 oz. per 1,000 ft. of row for any row spacing (minimum 20 inch row spacing) or no more than 9.8 lbs. of Counter 20G per acre.</p>	<p>Knifed-In Drill granules 2 inches to the side of the seed and 2 to 4 inches below the seed.</p>	
<p>SUGAR BEETS Postemergence</p>	<p>Sugar beet root maggots Sugar beet leafhopper Aphid Sugar beet root aphid Crown borer³</p>	<p>Banded 3-6 oz. per 1,000 ft. of row for any row spacing (minimum 20-inch row spacing).</p>	<p>Banded Apply in 5 to 7 inch band over the row and lightly incorporate into the soil with cultivation shovels or other suitable implement.</p>	<p>Postemergence For sugar beet root maggot control apply at the time of first fly emergence.</p> <p>Restriction: DO NOT harvest sugar beets or feed tops to livestock within 90 days after at planting banded, at planting modified in-furrow or postemergence banded applications.</p> <p>³Postemergence – apply Counter 20G at the first sign of crown borer infestation.</p>

Registrant

AMVAC Chemical Corporation
4100 E. Washington Boulevard
Los Angeles, CA 90023 U.S.A.



EPA Reg. No. 5481-562