

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

September 24, 2015

Mr. Christopher Davis Amvac Chemical Corporation 4695 MacArthur Court, Suite 1250 Newport Beach, CA 92660

Subject: Label Notification per PRN 2007-4 – Adding storage and disposal statements for refillable containers Product Name: Ethoprop MUP EPA Registration Number: 5481-582 Application Date: August 27, 2015 Decision Number: 508732

Dear Mr. Davis:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 2007-4 and finds that the action requested falls within the scope of PRN-2007-4.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>non-refillable</u> containers. The code may appear either on the label (and can be added by non-notification via PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Eric Bohnenblust at (703) 347-0426 or by email at Bohnenblust.eric@epa.gov.

Sincerely,

Richard Gebken Product Manager 10 Invertebrate & Vertebrate Branch 2 Office of Pesticide Programs

NOTIFICATION

5481-582

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

09/24/2015

EPA Est. No.

Ethoprop MUP

ACTIVE INGREDIENT:

Ethoprop: (O-Ethyl S, S-Dipropyl Phosphorodithioate)	96.1%
OTHER INGREDIENTS:	3.9%
TOTAL	100.0%

EPA Reg. No. 5481-582



KEEP OUT OF REACH OF CHILDREN DANGER POISON PELIGRO



PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

TRANSLATION TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

FIRST AID		
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. 	
	Call a poison control center or doctor for further treatment advice.	
	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
IF IN EYES:	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.	
	Call a poison control center or doctor for treatment advice.	
	Take off contaminated clothing.	
IF ON SKIN OR	Rinse skin immediately with plenty of water for 15-20 minutes.	
CLOTHING:	Call poison control center or doctor for treatment advice.	
	Call a poison control center or doctor immediately for treatment advice.	
IF SWALLOWED:	Have person sip a glass of water if able to swallow.	
	• Do not induce vomiting unless told to by a poison control center or doctor.	
	Do not give anything by mouth to an unconscious person.	
EMERGENCY INFORMATION		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.		
FOR THE FOLLOW	ING EMERGENCIES, PHONE 24 HOURS A DAY:	
For Medical Emergencies phone:1-888-681-4261		
For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC [®] 1-800-424-9300		
For Product Use Information phone : AMVAC [®] 1-888-462-6822		
NOTE TO PHYSICIAN		
Probable mucosal d	lamage may contraindicate the use of gastric lavage. This product is a cholinesterase inhibitor.	

Probable mucosal damage may contraindicate the use of gastric lavage. This product is a cholinesterase inhibitor. Severe symptoms and signs include diarrhea, pinpoint and non-reactive pupils, respiratory difficulty, pulmonary edema, cyanosis, loss of sphincter control, convulsions, and coma. Support respiration as needed. Measures should include removal of secretions, maintenance of a patient airway, and if necessary, artificial ventilation.

If cyanosis is absent, give ATROPINE 2-4 mg intravenously (0.05 mg/kg for children). Repeat atropine at 5-10 minute intervals until atropinization occurs (dry, flushed skin, tachycardia, pupillary dilatation), and maintain for 48 hours. If cyanotic, give initial atropine intramuscularly and start measures to improve ventilation.

Start 2-PAM (PROTOPAM, Ayerst) at the same time. Give 1-2 grams PROTOPAM (20-40 mg/kg for children) in 100cc saline over 15-30 minutes. If pulmonary edema is present, give intravenously slowly as a 5% solution in water over a period of at least 5 minutes. A second dose may be given after one hour if muscle weakness persists. Additional doses may be given cautiously for persistent muscle weakness. May be given by intramuscular or subcutaneous routes if intravenous administration is not feasible.

In case of skin contact, wash patient with soap and water followed by wash with 95% ethyl alcohol. Keep patient under constant observation for 24-36 hours. Symptoms may persist for one month.

The use of theophylline, morphine, barbiturates, phenothiazines, reserpine, and succinyl choline is contraindicated.

Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests. Repeated exposure to cholinesterase inhibitors may, without warning, cause increased susceptibility to very small doses of any cholinesterase inhibitor. This will last for several weeks following exposure.

SYMPTOMS OF POISONING: Nausea, vomiting, abdominal cramps, diarrhea, excessive salivation, headache, dizziness, weakness, blurring or dimness of vision, excessive tearing, loss of muscular coordination, slurring of speech, twitching of muscles (especially of tongue and eyelids), mental confusion, disorientation, drowsiness, difficulty in breathing (chest tightness), runny nose.

PRECAUTIONARY STATEMENTS

DANGER

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Fatal if inhaled. Corrosive. Causes irreversible eye damage. Causes skin burns. May be fatal if absorbed through skin. May be fatal if swallowed. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Do not breathe fumes or spray mist. Wear an AO R-6058 respirator with an R-58 cartridge, or equivalent, coveralls over long sleeved shirt and long pants, chemical resistant footwear, protective eyewear (goggles, face shield, safety glasses) and chemical resistant gloves, preferably nitrile. After use, wash hands, arms and face thoroughly with soap and warm water before eating, drinking, chewing gum, using tobacco or using the toilet. Wash all clothing with soap and hot water before reuse. Discard contaminated shoes. Do not contaminate feed or food.

USER SAFETY RECOMMENDATIONS

User should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then, wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as

possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This chemical is toxic to aquatic organisms (fish and invertebrates) and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Restriction: Do not store in or around residential areas.

Only for formulation into a Nematicide-Insecticide to be applied as pre-plant, at-plant or pre-emergent, soil incorporated ground treatment for the following uses:

Terrestrial non-domestic food uses: banana¹, beans² (lima and snap only), cabbage, corn¹ (field and sweet), cucumber¹, hops³, mint⁴, plantain¹, potatoes⁴, sugarcane¹, and sweet potatoes⁴.

Terrestrial non-domestic, non-food uses: ornamentals⁵ (field nursery stock only and only as a pre-plant application) and tobacco¹.

¹Granular formulation only

²Granular formulation only except for SLN registrations only for the EC formulation.

³EC formulation only. Apply as pre-plant, pre-emergent or prior to stringing vines or after last harvest of vines as a soil-incorporated ground treatment.

⁴Granular and EC formulation. Apply as pre-plant or after last harvest of the season as a soil-incorporated ground treatment.

⁵EC formulation only.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage or disposal.

PESTICIDE STORAGE

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, feed, and water. Store in original container and out of the reach of children, in a locked storage area. Do not store in or around residential areas.

Do not use, pour, spill or store near heat or open flame. Do not store below 32°F.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available, or dispose of in sanitary landfill, or by other procedures approved by state and local authorities.

RETURNABLE -- REFILLABLE CONTAINERS

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

NET CONTENTS: BULK Gallons

© 2014 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the Beaker logo are U.S. registered trademarks owned by AMVAC Chemical Corporation. Chemtrec is a trademark of the American Chemistry Council, Inc.



AMVAC Chemical Corporation 4100 E. Washington Blvd. Los Angeles, CA 1-888-462-6822