

50 LBS. NET WEIGHT

Fly Control Mineral No. 16-678 (Low Fluorine) (Contains RABON® Oral Larvicide)

To prevent the development of Horn Flies, Face Flies, House Flies, and Stable Flies in the manure of treated cattle and House Flies in the manure of treated swine.

| | |
|---|------------------|
| ACTIVE INGREDIENTS | By Weight |
| 2-chloro - 1 - (2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate | 1.79%* |
| INERT INGREDIENTS | 98.21%** |

*Each pound contains 8.1 g RABON.
**Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS

| | |
|-------------------------------|--------|
| Calcium (Ca), Maximum | 20.0% |
| Calcium (Ca), Minimum | 17.0% |
| Phosphorus (P), Minimum | 16.0% |
| Iodine (I), Minimum | 0.001% |
| Salt (NaCl), Maximum | 6.0% |
| Salt (NaCl), Minimum | 4.0% |
| Magnesium (Mg), Minimum | 2.0% |

FEED INGREDIENTS

Plant Protein Products, Processed Grain By-Products, Mineral Oil, Anise Oil, D-Activated Animal Sterol (source of Vitamin D-3), Salt, Calcium Carbonate, Dicalcium Phosphate, Iron Carbonate, Manganous Oxide, Copper Oxide, Cobalt Carbonate, Calcium Iodate, Zinc Oxide, Magnesium Oxide.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See reverse side of tag for use directions and other precautions
1H2
ACCEPTED with COMMENTS in EPA Letter Dated



HONEGERS & CO., INC.
GENERAL OFFICES
FAIRBURY, ILLINOIS 61739

EPA Reg. No. 5482-4
EPA Est. No. 5482-1L-1
U.S. Patent No. 3,102,842 Made in U.S.A.
RABON® - Registered Trade Mark of Shell Oil Company

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

5482-4

DEC 6 1982

OK TO PRINT
 OK TO PRINT W/CORRECTIONS
 REVISED PROOF REQUESTED
SIGNED _____
DATE _____

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent to its label.

Mix 5.64 pounds of Fly Control Mineral No. 16-678 per ton of meal type feed and offer free choice to hogs (weaners to market weight). This is equivalent to 22.7 milligrams of Rabon per pound of feed.

For sows, boars, and breeding gilts, mix 11.27 pounds of this product per ton of meal type feed and offer 4 to 6 pounds of feed per animal per day. This is equivalent to 45.4 milligrams of Rabon per pound of feed.

Feed Fly Control Mineral No. 16-678 at the rate of one ounce per 750 pounds of body weight per head per day to beef and dairy animals by mixing it into the ground grain or complete daily ration.

Start feeding Fly Control Mineral No. 16-678 early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.

Fly Control Mineral No. 16-678 may be fed up to slaughter and to lactating dairy cows.

Fly Control Mineral No. 16-678 prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle but is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other control measures to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Fly Control Mineral No. 16-678 should be used in conjunction with other good management and sanitation practices.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

310/77/38
18/2

SP
11/18/82

DEC 6 1982

Honeggers & Company, Inc.
201 West Locust Street
Fairbury, IL 61739

Attention: Mr. Bull

Gentlemen:

Subject: Amendment - Add Swine Use to Fly
Control Mineral No. 9-678
EPA Registration No. 5482-4
Your Application Dated August 23, 1982

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. In the hazards to humans section revise the "If in eyes statement" to "If in eyes wash with plenty of water."

b. ~~Revise the second sentence in the environmental hazard paragraph to "Do not apply directly to lakes, streams or ponds."~~

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure
RD: LARocca:DCR-39829:WANG-1342C:CBP:Raven:479-2013:11/26/82