DIRECTIONS FOR THE USE

ANTS: Spray entire area or the individual nests. Sprinkle after application. Use ½ pint CBS-45 to 1,000 sq. ft. Use Use our ROACH & ANT SPRAY for indoor control.

MOLE CRICKETS: Spray as soon as damage occurs. Use 4 oz. of CBS-45 to 1,000 sq. ft. Water in.

CUT WORMS: Spray lawn areas in late afternoon. Use 4 oz. of CBS-45 to 1,000 sq. ft.

EARWIGS: Apply spray to outside trash areas and similar breeding places.

GRASSHOPPERS: Apply spray where grasshoppers are observed outdoors. Do not use an vegation to be used for human or animal consumption.

ROACHES: Apply around foundation walls, shrubbery, etc. to prevent the roaches from invading the home. Repeat when necessary to maintain control. Use our ROACH AND ANT SPRAY for control indoors.

ARMYWORMS: Spray as soon as infestation appears and while worms are small. Use 4 oz. of CBS-45 to 1,000 sq. ft. NOTE: Do not apply to <u>lawns</u> or other turf areas when people or animals are on them, and do not allow insecticides to drift to areas where they might injure people or animals. Keep children and pets off treated areas until the insecticide has been washed off by sprinkling, and the grass completely dry.

WASPS: Apply a liberal application to nesting sites of wasps, such as underneath eaves, porches, sheds and garages. Make application after dark. Repeat frequently to maintain control.

TERMITES. Sub-terranean Termites live in the ground and travel inrough the soil into the wooden parts of buildings. They will build mud tubes across non-wooden areas to reach their feeding grounds. To stop them it is necessor, to place CBS-45 spray between their nest and wooden structure. Apply 1.0% chlordane solution at the rate of

"Products I rat Make I rie Borto I rim

Cut V

CBS - 45



CHEMICAL BARRIER SPRAY



DILUTE WITH WATER FOR HOME AND LAWN PROTECTION

Against

Ants - Mole Crickets - Earwigs Grasshoppers - Roaches Cutworms - Armyworms

Termites - Wasps

CHLORDANE 45% EMULSIFIABLE CONCENTRATE

*Equivalent to 27% octachloro-4, / - methanere dane and 18% of related compounds.

CAUTION: Keep out of reach of children. panels for additional precautions.

2 gallons per 5 lineal feet to a trench dug in the soil along the outside of the entire foundation walls of buildings to be protected from termites; and if the trench is deeper than 15 to 18 inches the 1.0% chlordane solution should be applied at the rate of 4 gallons per 5 lineal feet of trench. In no case should the trench be dug below the top of the foundation footing or in excess of 30 inches.

HOW TO APPLY

A convenient way to apply CBS-45 to large areas such as lawns is with a spray attachment that fits on the garden

grass completely dry.

WASPS: Apply a liberal application to nesting sites of wasps, such as underneath eaves, porches, sheds and gargaes. Make application after dark. Repeat frequently to maintain control.

TERMITES: Sub-terranean Termites live in the ground and travel through the soil into the wooden parts of buildings. They will build mud tubes across non-wooden areas to reach their feeding grounds. To stop them it is necessary to place CBS-45 spray between their nest and wooden structure. Apply 10% chlordane solution at the rate of

ACTIVE INGREDIENTS	95
Technical Chlordane 45°	
Petroleum Hydrocarbons 51%	
INERT INGREDIENTS	4

*Equivalent to 27% octachloro-4, / - methanere dane and 18% of related compounds.

CAUTION: Keep out of reach of children. Papanels for additional precautions.

2 gallons per 5 lineal feet to a trench dug in the soil along the outside of the entire foundation walls of buildings to be protected from termites; and if the trench is deeper than 15 to 18 inches the 1.0% chlordane solution should be applied at the rate of 4 gallons per 5 lineal feet of trench. In no case should the trench be dug below the top of the foundation footing or in excess of 30 inches.

HOW TO APPLY

A convenient way to apply CBS-45 to large areas such as lawns is with a spray attachment that fits on the garden hose. In order to determine the amount of CBS-45 to use for a given area, first measure the area and then spray with plain water. Then add the required amount of CBS-45 to the container and fill with water and apply.

2% OR 3% SPRAY UNLESS OTHERWISE NOTED.
Dilute with Water

Strength of Spray to Make	2%	1%	0.50%	0.25%
1 Galton	2/3 cup	1/3 cup		4 tsp.
5 Gallons	28 oz.	14 oz.	7 oz.	3.5 oz.
50 Gallons	81/2 qts.	41/4 qts.		

CAUTION

May be absorbed through the skin. Avoid inhalation and skin contact. In case of contact wash immediately with soap and water. Avoid contamination of foodstuff and feeds. Do not use on household pets or humans. Toxic to fish and wild life. Do not contaminate any body of water nor apply to any area not specified on the label. HARM-FUL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

JAMIESON CHEMICAL COMPANY
4011 Florida Ave. Phone 232-0111
Tampa, Florida, 33603
USDA REG. NO. 5490-3