

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
DANGER: POISON

KEEP OUT OF REACH OF CHILDREN. MAY BE FATAL IF SWALLOWED. If spilled on skin wash off immediately with warm water and soap. If swallowed, give white of raw egg. Induce vomiting with mixture of salt, soap or mustard. Call physician, immediately. Wash thoroughly after handling and before smoking or eating. Do not apply or allow to drift into areas occupied by unprotected persons or beneficial animals. Do not breathe spray mist. If a pressure type sprayer (type carried on back) is used, wear an appropriate respirator.

ENVIRONMENTAL HAZARDS
 Do not apply directly to water or wetlands

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using. Use strictly in accordance with label cautions, warnings and directions. Apply this product only as specified on the label.

DOSAGE LEVELS TO BE USED WITH 3-5 GALLONS OF WATER
 AS APPLIED TO 1,000 SQ FT (20' x 50')

FOR USE ON	USE	TO CONTROL	DOSAGE Application Rate
LAWNS	1	Stem Rust, Copper Spot, Dollar Spot, Fading or Yellowing Due to Fungus Infection, etc.	1 qt (1 qt)

NOTES: (1) The amount of water used is not critical as long as proper amount of fungicide is applied. If pressure type sprayer (type carried on back) is used wear an appropriate respirator mask. Repeat applications are necessary for disease control, which is usually obtained after 2 applications. There is no reliable control after one treatment. Applications should be from 7 to 10 days apart.

© 1983 Dow Chemical Co.

STORAGE: Store in original bottle in a locked storage area, away from other pesticides, fertilizer, food, and feed. Keep bottle tightly closed after opening. If broken or spilled, apply an absorbent, sweep up and discard in trash. Do not store diluted spray material, make a new dilution for each use.
PESTICIDE DISPOSAL: Securely wrap original bottle in several layers of newspaper and discard in trash.
CONTAINER DISPOSAL: Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

GRO-WELL® LAWN FUNGICIDE will control and prevent turf diseases which occur during April and May, when wet, cool weather prevails and diseases which occur during hot Summer months, from mid-June to mid-August, on KENTUCKY BLUE, LERION KENTUCKY BLUE, PESCUE, BENT and ZOYSIA lawns. This product may be applied without fear of injury or discoloration* to newly seeded areas and established lawns. A sprayer which attaches to a hose, such as the GRO-WELL® LAWN SPRAYER, may be used.
GENERAL: Normal rainfall following application will not affect results. Keep lawn mowed at 1 to 1-1/2 inches during treatment. GRO-WELL LAWN FUNGICIDE will prevent and control diseases only. It will not kill or affect weeds. Spray equipment should be cleaned after use.

CAUTION: Do not use a stronger concentration than recommended.

WARRANTY STATEMENT

Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller. The buyer assumes all risks if directions given hereon are not strictly adhered to. Seller gives no other or further Warranty, expressed or implied as to the merchantability or any other aspect of products sold.

TPA 001 1000001 1

Since 1925
GRO-WELL®
LAWN FUNGICIDE
 DISEASE CONTROL

For Control & Prevention Of
 Brown Patch, Dollar Spot, Blighting Out
 And Other Lawn Diseases ;
 May Be Used On Newly Seeded Areas

Treats Up To
 32,000 sq ft (160' x 200')

ACTIVE INGREDIENT	28.5%
Cadmium Oxide	79.8%
INERT INGREDIENTS	100.0%
TOTAL	100.0%

Net Content 16.2 FL OZ

KEEP OUT OF REACH OF CHILDREN
DANGER: POISON
 SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION

NET CONTENTS
 32 FL OZ (1 QT)

SOLD BY:
 J. S. L. AGRI-CHEM, INC.
 AMERICA, N.Y. 11420

1 qt (1 qt)

NOTE TO USER:

LAWN FUNGICIDE (1 quart) - No. 51392-7/29/83

BEST DOCUMENT AVAILABLE

ACCEPTED

SEP 23 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act, the following information is provided for the public:
 EPA Reg. No. 5535-2

low
 (10)
 M