

GRO-WELL 25% MALATHION

Gro-Well 25% Malathion is especially formulated for mixing with water and will control practically every major pest attacking ROSES, FLOWERS, SHRUBS, TREES, GARDEN VEGETABLES and FRUITS.

Read label carefully before using and observe cautions. A sprayer that attaches to a hose may be used. Spray with MIXTURE A or B as explained and indicated below, before insects become numerous. Protect plants through the growing season by making applications every 7 to 10 days and after heavy rains. Cover foliage thoroughly paying particular attention to the underside of leaves.

MIXTURE A—1 Level tablespoon per gallon of water

MIXTURE B—2 Level tablespoons per gallon of water

ROSES AND FLOWERS: To control Aphids, Spider Mites, Jap Beetles, Thrips, Rose Leafhoppers, White Fly, Leaf Rollers, Four Lined Leaf Bugs, Tarnished Plant Bugs, Mealy Bugs, use MIXTURE A on ROSES, GLADIOLAS, DAHLIAS, SWEET PEAS, ASTERS, and CHRYSANTHEMUMS.

SHRUBS: Use MIXTURE A to control Aphids, Japanese Beetles, Lace Bugs, Boxwood Leaf Miners, Spider Mites and MIXTURE B to control Azalea Scale, Soft Brown Scale, Euonymus Scale, Scurfy Scale, Juniper Scale and Bagworms on AZALEAS, RHODODENDRONS, ARBORVITAE, JUNIPERS, HYDRANGEAS, EUONYMUS, ANDROMEDAS, LILACS and BOXWOOD.

TREES: Spray with MIXTURE A to control Birch, Elm and Locust Leaf Miners, Oak Kermes, Aphids, Mites, European Pine Shoot Moth and Tent Caterpillar; and use MIXTURE B, to control Bagworms, Magnolia Scale, Pine Needle Scale, Leaf Scale, Scurfy Scale, San Jose Scale, and Juniper Scale on MAGNOLIA, DOGWOOD, HOLLY ELM, OAK, PINE, BIRCH, SPRUCE, FIR and BLACK LOCUST.

FRUIT: Spray with MIXTURE B to control Codling Moth, Spider Mites, Bud Moth, Plum Curculio, Red Banded Leaf Roller, Fruit Leaf Roller and Oriental Fruit Moth on APPLES, PEARS, PEACHES, CHERRIES and PLUMS. Spray with Mixture A to control Mealy Bug, Plum Aphid, Bud Moth, Black Cherry Aphid, Cherry Fruit Fly and Tree Leaf Roller on CHERRIES, PEACHES and PLUMS. To control Spider Mites and APHIDS on STRAWBERRIES, use MIXTURE A. For Maggots on Blueberries, Spray with MIXTURE B at 10 day intervals as long as harvest continues.

NOTE: Make no applications on Fruits listed, except Peaches, later than 3 days before harvest. On Peaches do not use within 7 days of harvest.

VEGETABLES: To control Aphids and Spider Mites on TOMATOES, PEAS, CARROTS, BEETS, EGGPLANT, CUCUMBERS, MELONS, SQUASH, POTATOES, BRUSSEL SPROUTS and KOHLRABI, spray with MIXTURE A. To control Aphids, Cabbage Looper and Cabbage Worms on CABBAGE and BROCCOLI, use MIXTURE B. To control LEAF-HOPPER, Mexican Bean Beetle and Spider Mites on Beans, use MIXTURE A. To control Jap Beetle and Thrips, on Corn, spray with MIXTURE A.

NOTE: Make no applications later than 3 days before harvest on TOMATOES, PEPPERS, EGGPLANT, BEETS, CARROTS, BEANS, PEAS, BROCCOLI, POTATOES, CUCUMBERS, SQUASH, MELONS and 8 days before harvest on CABBAGE, BRUSSEL SPROUTS, KOHLRABI and CORN. To avoid injury do not apply to CUCURBITS unless plants are dry. Injury may occur to corn if used in the silk or whorl stage.

CAUTION: Keep out of reach of CHILDREN. Harmful if swallowed. Contact doctor if taken internally. Do not apply to animals. Do not spray fish ponds. Keep away from open flame (non-inflammable when diluted as directed). Avoid contamination of feed or foodstuffs. Avoid breathing of spray mist or contact with skin. Wash thoroughly after using. For eyes (flush thoroughly with water) contact doctor. Do not use on BOSTON, MAIDENHAIR, PTERIS and CRASSULA FERNS.

NOTE: We make no warranty of any kind, expressed or implied, concerning the suitability or results of this product. Buyer, user or handler assumes all risks whether or not directions are followed.

Active Ingredient:

*Malathion 25.0%

Inert Ingredients 75.0%

*Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate.

Sold by: NET WEIGHT — ONE POUND USDA Reg. No. 5535-23

J. & L. ADIKES, INC., JAMAICA, NEW YORK

INERT INGREDIENTS FOR USDA REG. NO. 5535-23

Pikes Peak 9T66	42.00%
Albion Clay	33.00%
TOTAL	75.00%

GRO-WELL

1.79

25%

MALATHION

ACCEPTED
July 8, 1968
 UNDER THE FEDERAL INSECTICIDE
 ANTIMICROBIAL AND FUNGICIDE ACT
 FOR ECONOMIC PESTICIDE REGISTER-
 ED UNDER NO. SUBJECT
 TO ATTACHED COMMENTS.
 5535-23

For SINCE 1898
SPRAYING
TREES
SHRUBS
FLOWERS
VEGETABLES
 and
ROSES



CAUTION

KEEP OUT OF THE REACH OF CHILDREN
 ADDITIONAL CAUTIONS ON REVERSE SIDE

GRO-WELL 25% MALATHION

Gro-Well 25% Malathion is especially formulated for mixing with water and will control practically every major pest attacking ROSES, FLOWERS, SHRUBS, TREES, GARDEN VEGETABLES and FRUITS.

Read label carefully before using and observe cautions. A sprayer that attaches to a hose may be used. Spray with MIXTURE A or B as explained and indicated below, before insects become numerous. Protect plants through the growing season by making applications every 7 to 10 days and after heavy rains. Cover foliage thoroughly paying particular attention to the underside of leaves.

MIXTURE A—1 Level tablespoon per gallon of water

MIXTURE B—2 Level tablespoons per gallon of water

ROSES AND FLOWERS: To control Aphids, Spider Mites, Jap Beetles, Thrips, Rose Leafhoppers, White Fly, Leaf Rollers, Four Lined Leaf Bugs, Tarnished Plant Bugs, Mealy Bugs, use MIXTURE A on ROSES, GLADIOLAS, DAHLIAS, SWEET PEAS, ASTERS, and CHRYSANTHEMUMS.

SHRUBS: Use MIXTURE A to control Aphids, Japanese Beetles, Lace Bugs, Boxwood Leaf Miners, Spider Mites and MIXTURE B to control Azalea Scale, Soft Brown Scale, Euonymus Scale, Scurfy Scale, Juniper Scale and Bagworms on AZALEAS, RHODODENDRONS, ARBORVITAE, JUNIPERS, HYDRANGEAS, EUONYMUS, ANDROMEDAS, LILACS and BOXWOOD.

TREES: Spray with MIXTURE A to control Birch, Elm and Locust Leaf Miners, Oak Kermes, Aphids, Mites, European Pine Shoot Moth and Tent Caterpillar; and use MIXTURE B, to control Bagworms, Magnolia Scale, Pine Needle Scale, Leaf Scale, Scurfy Scale, San Jose Scale, and Juniper Scale on MAGNOLIA, DOGWOOD, HOLLY ELM, OAK, PINE, BIRCH, SPRUCE, FIR and BLACK LOCUST.

FRUIT: Spray with MIXTURE B to control Codling Moth, Spider Mites, Bud Moth, Plum Curculio, Red Banded Leaf Roller, Fruit Leaf Roller and Oriental Fruit Moth on APPLES, PEARS, PEACHES, CHERRIES and PLUMS. Spray with Mixture A to control Mealy Bug, Plum Aphid, Bud Moth, Black Cherry Aphid, Cherry Fruit Fly and Tree Leaf Roller on CHERRIES, PEACHES and PLUMS. To control Spider Mites and APHIDS on STRAWBERRIES, use MIXTURE A. For Maggots on Blueberries, Spray with MIXTURE B at 10 day intervals as long as harvest continues.

NOTE: Make no applications on Fruits listed, except Peaches, later than 3 days before harvest. On Peaches do not use within 7 days of harvest.

VEGETABLES: To control Aphids and Spider Mites on TOMATOES, PEAS, CARROTS, BEETS, EGGPLANT, CUCUMBERS, MELONS, SQUASH, POTATOES, BRUSSEL SPROUTS and KOHLRABI, spray with MIXTURE A. To control Aphids, Cabbage Looper and Cabbage Worms on CABBAGE and BROCCOLI, use MIXTURE B. To control LEAF-HOPPER, Mexican Bean Beetle and Spider Mites on Beans, use MIXTURE A. To control Jap Beetle and Thrips, on Corn, spray with MIXTURE A.

NOTE: Make no applications later than 3 days before harvest on TOMATOES, PEPPERS, EGGPLANT, BEETS, CARROTS, BEANS, PEAS, BROCCOLI, POTATOES, CUCUMBERS, SQUASH, MELONS and 8 days before harvest on CABBAGE, BRUSSEL SPROUTS, KOHLRABI and CORN. To avoid injury do not apply to CUCURBITS unless plants are dry. Injury may occur to corn if used in the silk or whorl stage.

CAUTION: Keep out of reach of CHILDREN. Harmful if swallowed. Contact doctor if taken internally. Do not apply to animals. Do not spray fish ponds. Keep away from open flame (non-inflammable when diluted as directed). Avoid contamination of feed or foodstuffs. Avoid breathing of spray mist or contact with skin. Wash thoroughly after using. For eyes (flush thoroughly with water) contact doctor. Do not use on BOSTON, MAIDENHAIR, PTERIS and CRASSULA FERNS.

NOTE: We make no warranty of any kind, expressed or implied, concerning the suitability or results of this product. Buyer, user or handler assumes all risks whether or not directions are followed.

Active Ingredient:

*Malathion 25.0%
Inert Ingredients 75.0%

*Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate.

Sold by: NET WEIGHT — ONE POUND USDA Reg. No. 5535-23
J. & L. ADIKES, INC., JAMAICA, NEW YORK

