

GROWER
CRABGRASS

1.49

KILLS CRABGRASS, DANDELION,
PLANTAIN AND CERTAIN OTHER WEEDS
COVERS UP TO 1,000 SQ. FT.

CAUTION
KEEP OUT OF THE REACH OF CHILDREN
SEE DIRECTIONS ON REVERSE SIDE

CRABGRASS

CAUTION

ACTIVE INGREDIENTS
DODECYLAMMONIUM METHANEARSONATE 9
OCTYLAMMONIUM METHANEARSONATE 5
* OCTYLAMINE SALT OF 2,4-DICHLOROPHOXYACETIC ACID 5
INERT INGREDIENTS 78
TOTAL 100

TOTAL ARSENIC EXPRESSED AS ELEMENTAL, ALL IN WATER SOLUBLE FORM 4.00%

GRO-BILL

1.49

SS

CAUTION:

LION
R WEEDS
FT.

CHILDREN
E SIDE

ACTIVE INGREDIENTS
DODS (AMINOMETHYL) METANESULFONATE 8.00%
OCTYLAMINE METANESULFONATE 8.00%
* OCTYLAMINE SALT OF 2,4-DICHLOROPHENYLACETIC ACID 5.44%
INERT INGREDIENTS 78.56%
TOTAL 100.00%

TOTAL ARSENIC EXPRESSED AS ELEMENTAL, ALL IN WATER SOLUBLE FORM 4.00%

ACC

JA

UNDER THE
FUNGICIDE
FOR L
ED UN
TO ATTAC

GRO-WELL

GRO-WELL CRABGRASS & BROADLEAF WEED KILLER

This will kill crabgrass, chickweed and most Broadleaf Lawn Weeds such as Dandelion, Plantain, Knotweed, Spotted Spurge, Pennywort and Purslane. The best time to apply is in late afternoon and when plants are small and seed heads have not formed. Two or more applications 7 days apart may be needed until plants are dead. Application may be needed again later in season as new seedlings germinate. Read entire label and measure area carefully. The important factor is the amount of chemical applied to a given area. A coarse spray type sprayer that attaches to a hose, such as the GRO-WELL Lawn Sprayer, may be used.

NOTE: 3 Teaspoonfuls = 1 Tablespoonful, 2 Tablespoonfuls = 1 Ounce

FOR TEMPERATURE 80° AND ABOVE: Dilute 8 oz. of chemical with 5 Gallons of water and apply to 1000 sq. ft. of lawn.

FOR TEMPERATURE BELOW 80°: Dilute 16 oz. of chemical with 5 Gallons of water and apply to 1000sq. ft. of lawn.

CAUTION: Soil should be moist and grass in good growing condition before and three days after treatment. If necessary water well day before, skip day of and day after treatment then water next two days. Do not use on newly seeded lawns until after 3rd mowing. Reseeding may be done 3 weeks later. As Bents, Fescues and Clover may be temporarily discolored use with care. Do not use same sprayer for other than lawn spraying. Do not use on St. Augustine, Carpet, or Centipede Grasses or on Bent Golf Greens.

WARNING: Keep out of reach of children and pets and keep them off treated areas. In case of contact with eyes (Flush Profusely with water) or if taken internally (induce Vomiting) contact Doctor immediately. Avoid breathing spray mist and contact with skin or clothing. Wash off immediately with warm soap and water. Avoid contamination of feed and foodstuffs. Do not spray or allow to drift on to desirable Flowers, Trees, Shrubs, Vegetables or into lakes, streams or ponds. Coarse sprays are less likely to drift. Do not store near Fertilizers, Seeds, Insecticides or Fungicides.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

ACTIVE INGREDIENTS	PERCENTAGE
Dodecyl Ammonium Methyl Arsonate	8.00%
Octyl Ammonium Methyl Arsonate	8.00%
Octyl Ammonium Salt of 2,4-Dichlorophenoxyacetic Acid	5.44%

INERT INGREDIENTS
Total Arsonate Salt, all in water soluble form 8.00%
*Equiv. to 2,4-Dichlorophenoxyacetic Acid 3.43%

Sold by:

NET CONTENTS 8 OUNCES

EPA Reg. No. 5535-25

& L. ADIKES, INC., JAMAICA, NEW YORK 11423

ACTIVE INGREDIENTS
DODECYLAMMONIUM
OCTYLAMMONIUM
* OCTYLAMINE SALT
INERT INGREDIENTS

~~EXPRESSED AS~~

ARSENIC EXPRESSED AS ELEMENTAL, ALL IN WATER SOLUBLE FORM.

ALSO CONTROLS: Dandelion, Plantain and Other Broadleaf Weeds.



2,4,5 T.P. SILVEX

is a truly selective weed killer. It is especially formulated to kill Chickweed and Clover. Dandelion, Plantain and many broadleaf weeds are also controlled at the same rate of application.

WEED CONTROL IN LAWNS: For control of broadleaved plantain, buckhorn, common chickweed, mouse-eared chickweed, dandelion and legumes such as white clover and black medic in established turf, apply 1 oz. of 2,4,5 T.P. SILVEX in one gallon of water per 180 sq. ft. of lawn. Apply in fall or spring for best results. Do not apply to stoloniferous grasses such as bent, Bermuda, and St. Augustine.

CAUTION: To avoid damage to turf, do not spray in any manner which will cause excessive dosages. Avoid overlapping and double coverage when backing up, and at turns.

NOTE: — This solution can be applied in minutes with the Hose Applicator Sprayer. Place 8 oz. of 2,4,5 T.P. SILVEX in sprayer jar, fill with water and spray 1400 feet of lawn.

Farmingdale Garden Laboratories, Inc.

FARMINGDALE, NEW YORK

U.S.D.A. REG. NO. 5605-15

2,4,5 T.P. SILVEX

Chickweed & Clover Killer

ACTIVE INGREDIENTS:

Isooctyl ester of Silvex [2- 2,4,5-trichlorophenoxy)
propionic acid] 16.3%
Equivalent to 2-(2,4,5-trichlorophenoxy) propionic acid 11.5%.

INERT INGREDIENTS 83.7%
TOTAL 100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN.

SEE OTHER WARNINGS ON SIDE PANEL

2,4,5 T.P. SILVEX

WARNING

Do not apply 2,4,5 T.P. SILVEX directly to or otherwise permit it to come into contact with any desirable crop plant or ornamental plant (including, but not limited to, peanuts, okra, sweet potatoes, peppers, celery, flowers, ornamentals, grapes, deciduous and nondeciduous fruit trees,) and do not permit spray mists containing 2,4,5 T.P. SILVEX to drift into them, since even minute quantities may cause severe damage during both growing and dormant periods. Coarse sprays are less likely to drift. At elevated temperatures vaporization may cause injury to susceptible plants growing nearby.

Do not use 2,4,5 T.P. SILVEX on freshly seeded lawns until grass has become well established. Do not contaminate irrigation ditches or water used for domestic purposes. Do not store near fertilizers, seeds, insecticides or fungicides. To avoid injury to desirable plants, do not store, handle or apply other agricultural chemicals with the same containers or equipment used for 2,4,5 T.P. SILVEX.

Be sure that use of this product conforms
to all applicable regulations.

CAUTION! MAY CAUSE SKIN IRRITATION!

Avoid Contact with Eyes, Skin and Clothing

NOTICE TO BUYER: Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith

NET CONTENTS 1 LIQUID QUART

ONE QUART TREATS 5600 SQ. FT.

142

