

AUG 29 1983

BEST AVAILABLE COPY

Mr. R. W. Cummings  
J. & L. Adikos, Inc.  
182-12 93rd Avenue  
Jamaica, NY 11423

Dear Mr. Cummings:

Subject: Gro-Well Sevin  
General Revision of Label  
EPA Registration No. 5535-38  
Your Application Dated August 4, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-757)

Enclosure

RD:Ellenberger:DCR-28826:WANG-0987C:LM:Raven:479-2013:8/23/83

CONCURRENCES

SYMBOL ▶							
SURNAME ▶							
DATE ▶							

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION HARMFUL IF SWALLOWED.** Avoid breathing dust or spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after using.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Call a physician.

**IF ON SKIN:** Wash with soap and water. **IF IN EYES:** Flush with plenty of water. **NOTE TO PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidote.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using. Use strictly in accordance with label cautions, warnings and directions. Apply this product only as specified on this label.

**STORAGE:** Store in original can in a locked storage area, away from other pesticides, fertilizer, food and feed. Keep can tightly closed after opening. If broken or spilled, sweep up and discard in trash.

**PESTICIDE DISPOSAL:** Securely wrap original can in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty can. Rinse thoroughly before discarding in trash.

**WARRANTY STATEMENT**

This warranty applies to use, storage and handling of the material as beyond the control of the seller. The buyer assumes all other risks. Seller gives no other or further warranty, express or implied, as to the quality or any other aspect of products sold.

GROWELL SEVIN SF will control insects and scales listed and may be used on VEGETABLES listed up to and including the day of picking, including Sweet Corn, used for human consumption.

EPA Reg. No. 5535-38

EPA Est. 1158-MJ-1

**DOSEAGE LISTED IN MIXED WITH 1 GALLON OF WATER-EXCEPT WHERE (See Note 7)**

FOR USE ON	SEIN NOTE	TO CONTROL	DOSEAGE (Application Rate)
ORNAMENTALS: Azalea, Birch, Camellia, Chrysanthemum, Dogwood, Elm, Gardenia, Hydrangea, Juniper, Lilac, Magnolia, Oak, Pine, Rhododendron	1	Apple (Red & Yellow), Japanese Beetles (Black, Elm & Yellow Leaf), Oriental Fruit Moth, Pear & Apple Sawfly, Pear & Apple Borer, Pear & Apple Leafminer, Pear & Apple Leafroller, Pear & Apple Leafhopper, Pear & Apple Nymph, Pear & Apple Scale, Pear & Apple Thrips, Pear & Apple Weevil, Pear & Apple Wasp, Pear & Apple Worm, Pear & Apple Yell. Weevil, Pear & Apple Whitefly	2 cups
	1	Scale Insects	
	2	Codling Moth, Pear Curcul	
	3	Apple Green & Yellow Apple	
	4	Apple Pear Bug & Midge	
FRUIT TREES Apple Pear Tree 1/2 Pear		Scale, Pear Leafminer, Pear Sawfly	
	1	Eastern Pear Sawfly, Pear Leafminer, Pear Leafroller, Pear Leafhopper, Pear Nymph, Pear Scale, Pear Thrips, Pear Whitefly	
	1	Scale, Pear Leafminer, Pear Sawfly	
Ornamental Peach, Plum		Black Cherry, Pear, Cherry Fruit, Eye Spotted Bud Moth, Japanese Beetle, Leafroller, Pear Thrip & Pear Sawfly	
	1	Eastern Pear Sawfly	
VEGETABLES Corn	1, 5, 6	European Corn Borer	1-2 cups
Tomato, Pepper, Tomato	1	Borers, Tomato Hornworm	1-2 cups
Beans	1, 11	Bean Beetle, Bean Leafhopper, Bean Pod Borer, Bean Thrip	1 cup
Cucumber, Summer Squash	1	Beetle, Cucumber & Plant Squash Bug, Worms, Fleas & Mites	2 cups
LAVES	1	Ant, Orchard Bug, Flea, Leafhopper, Red Weevil, Sawfly	3 cups

**NOTES:** 1. Apply when conditions are present. 2. A general application schedule should be applied at 10-14 day intervals and every 10-14 days thereafter until control is achieved. 3. Apply before sunset. 4. Spray at 10 day intervals. 5. Spray when part. 6. Use 2 gallons of diluted spray per 1,000 sq. ft. (0.5-1.0 gal.). 7. Use with 15-20 gallons of water and apply to 500 sq. ft. (0.5-1.0 gal.). For best results, more than 1 apply immediately after rain or irrigation. Repeat 2-3 weeks later if necessary. 8. Spray trees and shrubs thoroughly. 9. Do not use in flower. 10. Do not feed treated plants to livestock or dairy animals. 11. Do not use on fruits listed within 7 days of harvest and do not apply within 7 days of harvest for storage. Application before the second cover spray on fruit may cause pitting. This may be avoided by delaying use until the second cover spray, but at least 15 days after picking. 12. Do not use on plants in bloom. 13. Do not use on plants in bloom. Do not apply before and cover. To avoid pitting apply delay use at least 30 days following full bloom.

Since 1

**GROW**

**S**

Kills Gyp  
Japanese  
Leafminer  
Caterpillar  
Insects & on  
Fruits & Veg

Makes Up To  
ACTIVE INGRED  
Carbaryl (1-nap  
INERT INGRED

Registered and  
1-naphthyl N-

SEE BACK PAGE

NET WEIGHT  
6 OZ (170 GRAM)

ACCEPTED  
WITH COMMENTS  
in EPA Label Draft:

AUG 29 1983

Label for Gro-Well Insecticide,  
Fruit and Vegetable Pesticide Act  
as required by the pesticide  
registered under EPA Reg. No.  
5535-38

10/11/83