

[173]

FRONT PANEL

GRO WELL

FLORAL AND

ROSE DUST

INSECTICIDE - FUNGICIDE - MITICIDE

JUST DUST ON OR SPRAY

CONTAINS

MALATHION*

SEVIN**

PHALTAN***

SINCE 1855

MAKES 10 GALLONS
OF SPRAY

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL REQUIRED CAUTION STATEMENTS

ACCEPTED

JAN 1970

5535-57

ATTACHED COMMENTS

[283]

AGC
Jun 21-1976

REAR PANEL

FLORAL AND ROSE LUST^{15.55} is an insecticide. It is light in color and will cover the Rose petals or the foliage for the control of the insects.

INSECTS: Aphids, Japanese Beetles, Flea Beetles, Thrips, Japanese Beetles, Asiatic Garden Beetles and Glassy Plant Hoppers. DAHLIAS, SNIPET PLANT, ANTIFUNGAL, SNAPDRAGON.

DISEASES: Black Spot and Powdery Mildew of Roses, Leaf Spot of Chrysanthemums, Bidymellina, Leaf Spot of Iris, Spot of Carnations: Alternaria Leaf Spot, Powdery Mildew and Anthracnose on Zinnias, Marigolds, Asters, Phlox and Snapdragons.

To be most effective Gro-Well Floral and Rose Lust should be applied before insects become numerous and before diseases are apparent. Protect plants through the growing season by dusting or spraying at 7 to 14 day intervals and after heavy rains. Cover foliage thoroughly, but do not use in excess. Pay particular attention to cover underside of leaves.

SPRAYING: Add the required amount of material to water and stir thoroughly. Pour mixture into sprayer and agitate while spraying in order to obtain a thorough and even coverage. In a small sprayer, shake often for agitation. A sprayer that attaches to the hose such as the Gro-Well Tri-Jet Sprayer may be used.

DILUTIONS - 6 or 7 level tablespoons per gallon of water. One pound per 10 gallons of water.

CAUTION: Keep out of reach of children and pets. Harmful if swallowed. May cause irritation of nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water; for eyes, get medical attention. Wash hands thoroughly before eating or smoking. Do not contaminate feed and foodstuffs. Do not apply or allow to drift into areas occupied by unprotected persons or beneficial animals. If spilled, flush with plenty of water. Dispose of this container when empty. Do not store diluted spray material. Make new dilutions for each use.

Do not contaminate fish ponds. Do not apply where runoff is likely to occur. Do not use on certain Ferns including Boston, Maidenhair and Pteris, some species of Crassula and Boston Ivy.


NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

[393]

REAR PANEL

GRD-WELL FLORAL AND ROSE DUST



ACTIVE INGREDIENTS:

*Malathion..... 4.00%
 **Carbaryl (1-Naphthyl N-methylcarbamate)..... 3.00%
 ***Folpet (N-Trichloromethylthio) phthalimide..... 5.00%

INERT INGREDIENTS.....88.00%

*O,O-dimethyl-dithiophosphate of diethyl mercaptosuccinate.
 **Registered Trade Mark of Union Carbide Corp. for Carbaryl Insecticide.
 ***Phaltan is registered Trade Mark for Folpet Fungicide. U.S. Pat.
 Nos. 2,553,770 - 2,553,771.

SOLD BY: NET WEIGHT - ONE POUND U.S.D.A.Reg.No. 5535-51

J. & L. ADIKES, INC. JAMAICA, NEW YORK 11423

.....