

Since 1855  
GRO-WELL(r)  
LAWN FUNGICIDE  
contains  
DYRENE(r)

Prevents and Controls  
Lawn Diseases!  
Brown Patch, Dollar  
& Leaf Spot, Melting Out,  
Rust, Snow Mold

Treats Up To  
3,500 sq.ft. (50'x70')

ACTIVE INGREDIENT:	BY WEIGHT
2,4-Dichloro-6-(o-chloroanilino)-s-triazine*	50.00%
INERT INGREDIENTS: .....	50.00%
TOTAL .....	100.00%

(r)DYRENE is a registered TM in U.S. and Canadian Patent Offices  
by Chemagro Corp.  
U.S. Pat.Nos. 2,720,480 & 3,074,946.  
Canadian Pat. No. 546,027.

KEEP OUT OF REACH OF CHILDREN  
DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately.  
Drink one or two glasses of water and induce vomiting by touching back  
of throat with finger. Repeat until vomit fluid is clear. Do not in-  
duce vomiting or give anything by mouth to an unconscious person.  
IF INHALED: Remove victim to fresh air and apply respiration if in-  
dicated.  
IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.  
IF IN EYES: Rinse eyes for at least 15 minutes with water and call a  
physician immediately.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT  
14 oz.

As Listed

Sold BY:  
J. & L. ADIKES, INC.  
JAMAICA, N.Y. 11423

ACCEPTED  
JAN 6 1987  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 5535-58

REAR PANEL.....

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: KEEP OUT OF REACH OF CHILDREN. Causes irreversible eye damage. Harmful if swallowed or inhaled.  
Avoid contact with skin. Avoid breathing dust or spray mist. Do not get in eyes or on clothing. Wear  
goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove  
contaminated clothing and wash before reuse. Protective clothing should be worn during periods of  
exposure, such as during application or when contacting treated foliage. ANILAZINE (Dyrene) may cause a  
temporary allergic skin reaction in a few susceptible persons. This condition should be treated as an  
allergic dermatitis. There is no evidence of after effects or permanent injury.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands.  
Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not  
contaminate water by cleaning of equipment or disposal of wastes. Cover or incorporate spills. Do not  
allow spray to drift into areas occupied by unprotected persons or domestic animals.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not  
use on seed crops intended to be used for feed or forage. Do not graze treated areas. Do not feed  
clippings to livestock. Do not allow children or pets to play on lawn for 24 hours after treatment. Read  
entire label before using. Use strictly in accordance with label cautions, warnings and directions.  
Apply this product only as specified on this label.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.  
STORAGE: Store in original can in a locked storage area, away from  
other pesticides, fertilizer, food, and feed. Keep can tightly closed  
after opening. If broken or spilled, sweep up and discard in trash.  
PESTICIDE DISPOSAL: Securely wrap original can in several layers of  
newspaper and discard in trash.  
CONTAINER DISPOSAL: Do not reuse empty can. Wrap can in several layers  
of newspaper and discard in trash.

WARRANTY STATEMENT

Follow directions carefully, as use, storage and handling of this material is beyond the control of the  
seller. The buyer assumes all risks if directions given herewith are not strictly adhered to. Seller  
gives no other or further Warranty, expressed or implied as to the merchantability or any other aspect of  
products sold.

GRO-WELL(r) LAWN FUNGICIDE with DYRENE works on the leaf surface and when evenly and properly sprayed on  
lawns will control the diseases listed. A sprayer which attaches to a hose, such as the GRO-  
WELL LAWN SPRAYER, may be used. Be sure to keep material thoroughly mixed while spraying.

For a preventative program, begin applications before diseases appear and repeat as needed, usually at  
10-14 day intervals. If weather is cool and moist, then treatments every 7 days may be advisable. This  
schedule should be followed through the Spring and Summer months.

BEST AVAILABLE COPY

DOSAGE LISTED TO BE MIXED IN 5 GALLONS OF WATER  
AND APPLIED TO 1,000 SQ.FT. (20'x50')

FOR USE ON	SEE NOTE	TO CONTROL	DOSAGE Application Rate
LAWNS	1	Brown Patch, Copper Spot, Dollar Spot, Chain Spot, Red Thread, Rust	4 to 8 ozs.
	2	Snow Mold (Typhula)	4 ozs.

NOTES: 1. Apply the lower rate at 2 week intervals or the higher rate at 4 week intervals, however, when conditions for disease development are most severe, use the higher rate and shorter interval, being careful to get complete and thorough coverage of the area sprayed. 2. Apply after first killing frost in the fall. Repeat application in mid-Winter when no snow is on ground, follow with a third application after final melting of snow in early Spring.

EPA Reg. No. 5535-50

EPA Est. 1152-NJ-1

BEST AVAILABLE COPY