

ACCEPTED

JUN 20 1973

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 5535-62 SUBJECT TO ATTACHED COMMENTS.

5535-62

GRO WELL LIQUID FRUIT TREE SPRAY may be used to control insects and diseases listed below. Spraying should be done starting at blossom petal falling and be repeated every 10 to 14 days thereafter (unless otherwise indicated) and continued as long as local conditions warrant or up to the caution given for the last spray to harvest. Cover foliage thoroughly, being sure to get the underside of the leaves.

5.98

DOSAGE LISTED IS TO BE MIXED WITH 1 GALLON OF WATER

FOR USE ON	TO CONTROL	DOSAGE	NOTES
Apples, Pears, Grapes	Achilles, Codling Moth, Tent Caterpillar, Pear (European Red, Clover, Williamsite and Two Spotted), Pear, Pyra, Black Cherry-Ambry, Curculio, Japanese Beetle.	2 Tbsp.	1.
Peaches	Peach Tree Borer	3 Tbsp.	2.
Peach Trees	Peach Tree Borer	3 Tbsp.	3.

NOTES: 1. DO NOT APPLY WITHIN 21 DAYS OF HARVEST. 2. DO NOT APPLY WITHIN 45 DAYS OF HARVEST. 3. SPRAY TRUNK AND LOWER BRANCHES. AVOID SPRAYING FOLIAGE OR FRUIT. APPLY AT 2 WEEK INTERVALS DURING PERIOD OF MOTH FLIGHT IN LATE SUMMER.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, eyes and clothing. In case of skin contact wash with warm water and soap. For eyes, flush profusely with water and contact doctor. Wash well after using particularly before eating or smoking. Do not spray or allow to drift into areas occupied by unprotected persons or beneficial animals. Do not contaminate fish ponds.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

ACTIVE INGREDIENTS:

Malathion*	10.00%
Methoxychlor Technical**	5.00%
1,1 bis (p-Chlorophenyl) 2,2,2-trichloroethanol***	3.00%
Dinitro (1-methyl-ethyl) isobutyl crotonate****	1.54%
Other nitrophenol and derivatives (including dinitro (1-methyl-ethyl) phenol)	.60%
Aromatic Petroleum Solvent	71.20%

INERT INGREDIENTS: 8.50%

\*0,0 dimethyl dithiophosphate of diethyl mercaptosuccinate.  
 \*\*Equivalent to 4.4% 2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 0.6% other isomers and reaction products.  
 \*\*\*Kulthane  
 \*\*\*\*Kuralone Reg. T.M. Rohm & Haas Co.

Sold by: NET CONTENTS (32 FL. OZ.) QUART 5535-62 J & L ADIKES, INC., JAMAICA, NEW YORK, 11432

OTHER

GRO WELL

PRODUCTS

MULTI-PURPOSE DUST

LAWN FUNGICIDE

LAWN WEED KILLER

CRABGRASS KILLER

INDOOR-OUTDOOR

AEROSOL SPRAY

ROSE AEROSOL SPRAY

DORMANT SPRAY

FRUIT TREE SPRAY

ROSE DUST

TOMATO & VEGETABLE DUST

MALATHION

TREE WOUND PAINT

HORNET BOWS

CHICKWEED KILLER


GRO-WELL LAWN SEED

LAWN FOOD

ACID PLANT FOOD

GARDEN PLANT FOOD

ROSE FOOD



CAUTION: KEEP OUT OF THE REACH OF CHILDREN. SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

NET CONTENTS: 32 FL. OZ. (QUART)

MOVE TO FRONT

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

TP

THIS PRODUCT IS TOXIC TO FISH. KEEP OUT OF HAND OF CHILDREN. DO NOT FEED TO ANIMALS. DO NOT USE IN OR NEAR BODIES OF WATER. DO NOT USE IN OR NEAR AREAS OF FISHING OR RECREATION.

Handwritten notes at the bottom of the page, including 'This product is toxic to fish' and 'Keep out of hand of children'.

5535-62

GRO-WELL LIQUID FRUIT TREE SPRAY may be used to control insects and diseases listed below. Spraying should be done starting at blossom petal falling and be repeated every 10 to 14 days thereafter (unless otherwise indicated) and continued as long as local conditions warrant or up to the caution given for the last spray to harvest. Cover foliage thoroughly, being sure to get the underside of the leaves.

**DOSAGE LISTED IS TO BE MIXED WITH 1 GALLON OF WATER**

FOR USE ON	TO CONTROL	DOSAGE	NOTES
Apples, Pears, Grapes	Apriks, Codling Moth, Tent Caterpillar, <del>Bliss</del> (European Red, Clover, Willamette and Two Spotted), Pear Psylla, Black Cherry Aphid,	2 Tbsps.	1.
Peaches, Apricots	Curculio, Japanese Beetle, Powdery Mildew		2.
Peach Trees	Peach Tree Borer	3 Tbsps.	3.

NOTES: 1. DO NOT APPLY WITHIN 21 DAYS OF HARVEST. 2. DO NOT APPLY WITHIN 45 DAYS OF HARVEST. 3. SPRAY TRUNK AND LOWER BRANCHES. AVOID SPRAYING FOILAGE OR FRUIT. APPLY AT 2-WEEK INTERVALS DURING PERIOD OF MOTH FLIGHT IN LATE SUMMER.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, eyes and clothing. In case of skin contact wash with warm water and soap. For eyes, flush profusely with water and contact doctor. Wash well after using particularly before eating or smoking. Do not spray or allow to drift into areas occupied by unprotected persons or beneficial animals. Do not contaminate fish ponds.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

**ACTIVE INGREDIENTS:**

- Malathion\* ..... 10.00%
- Methoxychlor Technical\*\* ..... 5.00%
- 1,1-bis (p-Chlorophenyl)-2,2,2-trichloroethanol\*\*\* ..... 3.30%
- Dinitro (1-methylheptyl) phenyl crotonate\*\*\*\* ..... 1.54%
- Other nitro phenols and derivatives chiefly dinitro (1 methylpheptyl) phenol ..... .46%
- Aromatic Petroleum Solvent ..... 71.20%

**INERT INGREDIENTS:**

- ..... 8.50%
- \*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.
- \*\*Equivalent to 4.4% 2,2-bis(p-methoxyphenyl)-1,1,1-Trichloroethane and 0.6% other isomers and reaction products.
- \*\*\*Kelthane
- \*\*\*\*Karathane Reg. T.M. Rohm & Haas Co.

NET CONTENTS (22 oz.) 1 QUART

Sold by: **J. & L. ADIKES, INC., JAMAICA, NEW YORK 11423**

EPA Reg. No. 5535-62

**OTHER**



**GRO-WELL**

**PRODUCTS**

MULTI-PURPOSE DUST

LAWN FUNGICIDE

LAWN WEED KILLER

CRABGRASS KILLER

INDOOR-OUTDOOR

AEROSOL SPRAY

ROSE AEROSOL SPRAY

DORMANT SPRAY

FRUIT TREE SPRAY

ROSE DUST

TOMATO & VEGETABLE DUST

MALATHION

TREE WOUND PAINT

HORNET BOMB

CHICKWEED KILLER

GRO-WELL LAWN SEED

LAWN FOOD

ACID PLANT FOOD

GARDEN PLANT FOOD

ROSE FOOD

MOVE TO FRONT

**CAUTION:** Keep out of reach of children. Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, eyes and clothing. In case of skin contact wash with warm water and soap. For eyes, flush profusely with water and contact doctor. Wash well after using particularly before eating or smoking. Do not spray or allow to drift into areas occupied by unprotected persons or beneficial animals. Do not contaminate fish ponds.

**NOTE:** Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

**ACTIVE INGREDIENTS:**

Malathion*	10.00%
Methoxychlor Technical**	5.00%
1,1 bis (p-Chlorophenyl) 2,2,2, trichloroethanol***	3.30%
Dinitro (1-methylheptyl) phenyl crotonate****	1.54%
Other nitro phenols and derivatives chiefly dinitro (1 methylheptyl) phenol	.46%
Aromatic Petroleum Solvent	71.20%

**INERT INGREDIENTS:**

..... 8.50%

\*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

\*\*Equivalent to 4.4% 2,2 bis(p methoxyphenyl)-1,1,1 Trichloroethane and 0.6% other isomers and reaction products.

\*\*\*Kalthane

\*\*\*\*Karathane

Reg. T.M. Rohm & Haas Co.

**NET CONTENTS (32 oz.) 1 QUART**

- AEROSOL SPRAY
- ROSE AEROSOL SPRAY
- DORMANT SPRAY
- FRUIT TREE SPRAY
- ROSE DUST
- TOMATO & VEGETABLE DUST
- MALATHION
- TREE WOUND PAINT
- HORNET BOMB
- CHICKWEED KILLER
- GRO-WELL LAWN SEED
- LAWN FOOD
- ACID PLANT FOOD
- GARDEN PLANT FOOD
- ROSE FOOD

MOVE TO FRONT

**J. & L. ADIKES, INC., JAMAICA, NEW YORK 11423**

**DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.**

**P**

**THIS PRODUCT IS TOXIC TO FISH. KEEP OUT OF ANY BODY OF WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.**

**P**

**THIS PRODUCT IS HIGHLY TOXIC TO BEES EXPOSED TO DIRECT TREATMENT OR RESIDUES ON CROPS. PROTECTIVE INFORMATION MAY BE OBTAINED FROM YOUR COOPERATIVE AGRICULTURAL EXTENSION SERVICE.**