

2001/5 P. 34 555-75 11 12

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

AUG 1 1983

DESTROYABLE COPY

Mr. R. W. Cummings  
J. & L. Adikes, Inc.  
182-12 93rd Avenue  
Jamaica, NY 11423

Dear Mr. Cummings:

Subject: Gro-Mell 25% Methoxychlor Spray  
EPA Registration No. 5535-75  
Your Application Dated June 16, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Submit five copies of final printed labeling before you release the product for shipment incorporating the comments listed below.

1. Revise your "Hazards To Humans And Domestic Animals" paragraph to read as follows:

Caution: Harmful if swallowed. Do not breathe spray mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after using and before eating or smoking. Do not use on pets, humans or animals. Do not contaminate feed or foodstuffs.

Statement of Practical Treatment

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If Swallowed: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

If On Skin: Wash with soap and water.

2. Directly after your "Environmental Hazards" paragraph add the subheading "Physical And Chemical Hazards." This section should read as follows:

CONCURRENCES

SYMBOL  
REMARKS  
DATE

100-15 12# 0505-75 7/1/83

-2-

Do not use or store near heat or open flame.

Sincerely yours,

BEST AVAILABLE COPY

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

TS-767:Ellenberger:DCR-28813:WANG-0035C:KIM:Raven:479-2013:7/22/83

#51450

EPA Letter Dated

SINCE 1855

DUPLICATE COPY

AUG - 1 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 5535-75

GRO-WELL®

# 25% METHOXYCHLOR SPRAY

27  
35

KILLS CANKERWORMS, GYPSY MOTH, SCALE, JAPANESE BEETLE, TENT CATERPILLAR, OTHER INSECTS\* ON SHRUBS, TREES, FLOWERS, FRUITS & VEGETABLES\*

HUMPED LACKWORM ON BRANCH/LEAF

MAKES UP TO 12 → GALLONS OF SPRAY

ACTIVE INGREDIENTS:

*Methoxychlor Technical .....	25.40%
Xylene .....	71.60%

INERT INGREDIENTS: .....

.....	3.00%	TOTAL	100.00%
*Equiv. to 22.352% 2,2-bis(p-methoxyphenyl)-1,1,1-Trichloroethane and 3.048% other isomers & reaction products.		* AS LISTED	

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION


NET CONTENTS .236  
~~PINT~~ (LITERS)  
1/2 PINT

SOLD BY: J. & L. ADIKES, INC.  
JAMAICA, N.Y. 11423

STORAGE: Store in original bottle in a locked storage area, away from

# METHOXYCHLOR SPRAY

27  
35 KILLS CAULKERWORMS, GYPSY MOTH, SCALE,  
JAPANESE BEETLE, TENT CATERPILLAR,  
\* OTHER INSECTS \* ON SHRUBS,  
TREES, FLOWERS, FRUITS & VEGETABLES \*



MAKES UP TO  
12 → GALLONS OF SPRAY

**ACTIVE INGREDIENTS:**

\*Methoxychlor Technical ..... 25.40%  
Xylene ..... 71.60%

**INERT INGREDIENTS:** ..... 3.00%

\*Equiv. to 22.352% 2,2-bis(p-methoxyphenyl)-1,1,1-Trichloroethane and 3.048% other isomers & reaction products. **TOTAL 100.00%**  
\* AS LISTED

KEEP OUT OF REACH OF CHILDREN

## CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION

NET CONTENTS .236

~~1.0~~ (1.0 Liters)  
1/2 PINT

SOLD BY: J. & L. ADIKES, INC.  
JAMAICA, N.Y. 11423

OWNER PAGE

**STORAGE:** Store in original bottle in a locked storage area, away from other pesticides, fertilizer, food, and feed. Keep bottle tightly closed after opening. If broken or spilled, apply an absorbent, sweep up and discard in trash. Do not store diluted spray material, make a new dilution for each use.

**PESTICIDE DISPOSAL:** Securely wrap original bottle in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse <sup>PIV</sup> bottle. Rinse thoroughly before discarding in trash.

REAR PANEL

258 METHOXYCHLOR

BEST AVAILABLE COPY

TYPE SIZE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. Do not inhale spray mist. Avoid skin contact. If contacted wash immediately with soap and water. Wash well after using and before smoking or eating. Do not use on pets, humans or animals. Do not use on forage crops fed to dairy animals. Do not contaminate feed or foodstuffs. Do not apply or allow to drift into areas occupied by unprotected persons or domestic animals. Do not store or use near fire or open flame.

Read entire label before using. Use strictly in accordance with label cautions, warnings and directions. Apply this product only as specified on this label.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water or ponds which drain into public waters. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not store or use near fire or open flame. Do not store diluted material. ~~Make new dilution for each use.~~

INSERT FROM FRONT

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Do not reuse empty container. ~~Wrap containers and put in trash collection.~~

Read entire label before using. Use strictly in accordance with label cautions, warnings and directions. Apply this product only as specified on this label.

### ENVIRONMENTAL HAZARDS


This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water or ponds which drain into public waters. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

**STORAGE:** Do not store or use near fire or open flame. ~~Do not store diluted material. Make new dilution for each use.~~ 

**INSERT FROM FRONT**

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, state or local procedures under the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL:** ~~Do not reuse empty container. Wrap container and put in trash collection.~~

#### WARRANTY STATEMENT

Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller. The buyer assumes all risks if directions given herewith are not strictly adhered to. Seller gives no other or further Warranty, expressed or implied as to the merchantability or any other aspect of products sold.

GRO-WELL® ~~25%~~ 25% METHOXYCHLOR will control the insects listed which attack ROSES, SHRUBS, TREES, EVERGREENS, FRUIT TREES and VEGETABLES. Read entire label before using. Use strictly in accordance with label cautions, warnings and directions. Spray thoroughly, wetting all leaf surfaces, including the underside of leaf, before insects become numerous. A sprayer which attaches to a hose, such as the GRO-WELL® SHRUB & TREE SPRAYER, may be used.

BEST AVAILABLE COPY

DOSAGE LISTED TO BE MIXED WITH 1 GALLON OF WATER

FOR USE ON	SEE NOTE	TO CONTROL	DOSAGE (Application Rate)
SHADE TREES-ORNAMENTALS: Birch, Dogwood, Elm, Holly, Maple, Oak, Pine, Sycamore	1-7	Cankerworm, Gypsy & Tussock Moths, Inchworm, Juniper Webworm, Pine Sawflies	4 to 6 tsps.
	1-2	Elm Bark Beetle, Scale Insects	8 to 12 tsps.
ROSES-FLOWERS-EVERGREENS-SHRUBS: Andromeda, Arborvitae, Asters, Azalea, Begonias, Boxwood, Camellia, Carnation, Chrysanthemum, Coleus, Dahlia, Delphinium, Euonymus, Geranium, Gladiolus, Juniper, Marigolds, Nasturtiums, Rhododendron, Roses, Snapdragon, Taxus, Zinnia	3-7	Beetles (Blister, Flea & Japanese), Cankerworm, Lace Bug, Leaf & Flea-hoppers, Rose Chafer, Rose Slug	4 to 6 tsps.
FRUITS: Apples, Cherries, Pears, Plums	7-4	Apple Maggot, Cherry Fruitworm, Codling Moth, Japanese Beetle, Leafhopper, Plum Curculio, Tent Caterpillar	
Apricots, Peaches	7-6	Cankerworm, Cherry Fruit Fly, Grape Berry Moth, Grape Leaf Skeletonizer, Leafhopper, Oriental <del>FRUIT MOTH</del> Fruit Moth, Pear Slug, Rose Chafer, San Jose Scale Crawler, Spittlebug	
Blackberries, Blueberries, Currants, Gooseberries, Grapes, Raspberries, Strawberries	7-5		
VEGETABLES: Beans, Cabbage, Cauliflower, Eggplant, Peas, Peppers, Potatoes, Tomatoes	7-4	Beetles (Bean Leaf, Blister, Colorado Potato, Flea, Japanese & Mexican Bean), Lacebug, Worms (Cabbage, Fall Army, Green Horn, Tomato Fruit & Web)	

NOTES: 1. Do not spray Chinese Elms, Japanese Red Maples, Red Maples, and Red Bud as foliage may be injured. 2. Dormant application only. 3. Do not use on Petunias; Boston, Maidenhair, Pteris Ferns and Crassula. 4. Do not apply within 7 days of harvest. 5. Do not apply within 14 days of harvest. 6. Do not apply within 21 days of harvest. 7. Spray at weekly intervals as needed.

CAUTION: Do not spray when temperature is above 85°F. Do not use on crops within 14 days of application of any Sulphur product. Wash residues off all fruits and vegetables before use.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

AUG 1 1983

ENCLOSURE COPY

Mr. R. W. Cummings  
J. & L. Adikes, Inc.  
182-12 93rd Avenue  
Jamaica, NY 11423

Dear Mr. Cummings:

Subject: Gro-Well 25% Methoxychlor Spray  
EPA Registration No. 5535-75  
Your Application Dated June 16, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Submit five copies of final printed labeling before you release the product for shipment incorporating the comments listed below.

1. Revise your "Hazards to Humans And Domestic Animals" paragraph to read as follows:

Caution: Harmful if swallowed. Do not breathe spray mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after using and before eating or smoking. Do not use on pets, humans or animals. Do not contaminate feed or foodstuffs.

Statement of Practical Treatment

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If Swallowed: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

If On Skin: Wash with soap and water.

2. Directly after your "Environmental Hazards" paragraph add the subheading "Physical And Chemical Hazards." This section should read as follows:

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							



Do not use or store near heat or open flame.

Sincerely yours,

BEST AVAILABLE COPY

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

TS-767:Ellenberger:DCR-28813:WANG-0035C:KIM:Raven:479-2013:7/22/83

#51450

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

SINCE 1855

AUG - 1 1983

GRO-WELL®

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
5535-75

# 25% METHOXYCHLOR SPRAY

13  
27  
35  
KILLS CANKERWORMS, GYPSY MOTH, SCALE,  
JAPANESE BEETLE, TENT CATERPILLAR  
# OTHER INSECTS\* ON SHRUBS,  
TREES, FLOWERS, FRUITS & VEGETABLES\*

HUMPED  
TICKWORM  
ON  
BRANCH & LEAF

MAKES UP TO  
12 → GALLONS OF SPRAY

ACTIVE INGREDIENTS:

\*Methoxychlor Technical ..... 25.40%  
Xylene..... 71.60%

INERT INGREDIENTS: ..... 3.00%

\*Equiv. to 22.352% 2,2-bis(p-methoxyphenyl)-1,1,1-Trichloroethane and 3.048% other isomers & reaction products. TOTAL 100.00%  
\* As LISTED

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION

NET CONTENTS .236

~~1/2 PINT~~ (LITERS)

1/2 PINT

SOLD BY: J. & L. ADIKES, INC.  
JAMAICA, N.Y. 11422

ULTRA ORANGE

# SPRAY

27

35 **KILLS CANKERWORMS, GYPSY MOTH, SCALE,**  
**JAPANESE BEETLE, TENT CATERPILLAR,**  
**\* OTHER INSECTS\* ON SHRUBS,**  
**TREES, FLOWERS, FRUITS & VEGETABLES\***

**HUMPED  
 INCHWORM  
 ON  
 BRANCH W/LEAF**

12 → **MAKES UP TO**  
**GALLONS OF SPRAY**

### ACTIVE INGREDIENTS:

Methoxychlor Technical  
 Xylene.....

25.40%  
 71.60%

### INERT INGREDIENTS:

2,2-bis(p-methoxyphenyl)-1,1,1-Trichloroethane and other isomers & reaction products.....

TOTAL 3.008  
 100.00%  
 \* AS LISTED

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION

## CAUTION

NET CONTENTS .236  
~~1/2 PINT~~ (Liters)  
 1/2 PINT

SOLD BY: J. & L. ADIKES, INC.  
 JAMAICA, N.Y. 11423

**INSERT**

**OWNERS  
 PAGE**

**STORAGE:** Store in original bottle in a locked storage area, away from other pesticides, fertilizer, food, and feed. Keep bottle tightly closed after opening. If broken or spilled, apply an absorbent, sweep up and discard in trash. Do not store diluted spray material, make a new dilution for each use.

**PESTICIDE DISPOSAL:** Securely wrap original bottle in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

REAR PANEL  
TYPE SIZE

25% METHOXYCHLOR

BEST AVAILABLE COPY

----- PRECAUTIONARY STATEMENTS  
----- HAZARDS TO HUMANS AND DOMESTIC ANIMALS

----- CAUTION

KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. Do not inhale spray mist. Avoid skin contact. If contacted wash immediately with soap and water. Wash well after using and before smoking or eating. Do not use on pets, humans or animals. Do not use on forage crops fed to dairy animals. Do not contaminate feed or foodstuffs. Do not apply or allow to drift into areas occupied by unprotected persons or domestic animals. Do not store or use near fire or open flame.

Read entire label before using. Use strictly in accordance with label cautions, warnings and directions. Apply this product only as specified on this label.

ENVIRONMENTAL HAZARDS


This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water or ponds which drain into public waters. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

----- STORAGE AND DISPOSAL

STORAGE: Do not store or use near fire or open flame. 

INSERT FROM FRONT

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

after using and before smoking or eating. Do not use on pets, humans or animals. Do not use on forage crops fed to dairy animals. Do not contaminate feed or foodstuffs. Do not apply or allow to drift into areas occupied by unprotected persons or domestic animals. Do not store or use near fire or open flame.

Read entire label before using. Use strictly in accordance with label cautions, warnings and directions. Apply this product only as specified on this label.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water or ponds which drain into public waters. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**STORAGE:** Do not store or use near fire or open flame. ~~Do not store in unsealed material. Fix new delimitation for each use.~~

**INSERT FROM FRONT**

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinseate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL:** Do not reuse empty container. ~~Use container and put in trash collection.~~

### WARRANTY STATEMENT

Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller. The buyer assumes all risks if directions given herewith are not strictly adhered to. Seller gives no other or further warranty, expressed or implied as to the merchantability or any other aspect of products sold.

1750 3550 712

GRO-WELL® 25% METHOXYCHLOR will control the insects listed which attack ROSES, SHRUBS, TREES, EVERGREENS, FRUIT TREES and VEGETABLES. Read entire label before using. Use strictly in accordance with label cautions, warnings and directions. Spray thoroughly, wetting all leaf surfaces, including the underside of leaf, before insects become numerous. A sprayer which attaches to a hose, such as the GRO-WELL® SHRUB & TREE SPRAYER, may be used.

BEST AVAILABLE COPY

DOSAGE LISTED TO BE MIXED WITH 1 GALLON OF WATER

FOR USE ON	SEE NOTE	TO CONTROL	DOSAGE (Application Rate)
SHADE TREES-ORNAMENTALS: Birch, Dogwood, Elm, Holly, Maple, Oak, Pine, Sycamore	1-7	Cankerworm, Gypsy & Tussock Moths, Inchworm, Juniper Webworm, Pine Sawflies	4 to 6 tsps.
	1-2	Elm Bark Beetle, Scale Insects	8 to 12 tsps.
ROSES-FLOWERS-EVERGREENS-SHRUBS: Andromeda, Arborvitae, Asters, Azalea, Begonias, Boxwood, Camellia, Carnation, Chrysanthemum, Coleus, Dahlia, Delphinium, Euonymus, Geranium, Gladiolus, Juniper, Marigolds, Nasturtiums, Rhododendron, Roses, Snapdragon, Taxus, Zinnia	3-7	Beetles (Blister, Flea & Japanese), Cankerworm, Lace Bug, Leaf & Fleahoppers, Rose Chafer, Rose Slug	
FRUITS: Apples, Cherries, Pears, Plums	7-4	Apple Maggot, Cherry Fruitworm, Codling Moth, Japanese Beetle, Leafhopper, Plum Curculio, Tent Caterpillar	4 to 6 tsps.
	7-6		
Apricots, Peaches		Cankerworm, Cherry Fruit Fly, Grape Berry Moth, Grape Leaf Skeletonizer, Leafhopper, Oriental Fruit Moth, Pear Slug, Rose Chafer, San Jose Scale Crawler, Spittlebug	
Blackberries, Blueberries, Currants, Gooseberries, Grapes, Raspberries, Strawberries	7-5		
VEGETABLES: Beans, Cabbage, Cauliflower, Eggplant, Peas, Peppers, Potatoes, Tomatoes	7-4	Beetles (Bean Leaf, Blister, Colorado Potato, Flea, Japanese & Mexican Bean), Lacebug, Worms (Cabbage, Fall Army, Green Horn, Tomato Fruit & Web)	

NOTES: 1. Do not spray Chinese Elms, Japanese Red Maples, Red Maples, and Red Bud as foliage may be injured. 2. Dormant application only. 3. Do not use on Petunias; Boston, Maidenhair, Pteris Ferns and Crassula. 4. Do not apply within 7 days of harvest. 5. Do not apply within 14 days of harvest. 6. Do not apply within 21 days of harvest. 7. Spray at weekly intervals as needed.

CAUTION: Do not spray when temperature is above 85°F. Do not use on crops within 14 days of application of any Sulphur product. Wash residues off all fruits and vegetables before use.