

1 of 3

ACCEPTED
APR 19 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 5535-78

203

ACCEPTED
Apr. 19, 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDE ACT
FOR USE OF THE REGISTERED
SUBJECT

Cameraman's Note
Poor Copy

SEED

ACCE
Apr.
UNDER THE
FUNGICTY
FOR ECO
ED UN-
-TO-AY

CRAB-WEED PREVENT may be applied in conjunction with seeding if directions given below are followed.

CRAB-WEED PREVENT will effectively and selectively control 90 to 100% of CRABGRASS as well as other annual weeds to improve the growth of good turf grasses. In addition, it is effective for the control of other annual weeds such as FOXTAIL and BARNYARD CRAB. **PREVENT** may be used on BLUEGRASSES, FESCUES, BENTGRASSES (Kentucky Bluegrass, Canada Bluegrass), and PERENNIAL RYEGRASSES without danger of injury when applied according to directions. (Should not be used on warm season grasses such as Bermuda Grass.) **PREVENT** should be applied in the Spring before Crabgrass and other annual weeds start to grow, following spreading directions given below.

FOR USE WITH SEEDING: Contents of this bag should be applied to 4,000 sq. ft. (40' x 100') of lawn area, using spreader setting given below **WITH SEEDING**. Apply immediately after seeding, before Crabgrass and other annual weeds germinate. Follow watering directions carefully.

FOR USE WITHOUT SEEDING: Contents of this bag should be applied to 2,000 sq. ft. (20' x 40') of lawn area, using spreader setting given below **WITHOUT SEEDING**. Follow watering directions carefully.


SPREADING DIRECTIONS: It is recommended that a **CRAB-WEED** pattern be used. Start in a North/South direction, then immediately followed by an East/West direction, using the spreader settings listed below, continuing until proper amount is applied. This will give a more uniform coverage for maximum control. If spreader setting is not listed above, open spreader approximately 1/3 so that material flows out uniformly, but does not pile up.

	SPREADER SETTINGS		
	CRAB-WEED	CRAB-WEED	CRAB-WEED
WITH SEEDING	4,000 SQ. FT.	5	8
WITHOUT SEEDING	2,000 SQ. FT.	3	12

NOTE: Variations in equipment and materials as well as accuracy of machine adjustment may affect the application rate. Always check manufacturer's directions for proper use. The manufacturer is not responsible for the accuracy of a spreader or its application.

WATERING: After application, water over uniformly to within 1/2 inch of green blades, being careful not to apply too much water as puddles might form and wash away. For best results, area should get 1/2 inch of rainfall or water applied by sprinkler within 3 days after application.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. Harmful if



FOR USE WITHOUT SEEDING: Contents of this bag should be applied to 2,000 sq. ft. (50' x 40') of lawn area, using spreader setting given below **WITHOUT SEEDING**. Follow watering directions carefully.

SPREADING DIRECTIONS: It is recommended that a **CRISS-CROSS** pattern be used. Once in a North/South direction, then immediately followed by an East/West direction, following the spreading settings listed below, continuing until proper amount is applied. This will give you the minimum coverage for maximum control. If greater control is not likely, allow operator to spread approximately 1/3 of material more than necessary, but does not apply more.

SPREADER SETTINGS			
	APPLY CONTENTS TO	CYCLONE	SCOTTS
WITH SEEDING	4,000 SQ. FT.	5	8
WITHOUT SEEDING	2,000 SQ. FT.	8	12

Caution: Variations in equipment and materials as well as accuracy of machine adjustment, may cause actual application rates to vary slightly. Therefore, J. & L. ABILEE, INC. makes no warranty as to the uniformity of coverage obtained from settings listed above.


WATERING DIRECTIONS: After application, water area sufficiently to wash FIB-VENT on grass blades, being careful not to apply too much water as puddles might form and chemical will be run away. For best results, area should get 1/2 inch of rainfall or water applied by sprinkler within 3 days after application.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. Harmful if inhaled. Avoid breathing dust. May irritate eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or drinking.

Apply only to lawn areas and not to areas where it might be used for grazing or for feeding for food or feed. Do not apply to areas containing flowers, shrubs, vegetables or fruit. Avoid contact with other plants and feedstuffs. If spilled, immediately wash off with plenty of water. When watering lawn for first time after application, use full amount of all fertilizer included. Measure of this bag when empty and do not use for any other purpose.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply to areas where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste.

Always follow directions carefully on use, storage and handling of this material is bagged. The control of insects that it kills is dependent on the directions given herewith are not strictly when done.



3 of 3