GRO-WELL 5% CHLORDANE DUST

DIRECTIONS

LAWNS AND FOUNDATION PLANTINGS:

For control of ANTS, LAWN MOTHS (Sod Webworms) MOLE CRICKETS. CUTWORMS, EARWIGS. CHIGGERS, TICKS, CENTIPEDES, GRASSHOPPERS and ARMYWORMS, use 1 pound per 1,000 sq. ft. (20' x 50') water area thoroughly prior to application and do not water for 24 to 48 hours after application.

For control of JAPANESE BEETLE GRUBS, ORIENTAL and ASIATIC BEETLE LARVAE. WHITE GRUBS apply evenly to area at the rate of 1 pound per 525 sq. ft. (21' x 25') and then water area thoroughly to wash insecticide into soil.

TAXUS WEEVIL CONTROL

For control on YEWS, RHODODENDRONS and AZLEAS dust the ground around base of plant at the rate of 1 pound per 500 sq. ft. $(20' \times 25')$ and soak area with water. Application should be made one week after adults emerge, which is generally mid or late June. For exact date, consult your County Cooperative Agricultural Agent.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS. HARMFUL IF SWALLOWED. Do not allow children and pets on treated area until insecticide is washed into the soil and grass is completely dried. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. In case of skin contact, wash with soap and warm water; for eyes, get medical attention. Wash thoroughly before eating or smoking. Dispose of this container when empty, in a safe manner, either by burying with other waste or by burning. Do not inhale smoke or fumes. If either of these diposals are not permitted in your area, dispose of this container with other waste, in a trash can which can be tightly sealed. Do not contaminate feed or foodstuffs.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of any body of water. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.


NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

SOLD BY

NET WEIGHT-1 POUND

EPA REG. NO. 5535-89


J. & L. ADIKES, INC., JAMAICA, NEW YORK 11423



COVERS UP TO 1,000 SQ FT.

A 1

JEC1



SINCE 1855

ACTIVE INGREDIENTS Technical Chlordane* INERT INGREDIENTS

5.00% 95.00% TOTAL 100.00%

*Equivalent to 3% Octachloro-4,7-Methanotetrahydroindane and 2% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL CAUTIONS



DIRECTIONS

LAWNS AND FOUNDATION PLANTINGS:

For control of ANTS, LAWN MOTHS (Sod Webworms) MOLE CRICKETS. CUTWORMS. EARWIGS. CHIGGERS. TICKS. CENTIPEDES. GRASSHOPPERS and ARMYWORMS. use 1 pound per 1.000 sq. ft. (20' x 50') water area thoroughly prior to application and do not water for 24 to 48 hours after application.

For control of JAPANESE BEETLE GRUBS. ORIENTAL and ASIATIC BEETLE LARVAE. WHITE GRUBS apply evenly to area at the rate of 1 pound per 525 sq. ft. $(21' \times 25')$ and then water area thoroughly to wash insecticide into soil.

TAXUS WEEVIL CONTROL

For control on YEWS. RHODODENDRONS and AZLEAS dust the ground around base of plant at the rate of 1 pound per 500 sq. ft. (20' x 25') and soak area with water. Application should be made one week after adults emerge, which is generally mid or late June. For exact date, consult your County Cooperative Agricultural Agent.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS. HARMFUL IF SWALLOWED. Do not allow children and pets on treated area until insecticide is washed into the soil and grass is completely dried. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. In case of skin contact, wash with soap and warm water: for eyes, get medical attention. Wash thoroughly before eating or smoking. Dispose of this container when empty, in a safe manner, either by burying with other waste or by burning. Do not inhale smoke or fumes. If either of these diposals are not permitted in your area, dispose of this container with other waste, in a trash can which can be tightly sealed. Do not contaminate feed or foodstuffs.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of any body of water. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.


NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

SOLD BY

NET WEIGHT-1 POUND

EPA REG. NO. 5535-89


TRU ADDRESS THE DAMAGE A NEW TORY 11420



Springer and the state of the

Z)

·Lii







SINCE 1855

ACTIVE INGREDIENTS Technical Chlordane

5.00% 95.00% TOTAL 100.00% ad 2% related compounds

*Equivalent to 3% Octachloro-4.7 Methanotetrahydroindane and 2% related compounds.

CAUTION:

KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL CAPTIONS