

6M - 10/72

GRO-WELL. BORER KILLER

1.98

FOR CONTROL OF
PEACH TREE BORERS
AND CERTAIN OTHER BORERS
MAKES UP TO 24 GALLONS OF SPRAY

ACTIVE INGREDIENTS:
Gamma Isomer of Benzenehexachloride (from Lindane).... 05.00%
Methylated Naphthalene..... 90.00%
INERT INGREDIENTS:..... 05.00%
Total 100.00%

CAUTION:
KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS.
NET CONTENTS: 16 FL. OZ. (1 PINT)

GRO-WELL BORER KILLER will effectively control the Borers listed below when used as directed. A sprayer which attaches to the hose, such as the Gro-Well Shrub & Tree Sprayer, may be used.

When spraying trees listed below cover trunk with spray from the crotch to the ground, soaking the bark so that the spray begins to run off. Do Not Apply to Fruit or Foliage. Apply Only to Trunk from Ground to Crotch.

DOSAGE LISTED TO BE MIXED WITH 1 GALLON OF WATER

FOR USE ON	TO CONTROL	DOSAGE	NOTES
PEACH TREES	Peach Tree Borer Flat & Roundheaded Borers	4 TBSP.	1.
APPLE & CHERRY TREES	Flat & Roundheaded Borers	4 TBSP.	1.
DOGWOOD	Dogwood Borer	4 TBSP.	2.
LILAC	Lilac Borer	4 TBSP.	2.
RHODODENDRON	Rhododendron Borer	4 TBSP.	2.
IRIS	Iris Borer	4 TSP.	3.

NOTES: (1.) Do not apply to fruit or foliage, but wet trunk from ground to crotch. (2.) Make 2 to 3 applications 7 to 10 days apart in May and early June. (3.) Apply during April & May after having destroyed old leaves in early Spring.

CAUTION: Keep out of Reach of Children. Harmful if Swallowed. May be absorbed through the skin. Avoid inhalation and contact with eyes, skin and clothing. In case of skin contact wash with plenty of soap and hot water; for eyes, flush with water for 15 minutes and get PROMPT medical attention. Do not apply or allow to drift into areas occupied by unprotected persons or domestic animals. Do not use on humans or household pets. Do not apply to food crops or feed. If spilled, flush area with plenty of clear water. Wash well after using and before smoking or eating. Do Not Use, Pour, Spill or Store Near Heat or Open Flame. Do Not Reuse Empty Container. Wash Thoroughly with Water and Detergent. Discard in a Safe Place.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or from residues. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

Sold By: J. & L. ADIKES, INC. JAMAICA, NY 11423

EPA REG. NO. 5535-92

OTHER

GRO-WELL

PRODUCTS

- MULTI-PURPOSE DUST
- CHLORDANE
- LAWN FUNGICIDE
- LAWN WEED KILLER
- CRABGRASS KILLER
- INDOOR-OUTDOOR AEROSOL SPRAY
- ROSE AEROSOL SPRAY
- DORMANT SPRAY
- FRUIT TREE SPRAY
- ROSE BUCT
- TOMATO & VEGETABLE DUST
- MALATHION
- TREE WOUND POINT
- HORNET DUMB
- CHICKWEED KILLER
- GRO-WELL LAWN SEED
- LAWN FOOD
- ACID PLANT FOOD
- GARDEN PLANT FOOD
- ROSE FOOD

ACCEPTED

FEB 5 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 5535-92 SUBJECT
TO ATTACHED COMMENTS.

5535-92

6M - 10/72

Since 1855

1.98

GROW-WELL
BORER KILLER



**FOR CONTROL OF
 PEACH TREE BORERS
 AND CERTAIN OTHER BORERS**



MAKES UP TO 24 GALLONS OF SPRAY

ACTIVE INGREDIENTS:

Gamma isomer of Benzenehexachloride (from Lindane)..... 05.00%

Methylated Naphthalene..... 90.00%

INERT INGREDIENTS..... 05.00%

Total 100.00%

CAUTION:
KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET CONTENTS: 16 FL. OZ. (1 PINT)

GRO-WELL BORER KILLER will effectively control the Borers listed below when used as directed. A sprayer which attaches to the hose, such as the **Gro-Well Shrub & Tree Sprayer**, may be used.

When spraying trees listed below cover trunk with spray from the crotch to the ground, soaking the bark so that the spray begins to run off. **Do Not Apply to Fruit or Foliage.** Apply Only to Trunk from Ground to Crotch.

DOSAGE LISTED TO BE MIXED WITH 1 GALLON OF WATER

FOR USE ON	TO CONTROL	DOSAGE	NOTES
PEACH TREES	Peach Tree Borer Flat & Roundheaded Borers	4 TBSP.	1.
APPLE & CHERRY TREES	Flat & Roundheaded Borers	4 TBSP	1
DOGWOOD	Dogwood Borer	4 TBSP.	2.
LILAC	Lilac Borer	4 TBSP.	2.
RHODODENDRON	Rhododendron Borer	4 TBSP.	2.
IRIS	Iris Borer	4 TSP	3.

NOTES: (1.) Do not apply to fruit or foliage, but wet trunk from ground to crotch. (2.) Make 2 to 3 applications 7 to 10 days apart in May and early June. (3.) Apply during April & May after having destroyed old leaves in early Spring.

CAUTION: Keep out of Reach of Children. Harmful if Swallowed. May be absorbed through the skin. Avoid inhalation and contact with eyes, skin and clothing. In case of skin contact wash with plenty of soap and hot water; for eyes, flush with water for 15 minutes and get PROMPT medical attention. Do not apply or allow to drift into areas occupied by unprotected persons or domestic animals. Do not use on humans or household pets. Do not apply to food crops or feed. If spilled, flush area with plenty of clear water. Wash well after using and before smoking or eating. **Do Not Use, Pour, Spill or Store Near Heat or Open Flame. Do Not Reuse Empty Container. Wash Thoroughly with Water and Detergent. Discard in a Safe Place.**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or from residues. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

EPA REG. NO. 5535-92

Sold By: **J. & L. ADIKES, INC. JAMAICA, NY 11423**

OTHER

GROW-WELL

PRODUCTS

MULTI-PURPOSE DUST

CHLORDANE

LAWN FUNGICIDE

LAWN WEED KILLER

CRABGRASS KILLER

INDOOR-OUTDOOR

AEROSOL SPRAY

TRUSE AEROSOL SPRAY

DORMANT SPRAY

FRUIT TREE SPRAY

ROSE DUST

TOMATO & VEGETABLE DUST

MALATHION

TREE WOUND PLANT

HORNET DUST

CHICKWEED KILLER

GRO-WELL LAWN SEED

LAWN FOOD

ACID PLANT FOOD

GARDEN PLANT FOOD

ROSE FOOD

ACCEPTED

FEB 5 1973

UNDER FEDERAL REGULATION
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 5535-92 SUBJECT
 TO ATTACHED CONDITIONS.

Handwritten signature/initials.