

# 51050

SINCE 1855

GRO-WELL®

BO R E R

K I L L E R

13

27

35

24

KILLS  
 DOGWOOD, PEACH TREE, RHODODEODENDRON  
 AND OTHER  
 BORERS\*  
 MAKES UP TO  
 24 GALLONS OF SPRAY

BO R E R  
 IN TREE - SHOW  
 GROWTH CATCH.

ACCEPTED  
 with COMMENTS  
 in EPA Letter Dated

MAY 24 1984

Under the Federal Insecticide  
 Fungicide and Rodenticide Act  
 a pesticide registered under EPA Reg. No.  
 5535-92

ACTIVE INGREDIENTS:

Gamma Isomer of Benzenehexachloride (from Lindane)... 05.00%  
 Methylated Naphthalene..... 90.00%

INERT INGREDIENTS: ..... 05.00%  
 TOTAL 100.00%  
 \*AS LISTED

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
 SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION

NET CONTENTS  
 1 PINT (473 Liters)

SOLD BY: J. & L. ADIKES, INC.  
 JAMAICA, N.Y. 11423

BEST USE AVAILABLE

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED.** Applicators must wear the following protective clothing during the application process: long-sleeved shirt, long pants, waterproof gloves, full foot covering, and a head covering. May be absorbed through the skin. Avoid inhalation and contact with eyes, skin and clothing. Do not apply or allow to drift into areas occupied by unprotected persons or domestic animals. Do not use on humans or household pets. Do not apply to food crops or feed. Wash well after using and before smoking or eating.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED** - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink 1 to 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.
- IF INHALED** - Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN** - Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES** - Flush eyes with plenty of water. Call a physician immediately.
- NOTE TO PHYSICIAN:** Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

BEST DOCUMENT AVAILABLE

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

DIRECTIONS FOR USE

In accordance with Federal law to use this product in a manner inconsistent with the label. Read entire label before using. Use strictly in accordance with label cautions, warnings and directions. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

**STORAGE:** Store in original bottle in a locked storage area, away from other pesticides, water, fertilizer, food, and feed. Keep bottle tightly closed after opening. If broken or spilled, apply an absorbent, sweep up and discard in trash. Do not store diluted spray material, make a new dilution for each use. Do not store near heat or open flame.

**PESTICIDE DISPOSAL:** Securely wrap original bottle in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty bottle. Wrap empty bottle and put in trash collection.

WARRANTY STATEMENT

Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller. The buyer assumes all risks if directions given herewith are not strictly adhered to. Seller gives no other or further Warranty, expressed or implied as to the merchantability or any other aspect of products sold.

PRODUCT: BORER KILLER

GRO-WELL® BORER KILLER will effectively control the Borers listed when used as directed. A sprayer which attaches to a hose, such as the GRO-WELL® SHRUB & TREE SPRAYER, may be used.

When spraying trees listed, cover trunk with spray from the crotch to the ground, soaking the bark so that the spray begins to run off.

DO NOT APPLY TO FRUIT OR FOLIAGE. APPLY ONLY TO TRUNK FROM CROTCH TO GROUND.

DOSAGE LISTED TO BE MIXED WITH 1 GALLON OF WATER

FOR USE ON	SEE NOTE	TO CONTROL	DOSAGE (Application Rate)
Apple and Cherry trees	1	Flat and Roundheaded Borers	2 ozs. (4 tbsps)
Peach trees		Flat, Roundheaded & Peach Tree Borers	
Dogwood	2	Dogwood Borers	4 tsps.
Lilac		Lilac Borers	
Rhododendron		Rhododendron Borers	
Iris	3	Iris Borers	

NOTES: 1. Do not apply to fruit or foliage, but wet trunk from crotch to ground. 2. Make 2-3 applications 7-10 days apart in May and early June. 3. Apply during April and May after having destroyed old leaves in early Spring.

BEST CONTROL BY...

435/112023  
37/1



23 MAY 1984

30/118588  
17/2

J & L Adikes, Inc.  
182-12 93rd Avenue  
Jamaica, NY 11423

Attention: Robert W. Cummings

Gentlemen:

Subject: Amendment - Comply with Lindane Intent to Cancel  
Gro-Well Borer Killer  
EPA Registration No. 5535-92  
Application Dated November 28, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Delete the following information from the note to physician as it is inaccurate "If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine."
2. According to our records use of lindane on apple and peach trees requires a 60 day pre-harvest interval regardless of how it is applied. Therefore, add this restriction to the label. Note that this restriction does not apply to cherry trees, so you may wish to separate these use sites.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of

BEST DOCUMENT AVAILABLE

CONCORDANCES							
SYMBOL							
SURNAME	Parvally						
DATE	5/1/84						

-2-

such products, using current labeling, until *June 29* 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

RD/IRB:DCR-05525:LaRocca:pjb:Raven:557-2226:RD-3A:5/10/84:Del.5/27/84

BEST DOCUMENT AVAILABLE