

Mr. Robert Cummins  
17 & 17 Avenue, Inc.  
182-12 93rd Avenue  
Jamaica, NY 11423

21 SEP 1984

300 / 125556  
17 / 3

Dear Mr. Cummins:

Subject: Amendment - Add precautions  
GRO-WELL BORER KILLER  
EPA Registration No. 5535-92  
Your submission dated May 30, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy of the label is enclosed for your records. Note that when your printer prepares the actual finished labels that the Warranty Statement should appear after the Directions for Use table and Notes. Also, please have the printer change the SEE NOTE indications to "1 & 4" rather than "1 - 4" (do not include the quotation marks) for the apple trees and peach trees columns.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Do not allow children to handle or apply this pesticide product.

such as a hat.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED.** Applicators must wear the following protective clothing during the application process: long-sleeved shirt, long pants, waterproof gloves, full foot covering, and a head covering to be absorbed through the skin. Avoid inhalation and contact with eyes, hair and clothing. Do not apply or allow to drift into areas occupied by unprotected persons or domestic animals. Do not use on humans or household pets. Do not apply to food crops or feed. Wash well after using and before smoking or eating.

**STATEMENT OF PRACTICAL TREATMENT**  
 If SWALLOWED: Call a physician or Poison Control Center immediately. If available, vomiting should be induced under medical supervision. Drink 1 to 2 glasses of water and induce vomiting by washing the back of throat with finger. Do not induce vomiting if you are anything but sure of unconsciousness or continuing pain.  
 In EYES: Remove victim to fresh air. Apply artificial tears after if indicated.  
 On SKIN: Remove contaminated clothing and wash affected areas with soap and water.  
 In EYES: Wash eyes with plenty of water. Call a physician immediately.  
**NOTE TO PHYSICIANS:** Solvent presents aspiration hazard. Gastric lavage is indicated if necessary into lower intestine.

**PHYSICAL OR CHEMICAL HAZARDS**  
 Do not use near or over open flame or open flame.  
**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Avoid use of treated areas in ponds. Do not contaminate water by cleaning of equipment or disposal of excess.  
 This product is highly flammable. Store in a cool, dry place. Do not store near heat or open flame. Do not apply when there are strong winds blowing the spray over crop or nearby buildings or the treatment area. Applications should be timed to avoid the maximum possible interval between treatment and the next period of low activity.

**DIRECTIONS FOR USE**  
 See a number of 1 label on use of this product in a major treatment with its labeling. Read entire label before using. Use strictly in accordance with other labeling, warnings and directions. Apply this product only as specified on the label.

**STORAGE AND DISPOSAL**  
**STORAGE:** Store in original bottle or a locked storage area away from other pesticides, water, fertilizer, food and feed. Keep bottle tightly closed after opening. It is toxic if spilled. Apply or absorbent material, sweep up and discard in a can. Do not store dilute spray material. Make a new solution for each use. Do not store near heat or open flame.  
**PESTICIDE DISPOSAL:** Securely wrap original bottle or several empty bottles and discard in trash.  
**CONTAINER DISPOSAL:** Do not reuse empty bottle. Recycle empty bottle and put in trash container.

**WARRANTY STATEMENT:** Follow directions carefully. Use, storage and handling of this material is beyond the control of the seller. The buyer assumes all liability for directions, proper handling and use. Seller gives no other or further warranty, expressed or implied as to the merchantability or any other aspect of products sold.  
**GRO-WELL BONE FILLER** will effectively control the Borers listed when used as directed. A sprayer when attached to a hose, such as the GRO-WELL SPRAYER, may be used. Other spraying equipment, such as pump sprayers, will spray from the branch to the ground, leaving the bark to fall the spray begins to run off.

DO NOT APPLY TO FRUIT OR FOLIAGE. APPLY ONLY TO TRUNK FROM CROTCH TO GROUND.  
 DOSAGE LISTED TO BE MIXED WITH 1 GALLON OF WATER

FOR USE ON	SEE NOTE	TO CONTROL	DOSAGE (Application Rate)
Apple Trees	1-4	Flat and Round-headed Borers	2 lbs. (4 lbs/gal.)
Cherry Trees	1	Flat Round-headed & Peach Tree Borers	
Deciduous	2	Deciduous Borers	4 lbs/gal.
Lilac		Lilac Borers	
Rhododendron	3	Rhododendron Borers	4 lbs/gal.
etc.		etc. Borers	

**NOTES:** 1. Do not apply to fruit or foliage. Do not spray from ground. 2. Make 2-3 applications 7-10 days apart in May and early June. 3. Apply during April and May, after flowering ends and just before or soon after. 4. Do not apply within 60 days of harvest.

ACCEPTED with COMMENTS to EPA Letter Dated

SEP 21 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act...  
 553592

SEE NOTE

Apple Trees	1-4	Flat & Round
Cherry Trees	1	
Peach Trees	1-4	Flat, Round etc

SINCE 1855  
**GRO-WELL**

**BO**

Kills Dogwood, Peach Tree, Rhododendron and Other Borers

Makes Up To 24 Gallons of Spray

**ACTIVE INGREDIENTS:**  
 Gamma Isomer of Benzyl Methylated Naphthalene SULFONATE INGREDIENTS.

KEEP OUT OF REACH OF CHILDREN  
 SEE BACK PANEL FOR

NET CONTENTS  
 16 FL. OZ. (1 PT.)

EPA REG. 756A-1