

GRO-WELL

**LAWN
FUNGICIDE**

ACCEPTED
AUG 8 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR FOLIAR USE OF GRO-WELL
ED UNIV. OF CALIF. REG. NO. 100
NO ATTACHED LABELS

Contains

DWD ENM

1 of 5 ↓

Contains

DYRENE

**A BROAD SPECTRUM FUNGICIDE
TO CONTROL CERTAIN
DISEASES OF TURF GRASSES**

**1000000
APPLY BY SPREADER**

20F5 ↓

5,000 sq. ft.
APPLY BY SPREADER

**LEAF
SPOT**

**DOLLAR
SPOT**

**BROWN
PATCH**

**AND CERTAIN
OTHER TURF
DISEASES**

INC. N. 1423

*Camera's Note
Poor Copy*

APPLY BY SPREADER

LEAF
SPOT

DOLLAR
SPOT

BROWN
PATCH

AND CERTAIN
OTHER TURF
DISEASES

ACTIVE INGREDIENTS:

2,4-Dichloro-6-(o-chloroanilino)-s-Triazine 5%

INERT INGREDIENTS 95%

Total 100%

DYRENE® is Reg. T.M. of Baychem Corporation - Canadian Pat. No. 546,027

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WT. 11 POUNDS 14 OZ.

E.P.A. EST. 1159-N.J.-1
E.P.A. Reg. No. 5535-9

F. & M. ADIKES, INC., JAMAICA, N.Y. 11423

30F5 v

GRO-WELL

4 OF 5 ↓

LAWN FUNGICIDE

GRO-WELL® LAWN FUNGICIDE containing **DYRENE®** is a broad spectrum fungicide which will control the following disease of turfgrasses:

Rhizoctonia Brown Patch, Sclerotinia Dollar Spot, Copper Spot, Typhula Snow Mold, Helminthosporium — incited diseases (i.e., melting-out of Kentucky Bluegrass, Red Leaf Spot of Bentgrasses, Helminthosporium Blight of Fescues, Brown Blight of Ryegrasses, and Zonate Eyespot and Helminthosporium Leaf Spot of Bluegrasses, Bentgrasses and fescues).

DIRECTIONS: For best results, the lawn should be moist prior to application, either by light watering, after a rain fall or in the morning when dew is on the grass. Do not water lawn after application and do not apply when rain is expected within 24 hours of application.

PREVENTIVE DISEASE PROGRAMS: Where disease has not been a problem and a preventive program is desired, ~~apply contents of this bag~~ to an area of 5,000 sq. ft. (50' x 100') using Spreader Settings "A" listed below.

Where disease has been a problem in previous years and a preventive program is desired, apply contents of this bag to an area of 3,125 sq. ft. (62½' x 50') using Spreader Settings "B" listed below.

To control Rhizoctonia Brown Patch, Sclerotinia Dollar Spot, Helminthosporium Leaf Spot and Zonate Eyespot of Bluegrasses, Bentgrasses and Fescues and Copper Spot of Bentgrasses, start applications in late Spring to early Summer and continue at 10 to 14 day intervals to early Fall.

To control Typhula Snow Mold apply after first killing frost in the Fall. A second application should be made when the lawn is free of snow in mid-Winter and this should be followed by a third application after the final melting of snow in late Winter or early Spring.

CURATIVE DISEASE PROGRAM: For eradication spot treatment of severely diseased areas, apply contents of this bag to an area of 2,100 sq. ft. (50' x 42') using Spreader Settings "C" listed below.

SPREADER SETTINGS

| | A | B | C |
|-----------------|-------------------------------|---|-------------------------------|
| CYCLONE | 3 ³ / ₄ | 5 | 6 |
| SCOTT | 6 | 7 | 7 ³ / ₄ |

NOTE: Above spreader settings are approximate. Allowances must be made for condition of spreader, humidity, speed at which applied and roughness of area treated.

CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. Keep children and pets off until treated area is completely dried. Avoid inhalation. Avoid contact with skin, eyes and clothing. In case of skin contact, wash with soap and warm water; for eyes, get medical attention. Wash thoroughly after using and before eating or smoking. Wash contaminated clothing before reuse. Avoid contamination of feed, foodstuffs and domestic water supplies. Do not graze treated areas. Do not feed clippings to livestock. Do not reuse empty container. Destroy by burying with wastes or burning. Do not inhale smoke or fumes.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

