

CONTAINS \*TRIMEC HERBICIDE



SPECIALLY FORMULATED TO CONTROL POISON IVY

ACTIVE INCREDITIONS
\*\*Destructions and of 2 (2 mathyl 4 charaptemative)
property and
\*\*Destructions part of 2 4 decision-upsystem specific
and
\*\*Oethorophisms part of 0 destructions specific
(3 6 oethorophisms part of 0 destructions)
(3 6 oethorophisms part of 0 destructions)

MARTITION OF THE SPECIFIC SPECI

\* Exercised to 2 (2 martyl-4 charapteness) processes and 8 130s.

\*\* Exercised to 2 4 nother sphere symmetric acc. 0 120 \*\*\* Exercised to 2 8 decisions a make and 0 87 Ms.


#### .. WARNING:

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WEIGHT 1802. (1 LB. 2 02.)

'TRIMEC® is a registered Trademark of P.B.I. —

GORDON CORP. — U.S. PAT. NO. 3,284,186



## SHAKE WELL BEFORE USING

#### READ ENTIRE LABEL BEFORE USING

GRO WELL\* POISON IVY KILLER SPRAY will effectively control Poison Ivy. For best results apply when weeds are actively growing. Do not water within 24 hours after spraying effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Repeat in 3.4 weeks if necessary.

#### DIRECTIONS

Shake can well before using. This product is designed to permit easy treatment of weeds without bending or stopping. Remove protective cap, aim at weed and depress valve, making certain valve opening is pointed away from you. Only a short burst is needed. Over spraying only wastes the spray.

WARNING: KEEP OUT OF REACH OF CHILDREN. HARMFUL OR FATAL IF SWALLOWED. HARMFUL IF INHALED. Avoid contact with skin, eyes, or clothing. In case of contact, flush with plenty of water; for eyes get medical attention. Avoid breathing of vapor or spray mist. If swallowed, do not induce vomiting, call physician immediately. Wash well after using and before eating or smoking.

Avoid spraying susceptible plants (flowers, shrubs, etc.). Bentgrass, Carpetgrass, and St. Augustine Grass may be injured if contacted. Do not apply within dripline of desirable plants. Avoid accidental drift or application to nearby garden plants, flowers, or shrubs. Do not store near seed, fertilizers, insecticides, or fungicides. Do not contaminate water used for irrigation or domestic purposes.

WARNING: Contents of can under pressure. Do not puncture, Do not use or store near heat or open flame. Exposures to temperatures above 130° F. may cause bursting. Never throw container into fire or incinerator.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

SOLD BY

E.P.A. REG. NO. 5535-97

J. & L. ADIKES, INC. JAMAICA, N.Y. 11423



CONTAINS TRIMEC® HERBICIDE



# TO CONTROL POISON IVY

#### ACTIVE INGREDIENTS

\*\*Dermanuamme salt of 2-2 methy? 4-chl dephenory (in 173)

\*\*\*Dermanuamme salt of 2-4 debtor phenoxyacetic actor.

\*\*\*Oethan namine salt of 2-4 debtor phenoxyacetic actor.

\*\*\*Oethan demonstration of Dicamble.

\*\*(3-6 dichlaro admisic actor.)

\*\*INERT INGREDIENTS

\*\*POTAL 100,000

- \* Emwalent to 2 (2 methyl 4 charaphenoxy) propionic acid 0 120
- \*\* Equation to 2.4 dichlorophenoxyacetic acid 0.120
- $^{***}$  E  $_{\rm discalent}$  to 3, 6 dichloro o anisic ac 4.0.0114

## **WARNING:**

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

WITHRIBHT MODELL OF ACCOUNT

\*TRIMEC® is a registered Trademark of P.B.I.

GORDON CORP. U.S. PAT. NO. 3,284,186

GRO-WELI sults apply Effects beg quired for d

Shake can without being certain spraying on

WARNING: LOWED. H contact, flu vapor or sp well after us Avoid spray


EST. No. 11715-TN-1

Avoid spray Augustine ( plants. Avo not store n for irrigatio


or open flat container in

NOTE: Fol the control strictly adhe

SOLD BY:



CONTAINS .TRIMEC HERBICIDE



SPECIALLY FORMULATED TO CONTROL POISON IVY

ACTIVE INCREDIENTS

\*\*Decharaments of \$12 monitorisations of 1018

-() \$150 - 1 and


\* Expendent to \$10 maly (4 that the high proposed \$1104 \*\* Equation to \$4 february constant and \$220 the Expendent to \$4 february constant \$1114 to \$1100 the february constant \$1114 to \$1100 the february constant \$1114 to \$1100 the february constant \$1000 the february constant \$10

#### ... WARNING:

KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET-WEIGHT: 180Z, 11 LB, 2 0Z,

'TRIMEC $^{\textcircled{\scriptsize 6}}$  is a registered Trademark of P.B.t. -GORDON CORP. - U.S.PAT. NO. 3,284,186



### SHAKE WELL BEFORE USING

### READ ENTIRE LABEL BEFORE USING

GRO-WELL® POISON IVY KILLER SPRAY will effectively control Poison Ivy. For best re-ONU-WELL FUISUN IVY KILLEN SPHAY will effectively control Poison Ivy, For best results apply when weeds are actively growing. Do not water within 24 hours after spraying. Effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Repeat in 3-4 weeks if necessary.

Shake can well before using. This product is designed to permit easy treatment of weeds without bending or stopping. Remove protective cap, aim at weed and depress valve, making certain valve opening is pointed away from you, Only a short burst is needed. Over spraying only wastes the spray.

WARNING: KEEP OUT OF REACH OF CHILDREN. HARMFUL OR FATAL IF SWAL-LOWED. HARMFUL IF INHALED. Avoid contact with skin, eyes, or clothing. In case of contact, flush with plenty of water; for eyes get medical attention. Avoid breathing of vapor or spray mist. It swallowed, do not induce vomiting, call physician immediately. Wash well after using and before eating or smoking.

Avoid spraying susceptible plants (flowers, shrubs, etc.). Bentgrass, Carpetgrass, and St. Augustine Grass may be injured if contacted. Do not apply within dripline of desirable plants. Avoid accidental drift or application to nearby garden plants, flowers, or shrubs. Do not store near seed, fertilizers, insecticides, or fungicides. Do not contaminate water used for irrigation or domestic purposes.

WARNING: Contents of can under pressure. Do not puncture. Do not use or store near heat or open flame. Exposures to temperatures above 130° F. may cause bursting. Never throw container into fire or incinerator.

NOTE: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller, the buyer assumes all risks if directions given herewith are not strictly adhered to.

**COLD BY.** 

E.P.A. REG. NO. 5535-97

J. & L. ADIKES, INC. JAMAICA, N.Y. 11423