

PM 15 5535-103 7/13/90

STORAGE AND DISPOSAL: Store in original bottle in a locked storage area, away from other pesticides, water, fertilizer, food, and feed. Keep container tightly closed after opening. If broken or spilled, apply an absorbent, sweep up and discard in trash. For pesticide disposal, securely wrap original container in several layers of newspaper and discard in trash. Do not reuse empty container. Wrap empty container and put in trash collector.

GRO-WELL DIAZINON 25E INSECT SPRAY will control the insects listed which attack **ROSES, FLOWERS, SHRUBS, TREES, and LAWNS.** Apply when insects appear and repeat as noted in directions, or as necessary. For lawns, measure area to be treated and apply to the square foot areas as indicated.

A sprayer which attaches to a hose, such as the **GRO-WELL SHRUB & TREE SPRAYER**, or a **GRO-WELL LAWN SPRAYER** (for lawn areas), may be used
FOR OUTDOOR USE ONLY

LAWNS: ANTS - Dilute 4 ozs. (8 tbsp.) in 12 gallons of water and apply to 500 sq. ft. (20'x25'). Thoroughly spray window frames, doors, sills, screens, porches, patio walks, foundations, walks, garbage cans and into cracks and other places where insects may hide, paying particular attention to their hills and trails. Keep small children away from treated areas. Do not treat plants with this dosage rate. **BILLBUGS**- Dilute 4 ozs. (8 tbsp.) in 5-5 gallons of water and apply to 500 sq. ft. (20'x25') when insects or damage first appear. **CHINCH BUGS, EARWIGS, SOLE WEBWORMS and BROWN DOG TICKS**- Dilute 4 ozs. (8 tbsp.) in 12 gallons of water and apply to 500 sq. ft. (20'x25'). Apply a few hours after heavy rain or thorough watering for control of these insects. **HYPERODES WEEVIL** (New York State) - Dilute 3 ozs. (6 tbsp.) in 5-15 gallons of water and apply to 500 sq. ft. (20'x25'). Apply first treatment in mid-April, repeat in mid-May, except in Nassau County, New York. **WHITE GRUBS** (Japanese Beetle larvae and European Chafar) - Dilute 4 ozs. (8 tbsp.) in 5-15 gallons of water. Apply between late July and early October. Water thoroughly after application.

FLOWERS-SHRUBS-SHADE TREES: For use on Azalea, Boxwood, Camellia, Chrysanthemum, Gladiolus, Holly, Locust, Maple, Oak, Pine, Roses, Spruce and Willow - Dilute 1 oz. (2 tbsp.) in 3 gallons of water to control Aphids, Leafhoppers, Leafminers, Mites, Scale crawlers and Thrips. Penetrate dense foliage by spraying the upper and lower surfaces of the foliage thoroughly. **CAUTION:** Do not use on certain Ferns, Poinsettia, Hibiscus, Papaya, Pilea and Gardenia, since injury to these plants may occur.

OUTDOOR AREAS (for nuisance pests): Dilute 8 ozs. (16 tbsp.) in 1- 2 gallons of water to control Ants, Boxelder bugs, Chiggers, Clover mites, Cockroaches, Earwigs, Flies, Spiders, and Ticks. Thoroughly spray window frames, doors, sills, screens, porches, patio walks, foundations, walks, garbage cans and into cracks and other places where insects may hide, especially Ants, paying particular attention to their hills and trails. Keep small children away from treated areas. Do not treat plants with this dosage rate.

WARRANTY STATEMENT: Follow directions carefully, as use, storage and handling of this material is beyond the control of the seller. The buyer assumes all risks if directions given herewith are not strictly adhered to. Seller gives no other or further Warranty, expressed or implied as to the merchantability or any other aspect of products sold.

EPA Reg No 5535-103

EPA Est 6720-FL-1



spraying and launder before reuse. 1 clothing becomes wet from spray, STOP SPRAYING, immediately remove clothing and shower with soap and water. **PHYSICAL OR CHEMICAL HAZARDS:** Do not use, pour or store near heat or open flame.

ENVIRONMENTAL HAZARDS: This product is highly toxic to birds, fish, and wildlife including waterfowl. Birds and waterfowl feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted label rates. Rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. Where irrigation (watering) is recommended apply a minimum of 0.25 inch of water immediately after application. Stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, salt marshes and estuaries. Do not apply to water that will be used for recreational purposes and human and livestock consumption. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this pesticide or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using. Use strictly in accordance with warnings and directions. Apply this product only as specified on this label.
(Continued on back panel)

Not Reviewed. Registrant claims to be in accordance with the registration of Pesticide for Phase 2 Review, EPA Reg. No. 5535-103.

GRO-WELL



DIAZINON*

ACTIVE INGREDIENTS
INERT INGREDIENTS

WARNING

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
STATEMENT OF PRACTICAL TREATMENT - If SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** - vomiting may cause aspiration pneumonia. If INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. If ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. If IN EYES: Flush eyes with plenty of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidote. 2-PAM is also antidote and may be administered in conjunction with atropine.

WARNING: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. MAY BE FATAL IF SWALLOWED FOR OUTDOOR USE ONLY. May be absorbed through the skin. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Do not breathe spray mist. Causes substantial but temporary eye damage. Do not get in eyes or on clothing. Wear goggles or safety glasses. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use on humans or household pets. Do not allow children and pets onto a treated area until the spray has dried.

OUTDOOR DOMESTIC USE: Wear long sleeve shirt and long legged pants. Spray with the wind at your back. Do not spray in windy days if wind speed is greater than 10 miles per hour. Remove clothing after

(Continued on side panel)

51 192-6M-11-90