

SURE ACTION

RAT & MOUSE KILLER

ACTIVE INGREDIENTS:

Warfarin 3-(a-acetonylbenzyl)-4-hydroxycoumarin 0.025%

N'-(2-quinoxaliny)Sulfanilamide. (Sulfaquinoxaline). 0.025%

INERT INGREDIENTS: 99.950%

TOTAL

100.000%

EPA REG. NO. 5539-7

DISTRIBUTED BY

PAXTON ENTERPRISES

P. O. DRAWER A

PALACIOS, TEXAS 77465

CONTAINS *PROLIN

*PROLIN is a trademark of the Wisconsin Alumni Research Foundation.



MOUSE KILLER

NET WT. 16 OZS. (1 L.B.)

CAUTION:

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

SURE ACTION

RAT

&

SURE ACTION

RAT & MOUSE

SURE ACTION

\$1.39

RAT & MOUSE KILLER

DIRECTIONS FOR USE:

FOR MICE: Place tablespoonful amounts of "Sure Action" rat and Mouse Killer in shallow containers, where mice or signs of mice have been seen but out of reach of children or pets. Containers should be placed at intervals of 8 to 12 feet. Assure an uninterrupted supply of bait as long as evidence of feeding is observed; but for a period not less than 15 days. Replace stale, damp, or moldy baits with fresh baits, when necessary. Place baits in locations not accessible to children, pets, and domestic animals, or in tamper-proof bait boxes.

FOR RATS: The same as for mice except that 4 to 6 ounces per station should be the minimum amount used at each Bait Station. Bait should be placed in locations not accessible to children, pets, and domestic animals. An uninterrupted supply of bait should be maintained for at least 10 days.

SURE ACTION

RAT & MOUSE KILLER

CAUTION:

PROTECT CHILDREN, PETS AND DOMESTIC ANIMALS FROM BAIT. IF SWALLOWED BY HUMANS, DOMESTIC ANIMALS, OR PETS, THIS MATERIAL MAY REDUCE THE CLOTTING ABILITY OF THE BLOOD AND CAUSE BLEEDING. IN SUCH CASE, INTRAVENOUS AND ORAL ADMINISTRATION OF VITAMIN K COMBINED WITH BLOOD TRANSFUSIONS ARE INDICATED AS IN THE CASE OF HEMORRHAGE CAUSED BY OVERDOSES OF BISHYDROXYCOUMARIN.

"SURE ACTION" RAT AND MOUSE KILLER CONTAINS WARFARIN, AN ANTI-COAGULANT CHEMICAL THAT REDUCES THE CLOTTING ABILITY OF THE BLOOD AND UPON REPEATED FEEDINGS, CAUSES FATAL HEMORRHAGE IN MICE AND RATS. IT ALSO CONTAINS AN ANTIBACTERIAL AGENT WHICH INHIBITS BACTERIA THAT PRODUCE VITAMIN K, AN ANTIDOTE FOR WARFARIN.

TREATED BAITS SHOULD BE PLACED IN LOCATIONS NOT ACCESSIBLE TO CHILDREN, PETS, WILDLIFE, AND DOMESTIC ANIMALS OR IN TAMPER-PROOF BAIT BOXES. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

DO NOT REUSE CONTAINER
DESTROY WHEN EMPTY

ACCEPTED

JAN 16 1973

TO THE HEALTH DEPARTMENT
U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250
FOR INSPECTION AND
TO BE AFFIXED TO CONTAINER