



50 LBS. NET

10% SEVIN[®] DUST

ACCEPTED

JUL 3 1973

UNDER THE FEDERAL INSECTICIDE ACT
REGISTERED AT THE U.S. DEPT. OF AGRICULTURE
WASHINGTON, D.C. 20250
EPA REG. NO. 100-100000-0000
EPA UNDER NO. 100-100000-0000

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-methylcarbamate) _____ 10%

INERT INGREDIENTS _____ 90%

TOTAL 100%

GENERAL DIRECTIONS

Apply SEVIN DUST when first signs of insect infestation are noted, preferably before damage from feeding occurs. For best results, apply thoroughly to upper and lower leaf surfaces. If needed, repeat applications every 7 to 10 days.

SEVIN DUST can be used as directed and applied to beans the day of harvest without exceeding the residue tolerance.

SEVIN DUST is compatible with commonly used miticides, fungicides and insecticides. Do not use with lime or other alkaline material. SEVIN DUST will not control insects if used with lime or other highly alkaline materials.

DIRECTIONS FOR USE

BEANS. For control of Mexican Bean Beetle, Bean Leaf Beetle, Corn earworm, Leafhopper, Spotted Cucumber Beetle. Apply 15 to 20 lbs. per acre.

POTATOES. For control of Colorado Potato Beetle, Blister Beetle, Flea Beetle, Leafhopper. Apply 15 to 20 lbs. per acre.

U.S.D.A. Reg. No. 5549-8

SWEET CORN and FIELD CORN: To control corn earworm and FALL ARMY WORM. Apply at rate of 15 to 20 lbs. per acre. Begin dusting when first silks appear and repeat at 2 or 3 day intervals. Do not apply within 7 days of harvest for forage. Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee populations.

CUCUMBERS, SUMMER SQUASH AND CANTALOUPE: To control Spotted Cucumber Beetle, Squash Bug, Flea Beetle, Melon Worm and Pickleworm. Apply at rate of 10 to 15 lbs. per acre. Thorough coverage is essential. May be applied up to harvest. Make only one application on cucumbers because of possible foliar injury.

TOBACCO: Hornworms, Budworms, Japanese Beetle, Fleabeetles—apply 15 to 25 lbs. per acre. Good coverage is essential, especially for Flea Beetle control. Pay particular attention to underside of leaves over entire plant.

CAUTION

Keep Out Of Reach Of Children

Harmful if inhaled or swallowed. Do not breathe dust. Do not take internally. Avoid prolonged or repeated breathing of dust. Avoid contamination of feed and foodstuffs. Skin contact may be harmful. Avoid contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily. Note for Physician: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidote!

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

¹ Trade Mark of UCC for Carbaryl (1-Naphthyl N-methylcarbamate)
U. S. Patent No. 2,903,478

NOTICE

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

— Manufactured By —

Coastal Chemical Corp.

Greenville, N. C.