


BEST DOCUMENT AVAILABLE



ACCEPTED  
MAY 30 1978  
Under the Federal Insecticide, Fungicide, and Plant N. Act. as amended, for the pesticide registered under Reg. No. 5541-27

## RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators or persons under their direct supervision, or only for those uses covered by the certified applicator's certification.

## POISON DANGER

See Side Panels for Antidote & Precautions



Keep Out of Reach of Children

# COASTAL PARATHION 4

<b>Active Ingredients:</b>	
Parathion* (O,O-diethyl O-p-nitrophenyl Phosphorothioate)	46.50
Xylene	48.50
<b>Inert Ingredients:</b>	5.00
<b>Total</b>	<b>100.00</b>

\*Equivalent to 4.0 lbs. of 100% Parathion per gallon.

### NOT FOR HOME USE

Manufactured By

## COASTAL CHEMICAL CORP.

Greenville, North Carolina

Net Contents Five Gallons



#### DANGER—POISON—PRECAUTIONS

##### POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



##### POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



##### POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal

#### POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not apply or contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

#### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

[1] Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. [2] Wear safety goggles. [3] Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. [4] Wear heavy duty, natural rubber gloves.

EPA Reg No. 5549-27

EPA Est. 5549

**BEST DOCUMENT AVAILABLE**  
**STOP - READ LABEL BEFORE**  
**USING!**

**RESTRICTED USE  
 PESTICIDE**

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

**POISON DANGER**

See Side Panels  
 for Antidote &  
 Precautions



Keep Out of  
 Reach of  
 Children

**COASTAL PARATHION 4**

**Active Ingredients:**

Parathion* (O,O-diethyl O-p-nitrophenyl Phosphorothioate)	46.50%
Xylene	48.50%
Inert Ingredients:	5.00%
<b>Total</b>	<b>100.00%</b>

\*Equivalent to 4.0 lbs. of 100% Parathion per gallon.

**NOT FOR HOME USE**

Manufactured By  
**COASTAL CHEMICAL CORP.**

Greenville, North Carolina

Net Contents Five Gallons

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital— immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given [see First Aid Treatment Section] and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**FIRST AID TREATMENT**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote—administer atropine sulfate in large doses. TWO or FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION ON THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**CONTAINER DISPOSAL**

Wash, perforate and bury container when empty. Never re-use.

**DIRECTIONS FOR USE**

**TOBACCO**—Wireworms - Broadcast treatment. Mix two quarts with sufficient water to insure thorough coverage of entire soil surface for one acre. Disc or harrow into soil immediately. apply 1 to 2 weeks before transplanting.

**SWEET & WISH POTATOES**—Wireworms, mix 2 or 3 quarts with sufficient water to treat one acre. Disc or harrow into soil immediately. Pre-plant treatment only.

**CORN**—Corn rootworm, mix 1 to 1 1/2 quarts with sufficient water to treat one acre. Disc or harrow into soil immediately. Pre-plant treatment only.

**TOBACCO**—For controlling Aphids & Tobacco suckfly, use 1/2 pint per acre. Do not apply within 5 days of priming or 15 days of cutting. Avoid plant juices from coming in contact with the skin of those engaged in cutting or priming crop.

**COTTON**—To control Aphids, Mites, Cotton Leaf Worms, Fleahopper, Garden Webworm and Thrips. Apply 1/2 pint per acre, using enough water for complete coverage. Make first application when insect appears and repeat at 7-day intervals if required. Do not apply to Cotton within 5 days of hand picking.

**NOTICE**

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ATED  
 0 1978  
 Insecticide,  
 Fodenticide Act,  
 in the pesticide  
 5549-27

**AND WILDLIFE**  
 and wildlife. Birds and  
 may be killed. Keep  
 birds. Do not apply  
 to. Do not apply when  
 from areas treated.  
 water by cleaning of  
 wastes. Apply this  
 in this label.  
 to bees exposed to  
 on crops. Protective  
 gained from your  
 Extension Service.

**THE FOLLOWING**  
**AND CLOTHING**  
 coat, hat, rubber  
 [2] Wear safety  
 respirator approved by  
 for parathion  
 duty, natural rubber