

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

COASTAL PARATHION 4

ACTIVE INGREDIENTS:

Parathion* (O,O-diethyl O-p-nitrophenyl Phosphorothioate).. 46.50%
Xylene range aromatic solvents..... 48.50%

INERT INGREDIENTS:..... 5.00%
TOTAL 100.00%

*Equivalent to 4.0 lbs. of 100% Parathion per gallon.

STOP - READ LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DANGER




POISON

PELIGRO

PRECAUTION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

NOT FOR HOME USE

ACCEPTED
SEP 25 1987
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5549-87



209 C

+ FIRST AID TREATMENT +
STATEMENT OF PRACTICAL TREATMENT

Call a doctor, clinic or hospital immediately; Explain that the victim has been exposed to parathion and describe his condition. If doctor cannot come take victim to clinic or hospital. Move the patient immediately from the area where parathion is present.

- If Inhaled: Remove victim to fresh air. If not breathing, immediately give artificial respiration, mouth-to-mouth, and maintain until doctor victim. If breathing is difficult, give oxygen.
- If In Eyes or On Skin: Immediately flush with plenty of water while removing contaminated personal clothing and shoes to avoid continued possible exposure to victim or persons in attendance.
- If Swallowed: Induce vomiting immediately by giving two glasses of water and by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Have victim lie down and keep quiet.

Note to Physician


Antidote - Administer atropine sulfate in large doses. Two to four mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to, but not a substitute for, atropine which is a symptomatic and often life saving antidote. DO NOT GIVE MORPHINE OR TRANQUILIZERS because these antidotes may produce adverse effects accentuating the pharmacologic effects of this product. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS. See side panel for additional precautionary statements.

Manufactured By

COASTAL CHEMICAL CORPORATION
Greenville, NC

EPA EST NO 5549-NC-1
EPA REG NO 5549-27

Net Contents - 5 gallons



5-071 3

**Precautionary Statements
Hazards to Humans
DANGER--POISON--PRECAUTIONS**



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes, or on clothing (liquid goes through clothing.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISON SIGNS (SYMPTOMS)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed person must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

THIS PRODUCT MAY BE FATAL IF SWALLOWED, INHALED, OR IF ALLOWED TO CONTACT SKIN. FAILURE TO PROPERLY FOLLOW ALL INSTRUCTIONS FOR PROTECTIVE CLOTHING AND EQUIPMENT WILL INCREASE YOUR RISK.


USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE, AND EARLY REENTRY INTO TREATED FIELDS:

Waterproof pants, and coat; heavy-duty chemical-resistant gloves; rubber boots or rubber overshoes; hood or wide brimmed hat; safety goggles or face shield; NIOSH approved respirator. In addition, mixer/loaders must wear a chemical resistant apron when using the concentrated product. During aerial application in nonenclosed cockpits, a helmet with a visor may be substituted for the hood of wide-brimmed hat and safety goggles or face shield requirements.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Heavy-duty chemical resistant gloves; chemical resistant apron, long-sleeved shirt (or gauntlets and short sleeve shirt) and long-sleeved shirt (or gauntlets and short sleeve shirt) and long-legged pants; shoes and socks.

Safety goggles or a faceshield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.



IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Clean long-sleeved shirt and long-legged pants. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated areas. If used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag.

REMEMBER - THIS CLOTHING IS NOT INTENDED TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT OR DURING EARLY REENTRY! REFER TO THE INSTRUCTIONS ABOVE.

HUMAN FLAGGERS ARE STRICTLY PROHIBITED DURING AERIAL APPLICATION.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water, and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

AFTER WORK: Wash gloves with soap and water before removing. Take off all work clothes and shoes. Store protective clothing separately from personal clothing. Launder protective clothing after each use. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Personal clothing worn during mixing/loading, application, repair and cleaning of application equipment, disposal of pesticide, and early reentry into treated fields must be stored and laundered separately from household articles. Clothing and equipment heavily contaminated or drenched with parathion must be destroyed according to state and local regulations.

HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

Respirators should be cleaned and cartridges replaced according to instructions included with respirators. Replace gloves frequently.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and wildlife. Birds in treated areas may be killed. Do not apply directly to water or wetlands (swamp, marshes, bogs, and potholes). Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal laws. The use of this product is controlled to prevent death or harm to endangered or threatened species that occur in the following counties or elsewhere in their range.

Before using this pesticide in the following counties you must obtain the EPA Cropland Endangered Species Bulletin. The use of this pesticide is prohibited in these counties unless specified otherwise in the Bulletin. The EPA Bulletin is available from either your County Agricultural Extension Agent, the Endangered Species Specialist in your State Wildlife Agency Headquarters or the appropriate Regional Office of either the U.S. Fish and Wildlife Service (FWS) or the U.S. Environmental Protective Agency. **THIS BULLETIN MUST BE REVIEWED PRIOR TO PESTICIDE USE.**

<u>STATE</u>	<u>EPA REGIONAL OFFICE</u>	<u>SPECIES</u>	<u>COUNTIES</u>
North Carolina	Atlanta, GA	Spotfin chup	Macon, Swain
Virginia	Newton Corners, MA	Spotfin chup	Scott Washington
		Freshwater Mussels	Lee, Russell, Scott, Smyth, Tazewell, Wise, Washington

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Re-Entry Statement

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn.

Because certain states may require more restrictive reentry for various crops treated with this product, consult your State Department of Agriculture for further information.

Reentry into apples, citrus, peach, nectarine or grape fields in the States of Arizona, California, Nevada, New Mexico, Oklahoma, Texas, and Utah is prohibited for seven days after the end of application, unless all protective clothing and equipment required for early reentry as described elsewhere on the label is worn. Reentry into all other treated areas is prohibited for 48 hours after end of application, unless all required protective clothing and equipment is worn.

Written or oral warning must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. When oral warning are given, warning shall be given in a language customarily understood by workers. Oral warnings must be given if there is a reason to believe that written warning cannot be understood by workers. Written warnings must include the following information:

DANGER: Area treated with Coastal Parathion 4 on (date of application). Do not enter without appropriate protective clothing for 48 hours. In case of accidental exposure to pesticide sprays, immediately flush eyes or skin with plenty of water while removing contaminated clothing and shoes. See doctor immediately. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

10 29

STORAGE & DISPOSAL

Do not use or store near heat and open flame

Do not contaminate water, food, or feed by storage or disposal.

Pesticide disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

DIRECTIONS FOR USE


Tobacco - Wireworms - Preplant broadcast soil application. For general wireworm control, mix two quarts with sufficient water in insure thorough coverage of entire soil surface for one acre. Apply 7 to 28 days prior to setting and incorporate into the top 4 to 9 inches of soil immediately. Do not apply in transplant water.

Sweet & Irish Potatoes - Wireworms - Preplant broadcast soil application. Mix 2 to 3 quarts with sufficient water to treat one acre. Incorporate into tow 4 to 9 inches of soil.

Corn - Corn Rootworm - Mix 1 to 1 1/2 quarts with sufficient water to treat one acre. Incorporate into soil immediately. Preplant treatment only.

Tobacco - For controlling Aphids and Tobacco Suckfly - Use 1/2 pint per acre. Do not apply within 5 days of priming or 15 days of cutting. Avoid contact with plant juices when priming or cutting tobacco. Rubber gloves and protective clothing should be worn when transplanting plants if an application has been made within 30 days.

Cotton - To control Aphids, Mites, Cotton Leaf Worm, Fleahopper, Garden Webworm and Thirps - Apply 1/2 pint per acre, using enough water for complete coverage. Make first application when insect appears and repeat at 7 day intervals if required. Do not apply to Cotton within 7 days of hand picking. Do not apply within 15 days is cotton trash is to be fed to dairy animals or animals being finished for slaughter. Workers entering fields within 24 hours after application should wear protective clothing.



NOTICE

Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

