

CHLORDANE EMULSIFIABLE LIQUID

ACTIVE INGREDIENTS:	
Chlordane* Technical.....	72%
Xylene-range aromatic solvent.....	22%
INERT INGREDIENTS:.....	6%
	<hr/> 100%

*Equivalent to 43.2% Octachloro-4, 7-Methanotertra-
hydroindane and 28.8% related compounds.

This product contains 8 lbs. of Chlordane per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

May be fatal if swallowed. Do not breathe vapor, dust or spray
mist. Do not get in eyes, on skin or clothing. In case of skin
contact, wash immediately with soap and water. Avoid contamina-
tion of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed - Drink one or two glasses of water and induce
vomiting by touching back of throat with finger.
Do not induce vomiting or give anything by
mouth to an unconscious person. Get medical
attention immediately.
- If Inhaled - Remove victim to fresh air and apply respiration
if indicated.
- If on Skin - Wash promptly with soap and water. Rinse
thoroughly.
- If in Eyes - Rinse eyes for at least 15 minutes with water
and call a physician immediately.

See other precautions on the back-side panel.

Manufactured by

COASTAL CHEMICAL CORPORATION
Greenville, N. C.

EPA Est. No. 5549-NC-1
EPA Reg. No. 5549-41

Net Contents - One Gallon

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: DO NOT APPLY UNDER PRESSURE. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

RETREATMENT RESTRICTIONS: Retreatment for subterranean termites should only be made when there is evidence of re-infestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc. Retreatments may be made to critical areas in accordance with the application techniques described above. This application should be made as a spot treatment to these areas.

NOTICE OF WARRANTY

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 14 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

5079-11

BEST DOCUMENT AVAILABLE

465/59419
17/2



OCT 14 1982

JJP

Coastal Chemical Corporation
P. O. Box 856
Greenville, NC 27834

Gentlemen:

Subject: Termiticide E.I.P.
Chlordane Emulsifiable Liquid
EPA Registration No. 5549-41
Your Application Dated January 25, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing, incorporate the following revisions:

1. On the front panel, directly below the signal word, **WARNING**, remove the paragraph, "May be...foodstuffs" and place it on the back-side panel as the first subheading, titled **Hazards To Humans And Domestic Animals**, in the **Precautionary Statements** Section.
2. Revise the **Statement Of Practical Treatment** to read:

STATEMENT OF PRACTICAL TREATMENT

If swallowed- Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled- Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin- Remove contaminated clothing and wash affected areas with soap and water.

If in eyes- Flush eyes with plenty of water. Call a physician if irritation persists.

BEST DOCUMENT AVAILABLE

3. In the Precautionary Statements, delete "Environmental Cautions" and substitute with, "Environmental Hazards." Also in this section, delete the following sentences which may appear:

- o Birds feeding on treated areas may be killed.
- o Birds and other wildlife in treated areas may be killed.
- o Do not apply where runoff is likely to occur.
- o Do not apply when weather favors drift from treated areas.

Since this product is subject to the child-resistant (special) packaging regulations, submit a signed certification statement that the packaging complies with these requirements.

Refer to 40 CFR 162.16 "Pesticides Requiring Special Packaging" and the Federal Register Vol. 46, No. 41, Tuesday, March 3, 1981 pps. 15104-15109 "Clarification of Policy Issues on Special Packaging" for guidance and proper submission requirements.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure