

# DITHANE M-22 1% PARATHION DUST

### ACTIVE INGREDIENTS:

Maneb (Manganese Ethylene Bisdithiocarbamate) Parathion (O, O - Diethyl O-p-nitrophenyl Phosphorothioate) INERT (NGREDIENTS:

#### DIRECTIONS FOR USE

TOBACCO PLANT BED. For control of Blue Mold, Anthracnose, Fleg Beetle, Midge and Crane Fly Larve, and Aphids - use 1½ to 2 pounds per 100 square yards depending on the size of the plants. Make first application when the leaves are the size of a dime. Continue twice weekly thereafter. Do not apply within 5 days of pulling. Repeat any application washed off by rain within 24 hours. Growers using Maneb fungicides should be sure to use only the recommended rates. If insects are not present use Dithane M-22 as recommended on the label for control of Blue Mold and Anthracnose.

## WARNING

#### REEP OUT OF REACH OF CHILDREN

WARNING: May be fotal if swallowed, inhologing observed through skin. Rapidly choosed through skin. Do not good eyes or on skin, Wear natural rubber gloves, protective clothing and goggles, in case of contact wash immediately with soap and water. Wear mask or respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Keep all unprotected person out of operating areas or Vicinity where there may be danger of difft. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and food-stuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smeking. Wash all contaminated clothing with soap and hot water vefore re-use. Not for use or storage in or around the home.

CAUTION: This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, ponds, and streams. Do not apply to any area not specified on the label. Do not apply when weather conditions favor drift of dust from crop areas treated. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

#### NOTICE OF WARRANTY

BUYER assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

- Manufactured by -

## **Coastal Chemical Corp.**

GREENVILLE, N. C.

EPA Reg. No. 5549-52

### **BY WEIGHT**

		1.40%
	. <b></b>	1 00 %
<b>-</b> .	<b></b>	97.60%
Total		100.00%

