

ACCEPTED

JUN 24 1970

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR EQUALIZATION OF
TOLERANCES 5375-53



5% SEVIN* 1% PARATHION

TOBACCO DUST

50 LBS. NET

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-methylcarbamate)

Parathion (O, O-Diethyl O-p-nitrophenyl phosphorothioate)

INERT INGREDIENTS:

BY WEIGHT

5.0%

1.0%

94.0%

Total

100.0%

DIRECTION FOR USE

TOBACCO: Hornworms, Budworms, Japanese Beetle, Flea Beetles. Apply 15 to 25 pounds per acre. Good coverage is essential, especially for Flea Beetle control. Apply with power dusting equipment. Pay particular attention to underside of leaves over entire plant. Do not apply within 5 days of priming or 15 days of cutting. Avoid contacting plant juices with the skin while cutting or priming treated tobacco.

WARNING

KEEP OUT OF REACH OF CHILDREN

WARNING: May be fatal if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear mask or respirator of a type approved by the U. S. Department of Agriculture for Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and food-stuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

CAUTION: This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply to any area not specified on the label. Do not apply when weather conditions favor drift of dust from crop areas treated. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of waste.

DISPOSAL WARNING: Dispose of waste by burying in non-crop lands away from water supplies. Dispose of bags by burying with wastes or by burning. Keep out of smoke.

TO PHYSICIAN—Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

*Trade mark of UCC for Carbaryl (1-Naphthyl N-methylcarbamate)

U. S. Patent No. 2,903,478

NOTICE OF WARRANTY

Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

— Manufactured by —

Coastal Chemical Corp.

GREENVILLE, N. C.