



FIRST AID TREATMENT

IF SWALLOWED -- Give tablespoon of salt in glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.

INHALATION -- Remove patient from contaminated atmosphere.

SKIN -- In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES -- In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN -- (Treatment) -- Give at once intravenously by injection 1/30 to 1/15 grain 4 times a day and orally 1/30 to 1/15 grain 4 times a day and maintain at this level until patient is able to eat and drink. ...

OBSERVE THE FOLLOWING USE PRECAUTION

Do not use when wind is blowing toward you. Do not use when wind is blowing toward the target. Do not use when wind is blowing toward the target. ...



Methyl Parathion 4-E

EMULSIFIABLE CONCENTRATE

Table with 2 columns: Ingredient Name and Weight. Includes Active Ingredients (Methyl Parathion, Dinitrophenol, Triphenyl Phosphorothioate, Cetane) and Inert Ingredients, totaling 5.00.

DANGER POISON



Keep Out Of Reach Of Children

See Side Panel for Additional Warnings and Antidote Statement

Manufactured by

Coastal Chemical Corp.

GREENVILLE, N. C.

Net Contents -- 5 Gallons

EPA Reg No. 5549-52

DIRECTIONS FOR USE

COTTON: Aphids, Boll Weevils, Leafworms, Red Spider Mites, Fleahoppers, and Thrips. Use 1/2 to one pint of methyl parathion emulsifiable concentrate per acre. Apply with sufficient water to give uniform coverage. ...



POISON



NOTICE OF WARRANTY

Buyers are hereby notified that the manufacturer of this material certifies that it conforms to the specifications given herewith.

ACCEPTED

25 1971

GENERAL INFORMATION SUBJECTS